
APR 19 2000



George T. LaRocca, Product Manager 13

Stick Weull of -

Signature of Approving Official:

c. Also, EPA will issue a PR Notice revising first aid statements in the near future. The following are the revised statements that will be required for products placed in category III and above. You may wish to incorporate these statements on your labeling:

"IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible, Call a poison control center or doctor for further treatment advice."

Also, add the following statement near the first aid statements: "Have the product container or label with you when calling a poison control center or doctor or going for treatment."

EPA recommends that these statements be boxed and bulleted to present the information in a clear, easy-to-read fashion.

- d. Under ENVIRONMENTAL HAZARDS, delete "other" in the first sentence.
- e. The dosages for Pour-On Back Rubber and Premise Spray are lower than the referenced product. Does efficacy data support the lower rate? If not, revise as follows:
 - (1) Under Application Instructions, Dosage: change "2 ml. Per 100 lbs. body weight of animal, up to a maximum of 20 ml." to read "3 ml. per 100 lbs. body weight of animal, up to a maximum of 30 ml.".
 - (2) Under Application Instructions Back Rubber Use: change "Mix 64 ml (2.1 oz) per gallon" to read "Mix 100 ml. (3.3 oz) per gallon".
 - (3) Under Application Instructions, Ready-to-Use Spot Spray or Premise Spray: change "600 ml will treat approximately 7,200 square feet" to read "One gallon will treat approximately 7,300 square feet".
- f. Depending on which option you use from comment e., revise the first paragraph under application instructions to read: "Apply ___ ml per 100 lbs. body weight of animal to a maximum of ___ ml for any one animal when applied as a pour-on or as a spray".

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca Product Manager (13)

Insecticide Branch

Registration Division (7505C)

Her Willife -

Enclosure





8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

TELEPHONE (612) 544-0341

Kills Lice and Flies on Cattle

For Use on Beef Cattle, Lacating and Non-lacating Dairy Cattle, and their Premises For Use as a Pour-On, Mist Spray or Back Rubber

ACTIVE INGREDIENT:

Permethrin [*(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-

5.00%

95.00% 100.00%

- Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans
- ** Contains Petroleum Distillate

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: IF ON SKIN: IF SWALLOWED: Immediately flush eyes with plenty of water. Get medical attention if discomfort persists.

Wash skin with soap and water. Get medical attention.

Call a physician immediately. Do not induce vomiting unless under medical attention as vomiting may cause aspiration pneumonia.

IF INHALED:

Remove victim to fresh air. Apply artificial respiration if necessary.

For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes and clothing. Avoid breathing vapor or mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and other aquatic invertebrates. Do not add directly to water, to areas where surface waters are present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply the product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

ACCEPTED
with COMMENTS
in EPA Letter Dated

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APR 1 9 2000

EXCEPT FOR BACK RUBBER/READY TO USE

No dilution necessary

Fideral Inscenticide. Act Producticide Act In Stan posticide in the United No. 1021-1744

IMPORTANT NOTE: Concentrated formulation - Use only with an accurate measuring container or applicator.

Apply To:	Target Insects	Application Instructions
Lactating and Non-Lactating Dairy Cattle, Beef Cattle and Calves	Lice, Horn Flies, Face Flies, Aids in control of Horse Flies, Stable Flies, House Flies, Mosquitoes and Black Flies. Controls Horn Flies up to 6 weeks after application.	DOSAGE: Apply 2 ml/per 100 lbs. body wt. of animal, up to a maximum of 20 ml. for any one animal when applied as pour on or spray. POUR ON: Pour correct dose along back and down face. READY TO USE SPRAY: Use undiluted in a mist sprayer to apply correct dose. Apply directly to neck, face, back, legs and ears. BACK RUBBER USE: Mix 64 ml. (2.1 oz.) per gallon of mineral oil. Keep rubbing device charged. Results improved by daily forced use.
Premises - in and around Beef, Dairy, Swine and Poultry Premises, Animal Hospital Pens and Kennels and "outside" Meat Processing Premises.	House Flies, Stable Flies, Face Flies, Gnats, Mosquitoes, Black Flies, Fleas, Little House Flies (Fannia spp). Aids in control of cockroaches, ants, spiders, and crickets.	For use as a Ready-To-Use Spot Spray or Premise Spray: Use undiluted in a mist sprayer. Apply directly to surface to leave a residual insecticidal coating, paying particular attention to areas where insects craw/or alight. 600 ml. will treat approximately 7,200 square feet.

For cattle, repeat treatment as needed, but not more often than once every two weeks. For optimum lice control, two treatments at a 14-day interval are recommended.

Special Note: This product is not effective in controlling cattle grubs. This is an oil-based, ready-to-use product, that may leave an oily appearance on the hair coat of some animals. This product should be used in an integrated pest management system which may involve repeat treatments and the use of other pest control practices.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep container sealed when not in use. Do not store near food or feed.

<u>PESTICIDE DISPOSAL</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>CONTAINER DISPOSAL</u>: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Net Contents _____ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427 Made in USA

EPA Reg. No. 1021-

EPA Est. No. 1021-MN-2