
2780-504

EVERCIDE® PERMETHRIN POUR-ON 2780





JUN 15 2004

Under the Federal Insecticide. Fungicide. and Redenticide Act. as amended. for the pesticide registered under EPA Reg. No. 1/21-1344

Kills Lice and Flies on Cattle

For Use on Beef Cattle, Lactating and Non-lactating Dairy Cattle, and their Premises For Use as a Pour-On, Mist Spray or Back Rubber

ACTIVE INGREDIENT:

5.00% 95.00%

100.00%

- Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans
- ** Contains Petroleum Distillate

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

	FIRST AID	
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
↑ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.		
	Call a poison control center for treatment advice.	
IF ON SKIN OR	Take off contaminated clothing.	
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.	
	Call a polson control center or doctor for treatment advice.	
IF	Immediately call a poison control center or doctor.	
SWALLOWED:	Do not induce vomiting unless told to do so by a poison control center or doctor.	
	Do not give any liquid to the person.	
	Do not give anything by mouth to an unconscious person.	
IF INHALED:	Move person to fresh air.	
	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.	
	Call a poison control center or doctor for further treatment advice.	

NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not add directly to water, to areas where surface waters are present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply the product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

EXCEPT FOR BACK RUBBER/READY TO USE No dilution necessary

Apply To:	Target Insects	Application Instructions
Lactating and Non-Lactating Dairy Cattle, Beef Cattle and Calves	Lice, Hom Files, Face Flies, Aids in control of Horse Files, Stable Flies, House Flies, Mosquitoes and Black Flies. Controls Hom Flies up to 6 weeks after application.	DOSAGE: Apply 3 ml. per 100 lbs. body wt. of animal, up to a maximum of 30 ml. for any one animal when applied as pour-on or spray. POUR ON: Pour correct dose along back and down face, up to a maximum of 30 ml. for any one animal when applied as pour-on or spray. READY TO USE SPRAY: Use undiluted in a mist sprayer to apply correct dose, up to a maximum of 30 ml. for any one animal when applied as pour-on or spray. Apply directly to neck, face, back, legs and ears. BACK RUBBER USE: Mix 100 ml. (3.3 oz.) per gallon of mineral oil. Keep rubbing device charged. Results improved by daily forced use.
Premises - in and around Beef, Dairy, Swine and Poultry Premises, Animal Hospital Pens and Kennels and "outside" Meat Processing Premises.	House Flies, Stable Flies, Face Flies, Gnats, Mosquitoes, Black Flies, Fleas, Little House Flies (Fannia spp). Aids in control of cockroaches, ants, spiders, and crickets.	For use as a Ready-To-Use Spot Spray or Premise Spray: Use undiluted in a mist sprayer. Apply directly to surface to leave a residual insecticidal coating, paying particular attention to areas where insects crawl or alight. One gallon will treat approximately 7,300 square feet.

For cattle, repeat treatment as needed, but not more often than once every two weeks. For optimum lice control, two treatments at a 14-day interval are recommended.

Special Note: This product is not effective in controlling cattle grubs. This is an oil-based, ready-to-use product, that may leave an oily appearance on the hair coat of some animals. This product should be used in an integrated pest management system which may involve repeat treatments and the use of other pest control practices.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep container sealed when not in use. Do not store near food or feed.

<u>PESTICIDE DISPOSAL</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>CONTAINER DISPOSAL</u>: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Net Contents _____ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427 Made in USA

EPA Reg. No. 1021-1744

EPA Est. No. 1021-MN-2