

MKGK McLAUGHLIN
GORMLEY
KING COMPANY

EVERCIDE® PERMETHRIN POUR-ON 2782

Ready-To-Use Pour-On Insecticide

Kills Lice and Flies on Beef and Lactating Dairy Cattle, Keds on Sheep

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

TELEPHONE (612) 544-0341

ACTIVE INGREDIENT:

Permethrin [(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate]

1.00%

** **OTHER INGREDIENTS**

99.00%

100.00%

* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

** Contains Petroleum Distillate

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. • Call a poison control center for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

NOTE TO PHYSICIAN:

Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not add directly to water. Do not contaminate water by cleaning of equipment or disposal of washwaters. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS:

Pour along back line and down face. Apply 1/2 fl. oz. per 100 lbs. body weight of animal, up to a maximum of 5 fl. oz. (at any one application) for any one animal to kill Lice, Horn Flies and Face Flies. Aids in the insecticidal control of Horse Flies, Stable Flies, Mosquitoes, Black Flies and Ticks on lactating and non-lactating dairy cattle, beef cattle, calves and sheep.

For Keds on sheep, pour along back line over neck, shoulders and rump. Apply 1/4 fl. oz. per 50 lbs. body weight of animal, up to a maximum of 3 fl. oz. (at any one application) for any one animal.



2/2

Repeat treatment as needed, but not more than once every two weeks. For optimum insecticidal effectiveness against lice, a double treatment at 14 day intervals is recommended.

NOTE: This product is not effective for grub control on cattle.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep container sealed when not in use. Do not store near food or feed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

CONTAINERS ONE GALLON AND UNDER: Do not reuse empty container. Rinse thoroughly, wrap in several layers of newspaper and place in trash.

Net Contents _____
Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427
Made in USA

EPA Reg. No. 1021-1745

EPA Est. No. 1021-MN-2