

12/17/2001

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

December 17, 2001

Ms. Julie Schlekau McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427

Subject:

Amendment to Add Backrubber Use and Treatment of Premises

Evercide® Permethrin Pour-On 2782

EPA Reg. No. 1021-1745

Your Letter Dated September 13, 2001

Dear Ms. Schlekau:

The labeling referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you:

- 1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - The "Application Instructions" shown at the bottom of the front page are also contained in the table of instructions on the second page. This may confuse applicators, therefore, please use the text in the table and delete the front page instructions.
 - Under Application Instructions and Table delete sheep for the ½ fl. oz. rate. Application to sheep is limited to the ¼ fl. oz. to a maximum of 3 fl. oz. rate. Also, change "Rubber Back" to "Backrubber" use.

3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca Product Manager (13) Insecticide Branch Registration Division (7505C)

Enclosure



EVERCIDE® PERMETHRIN POUR-ON 2782

Ready-To-Use Pour-On Insecticide Kills Lice and Flies on Beef and Lactating Dairy Cattle, Keds on Sheep 8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

TELEPHONE (763) 544-0341

ACTIVE INGREDIENT:

Permethrin [*(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-

dimethylcyclopropanecarboxylate) OTHER INGREDIENTS

1.00% 99.00% 100.00%

- Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans
- Contains Petroleum Distillate

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

	FIRST AID
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
	Call a poison control center for treatment advice.
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	 Do not induce vomiting unless told to do so by a poison control center or doctor.

NOTE TO PHYSICIAN:

Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not add directly to water. Do not contaminate water by cleaning of equipment or disposal of washwaters. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

ACCEPTED with COMMENTS In EPA Letter Dated:

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

DEC 17 2001

1021-174

Under the Federal Insecticide, It is a violation of Federal law to use this productungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS:

Pour along back line and down face. Apply 1/2 fl. oz. per 100 lbs. body weight of animal, up to a maximum of 5 fl. oz. (at any one application) for any one animal to kill Lice, Horn Flies and Face Flies. Aids in the insecticidal control of Horse Flies, Stable Flies, Mosquitoes, Black Flies and Ticks on lactating and non-lactating dairy cattle, beef cattle, calves and sheep.

For Keds on sheep, pour along back line over neck, shoulders and rump. Apply 1/4 fl. oz. per 50 lbs. body weight of animal, up to a maximum of 3 fl. oz. (at any one application) for any one animal.

Apply To:	Target insects	Application Instructions
Lactating & Non-Lactating Dairy Cattle, Beef Cattle, Calves & Sheep	Lice, Horn Flies, Face Flies. Aids in control of Horse Flies, Stable Flies, Mosquitoes, Black Flies and Ticks.	Pour along back line and down face. Apply ½ fl. oz. per 100 lbs. body weight of animal up to a maximum of 5 fl. oz. (at any one application) for any one animal. RUBBER BACK USE: Mix one pint per gallon #2 diesel or mineral oil. Keep rubbing device charged. Results improved by daily forced use.
Sheep	Keds	Pour along back line over neck, shoulders and rump. Apply 1/4 fl. oz. per 50 lbs. body weight of animal, up to a maximum of 3 fl. oz. (at any one application) for any one animal.
Premises – in and around Horse, Beef, Dairy, Swine, Sheep and Poultry Premises. Animal Hospital Pens and Kennels and Outside Meat Process Premises.	Horse Flies, Stable Flies, Face Flies, Gnats, Mosquitoes, Black Flies, Fleas, little House Flies, (Fannia spp.). Aids in control of Cockroaches, Ants, Spiders and Crickets.	For use as a ready-to-use spot spray or premise spray. Use undiluted in a mist sprayer. Apply directly to surface to leave a residual insecticidal coating, paying particular attention to areas where insects crawl or alight. One gallon will treat approximately 7,300 square feet.

Repeat treatment as needed, but not more than once every two weeks. For optimum insecticidal effectiveness against lice, a double treatment at 14 day intervals is recommended.

NOTE: This product is not effective for grub control on cattle.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep container sealed when not in use. Do not store near food or feed.

<u>PESTICIDE DISPOSAL</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>CONTAINER DISPOSAL</u>: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

<u>CONTAINERS ONE GALLON AND UNDER:</u> Do not reuse empty container. Rinse thoroughly, wrap in several layers of newspaper and place in trash.

Net Contents _____ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North

Minneapolis, MN 55427 Made in USA

EPA Est. No. 1021-MN-2

EPA Reg. No. 1021-1745