

# MGK®

McLAUGHLIN  
GORMLEY  
KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

EVERCIDE® PERMETHRIN POUR-ON 2782

1021-1745

**Ready-To-Use Pour-On Insecticide**  
Kills Lice and Flies on Beef and Lactating Dairy Cattle, Keds on Sheep  
For Back-Rubber Use

Net Contents \_\_\_\_\_  
Manufactured by:  
Mc LAUGHLIN GORMLEY KING COMPANY  
8810 Tenth Avenue North  
Minneapolis, MN 55427

**ACTIVE INGREDIENT:**

Permethrin [(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethyl) 2,2-dimethylcyclopropanecarboxylate) .....	1.00%
** OTHER INGREDIENTS .....	99.00%
	100.00%

EPA Reg. No. 1021-1745

EPA Est. No. 1021-MN-2

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

## CAUTION

Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

- \* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans
- \*\* Contains petroleum distillates

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

**FIRST AID**

<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor.</li> <li>• Do not induce vomiting unless told to do so by poison control center or doctor.</li> <li>• Do not give any liquid to the person.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 – 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.</li> <li>• Call a poison control center for treatment advice.</li> </ul>
<b>IF INHALED:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product  
in a manner inconsistent with its labeling.

**APPLICATION INSTRUCTIONS:**

Apply To:	Target Insects	Application Instructions
Lactating & Non-Lactating Dairy Cattle, Beef Cattle & Calves	Lice, Horn Flies, Face Flies. Aids in control of Horse Flies, Stable Flies, Mosquitoes, Black Flies and Ticks.	Pour along back line and down face. Apply 1/2 fl. oz. per 100 lbs. body weight of animal up to a maximum of 5 fl. oz. (at any one application) for any one animal. <b>BACKRUBBER USE:</b> Mix one pint per gallon #2 diesel or mineral oil. Keep rubbing device charged. Results improved by daily forced use.
Sheep	Keds	Pour along back line over neck, shoulders, and rump. Apply 1/4 fl. oz. per 50 lbs. body weight of animal, up to a maximum of 3 fl. oz. (at any one application) for any one animal.

**NOTE TO PHYSICIAN:** Contains petroleum distillate – vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

ACCEPTED

SEP 19 2005

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1021-1745

09/19/2005

1/5

Premises – In and around Horse, Beef, Dairy, Swine, Sheep and Poultry Premises. Animal Hospital Pens and Kennels and Outside Meat Process Premises.

Horse Flies, Stable Flies, Face Flies, Gnats, Mosquitoes, Black Flies, Fleas, little House Flies, (*Fannia spp.*). Aids in control of Cockroaches, Ants, Spiders and Crickets.

For use as a ready-to-use spot spray or premise spray. Use undiluted in a mist sprayer. Apply directly to surface to leave a residual insecticidal coating, paying particular attention to areas where insects crawl or alight. One gallon will treat approximately 7,300 square feet.

Repeat treatment as needed, but not more than once every two weeks. For optimum insecticidal effectiveness against lice, a double treatment at 14-day intervals is recommended.

NOTE: This product is not effective for grub control on cattle.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.



**STORAGE:** Keep container sealed when not in use. Do not store near food or feed.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**CONTAINERS ONE GALLON AND UNDER:**

If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.



2/10