

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

NOV 2 0 2012

Mr. Jeffrey Nelson McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427

Subject: Label Notification(s) for Pesticide Registration 98-10

Dear Mr. Nelson:

Subject: Adding Marketing Claims

EPA Registration Number: 1021-1746 Date of Submission: September 6, 2012

Decision: 469638

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated September 6, 2012 for the product EVERCIDE® Permethrin Insect Repellent 27701. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The Confidential Statement of Formula (CSF) and/or label submitted with the application has (have been stamped "Notification" and will be placed in our records.

If you have any questions, please contact Melody Banks on 703 305-5413.

Sincerely,

Richard Gebken Product Manager

Insecticide Branch

Registration Division (7504P)

al Call

Please read instructions before com	pleting form						60. Approval expires 05-31-98	
	-	mied States			Regis., atio		OPP Identifier Number	
<b>⊗EPA</b>	Environment	al Protection A	gency		Amendme	nt	1	
	Washi	ngton, DC 20460		Х	Other			
<del>.</del>		Application	for Pesticion	le - Sectio	n l			
1. Company/Product Number			2. EPA Product Manager			3. Proposed	Classification	
1021-1746			Richard Gebken			]		
4. Company/Product (Name)			PM#			☑ None	Restricted	
EVERCIDE® Permeth	27701	10			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
5. Name and Address of Applicant (Include Zip Code)			6. Expedited Review. In accordance with			r FIFRA Sectio	nn 3(c)(3)(h)(i) my	
McLAUGHLIN GORMLEY KING COMPANY			product is similar or identical in composition and labeling to:					
8810 TENTH AVENUE NORTH			NOT!FICATION					
MINNEAPOLIS, MN 55427			EPA Reg. No.					
WARRING AND CO., WING O	0421		Li A Neg. II	· .		1309 2 11	c (5)	
			Product Nan	ne.		Const 2 day 1	en to tour	
Check if this								
Check ii this	is a riew address		Section - II					
	5 1	<u> </u>	Section - II					
Amendment - Explain below.			Final printed labels in response to					
□ <b>5</b>				Agency letter dated			<del> </del>	
Resubmission in response to Agency letter dated				"Me Too" Application.				
7					00 = 15			
	Explain below.	Tananation Land S	Santiar II V		Other - Explai	n below.		
Explanation: Use addition	al page(s) if necessary.	For section 1 and 3	section II.)					
N CC C DON	r							
Notification per PR-No	tice 98-10.							
	•							
·		_		· · · · · · · · · · · · · · · · · · ·				
<u> </u>			Section - III					
<ol> <li>Material This Product Wil</li> </ol>	Be Packaged In:							
Child-Resistant Packaging	Unit Packaging		Water Soluble Packaging		<ol><li>Type of Co</li></ol>	ontainer		
Yes* Yes			Yes		l	☑ Metal		
✓ No	✓ No		✓	No		Plastic		
	If "Yes"	No. per	If "Yes"		No. per	Glass		
*Certification must	Unit Packaging wgt.	container	Package wgt.		container	Paper		
be submitted			<u> </u>			Other (S	Specify)	
3. Location of Net Contents	information	4. Size(s) Reta	il Container 5. Location o			Label Directio	ns	
✓ Label 🗍	Container	2 oz to	2 oz to		. [2]	On Label		
		24 oz				On Labeling a	ccompanying product	
6. Manner in Which Label is	Affixed to Product	✓ Lithograph		<u> 7</u>	Other		<u> </u>	
		Paper glued		ب				
	Ĭ	Stenciled						
			Section - IV		·		· · · · · · · · · · · · · · · · · · ·	
Contact Point (Complete	items directly below for in				essary to proce	ess this annio	etion 1	
	nome undoug bolow for it	Title	to De con	11000				
Name					Telephone No. (Include Area Code) (763) 593.3440			
Jeffrey Nelson	nialis Speci	allol		(103) 383.3				
	. ,			•		(,,,,,	0 D=0 (V=0 F=+0)	
Certification							6. Date Application	
I certify that the statemen				e. ' . j	Received			
T acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or 💎 🖰 🖟 🖒 🖟 🖟 🖟 🖟 🖟 🖟 🖟 🖟 🖟 🖟 🖟 🖟 🖟								
both under applicable law. (Stamped)								
2. Signature) . 3. Tit			1				( ( (	
Regul			ulatory Affairs Specialist			t.		
	<del>-</del>						( ' (	
4. Typed Name	5. Date					(		
Jeffrey Nelson	9/6/2012							



September 6, 2012

Document Processing Desk (NOTIF)
U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs (H7504C)
Room S-4900, One Potomac Yard
2777 South Crystal Dr.
Arlington, VA 22202-4501

Via Courier

Subject: EVERCIDE® Permethrin Insect Repellent 27701 EPA Reg. No. 1021-1746 Notification Per PR-Notice 98-10

Dear Sir or Madam:

By Notification we are adding the optional marketing claims:

[Kills & repels [listed] [seasonal] [Asian Lady Beetles], [Fleas], [Spiders], [Flies], [insects] [for] up to 60 days] [Repels [listed] [seasonal] [Asian Lady Beetles], [Fleas], [Spiders], [Flies], [insects] [for] up to 60 days]

All public health pests that appear in the additional marketing claims have previously been approved by the Agency and already appear on this label.

Enclosed, please find the following documents to support this application:

Application for Notification (EPA Form 8570-1) One color, highlighted copy of the label One monochrome copy of the label

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulation at 40 CFR 152.46, and no other change have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Jeffrey Nelson Regulatory Affairs Specialist jeff.nelson@mgk.com 800-645-6466 – Telephone 763-544-6437 - FAX

**Enclosures** 

c: Jason Scott, MGK

8810 Tenth Avenue North Minneapolis, MN 55427 TOLL FREE 800.645.6466 TEL 763.544.0341 FAX 763.544.6437 WWW.MGK.COM

## **EVERCIDE® PERMETHRIN Insect Repellent 27701**

		-		
] OR ( ) indicates alternate or optional wording			-	
Earth scent] [Fall Blend] [Sc ent Shield®] [Hunter's I Unscented Insect Repellent] [For Treatment of Dog Bedding] [For Treatment of Nets, Tents, Sleeping Bags and B Controls Fleas & Ticks] [Repels and Repels and Kills Ticks That May Carry Lyme disease Provides Long-lasting Protection - 1 Treatment Las CLOTHING TREATMENT ONLY - DO NOT APPLY One 3.0 Ounce Can will Treat One Complete Outfits One 6.0 Ounce Can will Treat Two Complete Outfits	ON			
For Domestic Use Both Indoors and Outdoors] For Control of Fleas , Brown Dog Ticks, and Lice on For Premise Control of Ticks Which may Cause Lyd Provides 60-Day [Two Months] Control of Cockroad Provides 60-Day [Two Months] Control of Stored Provides (Both Bugs, Brown Marmorated Stink Bugs (Bit Kills & trepels seasonal insects] Apply directly to window screens, sills & surrounding Apply directly to window screens, sills & surrounding in the provides (long-lasting) (residual) protection] Apply directly to window screens, sills & surrounding in the protect your home from seasonal insect invasional protect your home from seasonal insect invasional insect on the protect from seasonal form the protect from seasonal in the protect from seasonal i	me Disease] hes]  pduc t Pests]  MSB), Asian Lady Beetles , and Box elder Bugs] g areas] m protection] g areas for maximum protection] ns ects] ons] ns ects] onal insect invasions] sects] d seasonal infestations] ommonly enter home - to both kill & repel] a to help avoid s easonal infestations] g areas to kill & repel pers istent insects] urrounding areas to kill & repel pers istent insects] urrounding areas to kill & repel pers istent insects] s.j, [Fleas], [Spiders], [Flies], [insects] [for] up to 60 da  + or -) cis-trans-3- opanec arboxylate]	<u>.60 days]</u> <u>ys]</u>		
	FIRST AID			
IF ON SKIN OR CLOTHING:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water</li> <li>Call a poison control center or doctor for treatment</li> </ul>	reatm ent advice.	(	- <del>"</del>
Have the product container or label with you when emergencies or pesticide incidents, call 1-888-740		l. 1,	egarding,m edical	
	Manufactured by		6( ( ( L (, (	
	<b>MGK</b>	ι ( ι ε ε <sup>†</sup> ε ( ι ι ι ι ι ι ι ι ι	( ( ( (	
	8810 Tenth Avenue North			

Minneapolis , MN 55427

Net Contents:

EPA Est. No. 1021-MN-2

EPA Reg. No. 1021 -1746

27701\_1021-1746\_03120912

Page 1 of 4

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Avoid contact with skin or clothing. Prolonged or frequently repeated s kin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling and before eating, drink ing, chewing gum, using tobacco or using the toilet.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment, washwater, or rinsate. See Directions for Use for additional prec autions and requirements.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

#### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not us e or store near heat or open flam e. Do not punc ture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### SHAKE WELL BEFORE USING

Do not apply this product to clothing while it is being worn. Under no circumstances should bare skin or clothing on the body be treated.

Do not apply this product in a way that will contact adults, children or pets, either directly or through drift.

Not for broadcast use on indoor residential surfaces.

Do not allow contact with treated surfaces until spray has dried. Do not allow spray to contact food, or water supplies.

Avoid contamination of feed and foods tuffs. Remove pets and birds and cover fish aquarium's before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry.

Do not use in commercial food/feed handling es tablishments, restaurants or other commercial facilities where food is commercially prepared, processed, or served.

Do not use in institutions, schools, office buildings or similar commercial buildings.

Do not use in aircraft cabins.

Do not water treated area to the point of run -off.

Do not make applications during rain.

All outdoor applic ations must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- (1) Treatment to soil or vegetation around s tructures;
- (2) Applications to vegetation.

Except when applying to fabric, do not allow adults, children, or pets to enter until s prays have dried.

#### GENERAL INSTRUCTIONS FOR CLOTHING TREATMENT:

For protection against Ticks (including those which may carry Lyme disease), chiggers and mosquitoes, apply product as directed below. For further protection, use in conjunction with an insect repellent registered for direct application to the skin and utilize the following primary preventive measures. Avoid areas where the pests are found, wear appropriate protective clothing (light-colored, long-sleeved shirt and long pants tucked into socks) and inspect body daily for ticks. Pant cuffs should be worn inside the socks or footwear to ensure full protection against ticks and chiggers.

#### **INITIAL TREATMENT INSTRUCTIONS:**

- 1. Select a well-ventilated outdoor area protected from wind and lay out the clothing to be treated (as complete outfit; shirt, trous are and socks).
- 2. Hold can upright about 6 to 8 inc. hes from surface of the [article or] clothing and s pray with a slow sweeping m ὁτιος το light ly moister; the surface of the fabric.
- 3. Continue spraying over entire [article or] outfit, until [a total treatment time of 60 seconds has elapsed and] the outer's urface of the fabric is moist enough to cause a slight color change or dark ening. Pay special attention to socks, trouser cuffs and shirt cuffs.
- Turn the [article or ] clothing over and treat the other s ide as described in Steps 2 & 3.
- 5. Hang the treated [article or ] clothing and allow to dry for at least 2 hours (4 hours under humid conditions) before wearing.
- One can will treat one [tw o] complete out fit(s). Do not exceed listed spraying times.

#### RETREATMENT INSTRUCTIONS:

This product contains an active ingredient which actually binds to the fabric being treated, providing res idual protection which lasts a minimum of two weeks, and holds up through several machine washings. DO NOT RETREAT CLOTHING MORE THAN ONCE EVERY TWO WEEKS. LAUNDER CLOTHING AT LEAST ONCE BEFORE RETREATING. For retreatm ent, follow instructions for initial treatm ent.

#### INITIAL TREATMENT INSTRUCTIONS ON NETS, TENTS, SLEEPING BAGS AND BACKPACKS:

#### Do not treat inside of sleeping bag. Spray exterior surfaces of tent only .

Select a well-ventilated outdoor area protected from wind and lay out article to be treated. Hold can upright about 6 to 8 inches from surface of the article and spray with a slow sweeping motion to lightly moisten the surface of the fabric. Continue spraying over entire article, until the outer surface of the article is moist enough to cause a light color change or dark ening. Turn the article over and treat the other side as described in steps 2 and 3. Hang the treated article and allow to dry for at least 2 hours (4 hours under humid conditions) before using.

#### RETREATMENT INSTRUCTIONS:

This product contains an active ingredient that ac tually binds to the fabric being treated, providing res idual protection that lasts a minimum of two weeks. DO NOT RETREAT ARTICLES MORE THAN ONCE EVERY TWO WEEKS. For retreatment, follow instructions for initial treatment.

#### **DOG BEDDING AND PREMISES:**

EVERCIDE® PERMETHRIN Insect Repellent 27701 c an also be used to control fleas and ticks on pet bedding, prem ises and uphols tered furniture.

# TO CONTROL FLEAS (ADULTS AND LARVAE) AND TICKS, INCLUDING TICKS W. HICH MAY CARRY LYME DISEASE (ADULTS AND LARVAE): Thoroughly clean or launder pet bedding before treatment. Spray to lightly moisten bedding, sleeping quarters, floor covering and floor, paying special attention to cracks and crevices. Upholstered furniture may also be treated to control fleas and ticks in these areas. A test application should be made to upholstery in an inconspicuous place before use. Spray to lightly moisten upholstery paying particular attention to tuffs and seams. Allow to dry thoroughly before reus e or allowing pets to contact treated areas. Also, treat your yard with a product registered for yard application.

#### INDOOR APPLICATION:

For spot application only. Do not us e as a space spray indoors. In the hom e, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before us e. Exposed food/feed should be covered or removed.

#### SURFACE SPRAYING:

For 60-day (two months) control of COCKROACHES, WATERBUGS, PALMETTO BUGS, SCORPIONS, MILLIPEDES, CENTIPEDES, SOWBUGS, PILLBUGS, ANTS, SILVERFISH, FIREBRATS, SPIDERS, CRICK ETS, STINK BUGS, BROWN MARMORATED STINK BUGS (BMSB), ASIAN LADY BEETLES, BOXELDER BUGS, CLOVER MITES, CHEESE MITES, GRANARY W EEVILS, RICE W EEVILS, CONFUSED FLOUR BEETLES, RUST RED FLOUR BEETLES, DRUGSTORE BEETLES, M EAL WORMS, GRAIN MITES AND CADELLES: Dir ect the spray into hiding plac es, cracks and crevices, and behind shelves and drawers. Spray until dam p but not to the point of runoff. For Silverfish, spray bookcases. For Ants, spray trails, nests and points of entry.

TO CONTROL CARPET BEETLES: Spray to lightly moisten edges of carpeting and under c arpeting and rugs. Make localized application to floor and baseboards. Spray until damp but not to the point of runoff directly into cracks, crevices and infested areas of shelving.

TO CONTROL BEDBUGS: Spray mattresses to lightly moisten, particularly around tufts and seams. Take beds apart and spray in all joints until damp but not to the point of runoff. Allow to dry thoroughly before rem aking bed. Treat bas eboards, moldings and floors until damp but not to the point of runoff.

TO CONTROL CLOTHES MOTHS: Remove any infested articles from storage, brush thoroughly and air for s everal hours in sunlight if possible. Apply s pray until dam p but not to the point of runoff. to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly to moisten keeping nozzle at least three feet from fabric to avoid staining.

TO KILL LICE AND LOUSE EGGS: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying then proceed to spray lightly to moisten entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding including mattresses and furniture that claim and the either laundered or dry -cleaned. Allow all treated articles to dry thoroughly before usie.

TO CONTROL BEDBUGS AND MITES IN RESIDENTIAL POULTRY HOUSES: Spray until damp but not to the point of r unoff crevices of roost poles, cracks in walls and cracks in nests where the bedbugs and mites hide.

#### **OUTDOOR APPLICATION:**

TO CONTROL TICKS INCLUDING TICKS W HICH MAY CARRY LYME DISEASE (PERIMETER TREATMENT): Use EVERCICE Perimethrin insect Repellent 27701 as a residual treatment to control TICKS including the DEER TICK (Ixodes dammini), LONE STAR TICK (Amblyomme emericanum), BROWN DOG TICK (Rhipicephalus sanguineus), AMERICAN DOG TICK (Dermacentor variabilis), and WESTERN BLACK LEGGED TICK (Ixodes pacificus) and other crawling insects such as ASIAN LADY BEETLES, BOX ELDER BUGS, BROWN MARMORATED STINK BUGS (BMSB) AND STINK BUGS: For each areas listed below, apply until surface is wet, but not to the point of runoff (approx\_imately 1 gal/750-1,000 ft.).

Treat around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces where these pests may enter.

Spray until dam p but not to the point of runoff. a band of vegetation and leaf litter 6 to 10 feet w ide around and the o utside of buildings to help control ticks occurring there. To help c ontrol ticks in outdoor activity areas, treat a band of vegetation and leaf litter 6 to 10 feet w ide and adjacent to activity areas, especially where dense vegetation occurs.

FOR CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornam entals to kill JAPANESE BEETLES hit by s pray as well as WHITEFLIES, APHIDS, STINK BUGS, BROWN MARMORATED STINK BUGS (BMSB), EXPOSED THRIPS, SPIDERS, RED MITES and LEAFMINERS. May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas. Spray until damp but not to the point of runoff.

May also be used on other plants such as African violets, asters, azaleas, begonias, carnellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, euonymus, fuschia, geraniums, crassula grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against WHITEFLIES, APHIDS, SPIDER AND RED M ITES, STINK BUGS, BROWN MARMORATED STINK BUGS (BM SB), BOXELDER BUGS, EXPOSED THRIPS, LACE BUGS, J APANESE BEETLES, PAVEM ENT ANTS, CLOVER MITES AND ARMYWORMS.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by s torage and dis posal.

**Pesticide Storage** 

Store in a cool, dry area. Always store pesticides in the original container. Store away from food or pet food.

Pesticide Disposal and Co ntainer Handling

Nonrefillable container. Do not reus e or refill this container.

Do Not Puncture or Incinerate!

If empty:

Place in trash or offer for rec yoling if available.

If partly filled:

Call your local solid waste agency for disposal instructions.

Federal regulations prohibit CFC propellants in aerosols



