



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. Steve Ditto McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427-4372

OCT - 4 2010

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Mr. Ditto:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated March 15, 2010 for the following product(s):

Evercide® Permethrin Reg. No. 1021-1749 Dust 2786

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

-Richard J. Gebken Product Manager Insecticide Branch

Registration Division (7504P)

Please read instructions before comp			Form Approve		0. Approval expires 05-31-98			
Unite					_Registraեշ	ก	OPP Identifier Number	
SEPA Environmental Protection			jency		Amendmer	nt		
2 10 10 m	on, DC 20460		Х	Other				
Application for Pesticide - Section I								
1. Company/Product Number	2. EPA Product Manager			3. Proposed (Classification			
1021-1749			Richard Gebken					
4. Company/Product (Name)			PM#			✓ None	Restricted	
1 ' '		13			None	Restricted		
EVERCIDE® Permethrin Dust 2786 5. Name and Address of Applicant (Include Zip Code)						EIEBA Santi	an 2(a)(2)(b)(i)	
McLaughlin Gormley King Company			6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my					
	product is similar or identical in composition and labeling to:							
8810 10TH AVE N MINNEAPOLIS, MN 55427			NOTI			FICATION		
INIINNEAPOLIS, IVIN 5:		EPA Reg. No.						
			<u> </u>		UC.	T - 4 2010		
			Product Nar	ne		· - 1 2010		
☐ Check if this is a new address								
Section - II								
Amendment -	- Explain below.					labels in respo	inse to	
			Agency lett					
Resubmission	n in response to Agency lette	er dated	"Me Too" Application.					
Notification - Explain below. Other - Explain below.								
Explanation: Use additional page(s) if necessary. (For section I and Section II.)								
Pyrethroid Non-Agricu	Itural Outdoor Products	s Notification	per EPA let	er dated J	une 4, 2009.			
	•							
Section - III								
1. Material This Product Wi	ll Be Packaged In:							
Child-Resistant Packaging	Unit Packaging		Water Soluble	Packaging		2. Type of C	ontainer	
☐ Yes*	☐ Yes	•		Yes		Metal		
☑ No	I ✓ No			No		☐ Plastic		
	If "Yes"	No. per	If "Yes"		No. per	☐ Glass		
*Certification must	Unit Packaging wgt.	container	Package wgt.		container	✓ Paper		
be submitted		1			1	Other (Specify)	
		4. Size(s) Reta	etail Container 5		5. Location of	5. Location of Label Directions		
Label Container		4-24 oz.				On Label		
							accompanying product	
6. Manner in Which Label is	S Affixed to Product	Lithograph			Other	<u> </u>	, , , , , , , , , , , , , , , , , , , ,	
✓ Paper glued								
	Stenciled							
	<u> </u>		Section - IV			<u>-</u>		
1 Contact Point (Complete	items directly helow for iden				ressant to proc	ess this annli	cation)	
Contact Point (Complete items directly below for identification of individual Name Title				naoica, ii mac	occoury, to proc		o. (Include Area Code)	
Name Staven K Ditte	Regulatory Affairs Specialist				(763) 544-0341			
Steven K. Ditto	Regulatory	Allalis Spec	ialist		(100) 044-	0041		
		0.454				L	C D.C. C.C.C.	
Certification						000600	6.	
I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or o o o								
both under applicable law. (Stamped)								
2. Signature		3. Title				0 0	0 0 0	
		Regulatory	Affairs Spec	ialist		00000	้ออังธั	
						,		
4. Typed Name		5. Date					((
Steven K Ditto		3/15/2010					, ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	

8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A. 763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

March 15, 2010

Document Processing Desk (NOTIF - PYRETHROID)
Office of Pesticide Programs (7504P)
U.S. ENVIRONMENTAL PROTECTION AGENCY
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Via Courier

Subject:

EVERCIDE® Permethrin Dust 2786

EPA Reg. No. 1021-1749

Pyrethroid Non-Agricultural Outdoor Products Notification Per EPA Letter

Dated June, 4 2009

Dear Sir or Madam:

By Notification we are changing the Environmental Hazards and Directions for Use sections to comply with the June 4, 2009 letter from the Environmental Protection Agency.

Enclosed are 2 copies of the label. One copy has changes highlighted.

Notification of label change per June 4, 2009, letter from Environmental Protection Agency. This notification is consistent with the guidance in the June 4, 2009 letter and the requirements of EPA's regulations at 40 CFR part 156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR part 156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Steven K. Ditto

Regulatory Affairs Specialist

Enclosure



McLAUGHLIN **GORMLEY** KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

[] OR () indicates alternate or optional wording

[Contains PERMETHRIN]

[KILLS beetles, caterpillars, bugs and many more] [Ready to Use]

[Controls ornamental pests] [To control (kill) vegetable pests]

[Use on home garden fruits, vegetables and ornamental plants (including roses)]

[Use on fruit & nut trees]

[Use on dogs, cats and pet bedding to control fleas, ticks and lice]

[For control of Horn Flies and Lice on Beef and Dairy Cattle]

[Aids in reducing Face Fly population on Beef and Dairy Cattle]

[For control of Lice on Swine]

[For control of Northern Fowl Mites on Poultry]

[For use in dust bags, [this] shaker can or mechanical dust applicator]

[Easy-to-use powder duster]

[No unpleasant odor]

ACTIVE INGREDIENT:

Permethrin....

OTHER INGREDIENTS.....

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

OCT _ 4 2010

KEEP OUT OF REACH OF CHILDREN

0.25%

CAUTION

	FIRST AID
IF ON SKIN OR CLOTHING:	Take off contaminated clothing.
	Rinse skin immediately with plenty of water for 15 to 20 minutes.
	 Call a poison control center or doctor for treatment advice.
IF IN EYES:	Hold eye open and rinse slowing and gently with water for 15 to 20 minutes.
	Remove contact lenses, if present, after the first 15 minutes, then continue rinsing eyes.
	Call a poison control center or doctor for treatment advice.
Have the product container or la	abel with you when calling a poison control center or doctor or going for treatment. For information regarding medical
emergencies or pesticide incide	ents, call 1-888-740-8712.

Net Contents Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1749

EPA Est. No. 1021-MN-2

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

HUMANS: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ANIMALS: Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic organisms. Do not apply directly to any body of water. Do not contaminate water when clience in the product is extremely toxic to fish and aquatic organisms. of equipment wash waters. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage disches, gutters or Surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. (Place on containers for Commercial Use)

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the (((((treatment area. (Place on containers for Outdoor Residential Use)

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

.... Page 1 of 4 2786_1021-1749_03090310

0000

5

DIRECTIONS FOR USE
It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.

READ THE ENTIRE LABEL BEFORE EACH USE.

FOR PET USE - USE ONLY ON DOGS & CATS

Do not water the treated area to the point of run-off.

Do not make applications during rain.

HOME GARDENS

For use on home gardens. Not for use on plants being grown for commercial sale or commercial use.

EVERCIDE® Permethrin Dust 2786 [brand insecticide] [this product] controls a wide range of insect pests. Apply when insects first appear before damage from feeding occurs. [How to Apply:] Wearing household latex or rubber gloves, use a dust applicator such as a [this] shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Allow dust to settle in treated areas before reentering. Wash hands thoroughly after handling and before eating or smoking. Do not allow dust to wind drift to non-target plants or water supplies. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. For plants above chest height, consider using [brand insecticide].

Vegetables and Melons

The number in parentheses () following each crop grouping is the pre-harvest interval, e.g., the number of days that must be observed between application and harvest

Artichokes (0): To control (kill) artichoke plume moth, leafminer. Do not exceed 5 applications per season.

Asparagus (1): To control (kill) asparagus beetle, cutworm. Do not exceed 4 applications per season.

Asparagus (post-harvest): To control (kill) larval and adult stage of asparagus beetle, tarnished plant bug, lygus bug, collards and adult stage of Japanese beetle.

Dust ferns or bush growth after spear harvest when insects are present. (Not for use in California).

Celery - see leafy vegetables.

Cole Crops (Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Chinese Cabbage (tight-heading variation only), Chinese Broccoli (on gai Ion, white flowering). (1):
To control (kill) beet armyworm, cabbage aphid, cabbage looper, cutworm, diamondback moth, flea beetle, imported cabbageworm, leafminer, plant bug, thrips. Apply every 5 days or as needed. Do not exceed 8 applications per season on cauliflower, Brussels sprouts and broccoli, or 5 applications on cabbage.

Corn - see sweet corn.

Cucurbits (Balsam Pear - bitter melon: Chinese waxgourd - Chinese preserving melon; Citron melon; Cucumber; Gherkin; Edible gourds; Melons including hybrids such as cantaloupe, casaba, crenshaw, honeydew, honeyballs, mango melon, muskmelon, Persian melon; Pumpkin, Squash - summer and winter; Watermelon) (0): To control (kill) aphid, cabbage looper, cucumber beetle (adult), cutworm, leafhopper, leafminer, melonworm, pickleworm, plant bug, squash bug. Do not exceed 8 applications per season.

Eggplant (3): To control (kill) Colorado potato beetle, vegetable leafminer, flea beetle. Do not exceed 10 applications per season.

Leafy Vegetables (Amaranth, Arugula, Celery, Chervil, Corn Salad, Chrysanthemum (edible-leaved and garland), Cress (garden and upland), Dandelion, Dock, Endive, Fennel, Lettuce (head and leaf), Orach, Parsley, Purslane (garden and winter), Rhubarb,

Spinach, Swiss chard (1): To control (kill) alfalfa looper, aphid, beet armyworm, cabbage looper, corn earworm, cutworm, European corn borer, fall armyworm, green cloverworm, Southern armyworm, tobacco budworm, vegetable leafminer. Do not exceed 5 applications per season.

Melons - see Cucurbits.

Onions (dry bulb & garlic) (1): To control (kill) armyworm, cutworm, leafminer, onion maggot (adult), onion thrips, stink bug. Do not exceed 6 applications per season

Peppers (bell) (3): To control (kill) beet armyworm, aphid, cabbage looper, corn earworm, European com borer, flea beetle, pepper weevil, vegetable leafminer.

Do not exceed 8 applications per season.

Potatoes (14): To control (kill) beet armyworm, cabbage looper, Colorado potato beetle, cutworm, European corn borer, potato aphid, potato flea beetle, potato leafhopper, potato psyllid, potato tuberworm, tarnished plant bug. Do not exceed 8 applications per season.

Spinach (1): To control (kill) aster leafhopper, beet armyworm, cabbage looper, corn earworm, cutworm, European corn borer, leafhopper. Do not exceed 5 applications per season.

Sweet Corn (1): To control (kill) corn earworm, corn rootworm (adult), European corn borer, fall armyworm, hop vine borer, leafhopper, Southern armyworm, stalk borer. Dust every 5 days or as needed. Do not exceed 6 applications per season. (FL-only: 8)

Tomatoes (0): To control (kill) beet armyworm, cabbage looper, Colorado potato beetle, granulate cutworm, hornworm, vegetable leafminer, tomato fruitworm, tomato pinworm. Do not exceed 6 applications per season.

Ornamentals (including Roses, Flowers, Shrubs and Small Trees)

Contact insects directly whenever possible.

Controls (Kills): aphid, bagworms, cabbage looper, cicadas, com earworms, cutworm, exposed thrips, fall cankerworm, fall webworm, inchworms, Japanese beetle (adults), leafhopper, leafminer, and omnivorous leafroller, mealybugs, spider mites, stinkbugs, adult strawberry root weevil, adult be becure root weevil, thrips and whitefly on the following plants:

African violets, Ageratum, Arizona Cypress, Aster, Azalea, Begonia, Camellia, Carnation, Chrysanthemum, Coleus, Common Ninebark, Common Snowberry, Crassula, Dahlias, Delphinium, Dogwood, Exacum, Euonymous, English Ivy, Fuchsia, Geranium, Gladiolus, Gold Bells, Grape Vines (ornamental), Hypoestes, Ivy, Laurel, Lilac, Marigold, Mock Orange, Nannyberry, Orchid, Palm, Pansy, Pea Shrub, Retunia, Philodendron, Poinsettia, Rhododendron, Rose, Snapdragon, Stocks, Taxus, Wax Plant, Wandering Jew, Weeping Fig, Zinnia.

Fruit and Nut Trees

The number in parentheses () following each crop grouping is the pre-harvest interval, e.g., the number of days that must be observed between application and harvest. Also includes relevant comment.

Page 2 of 4 2786-03090310

C

((((

4

Apples (Do not apply after petal fall): To control apple ahpid, green fruitworm. redbanded leafroller, plum curculio, spotted tentiform leafminer, tarnished plant bug, white apple leafroller. Do not exceed 1 application per season.

Cherries (In the East, do not exceed 4 applications after petal fall): To control green fruitworm. lesser peachtree borer, plum curculio, redbanded leafroller, rose chafer, tarnished plant bug. Do not exceed 6 applications per season.

Cherries (In the West, do not exceed 3 applications after petal fall): To control green fruitworm. lesser peachtree borer, plum curculio, redbanded leafroller, rose chafer, tarnished plant bug. Do not exceed 4 applications per season.

Peaches (14): To control green fruitworm, lesser peach tree borer, oriental fruit moth, peach twig borer, plum curculio, rose chafer, tarnished plant bug. Dust lightly. Apply up to 5 times per season.

Pears - Dormant (May be applied dormant through the delayed dormant growth periods only): To control pear psylla. Do not exceed 2 applications per season.

Pears – Pre-bloom (May be applied from dormant through bud burst): To control codling moth, green fruitworm, and pear psylla. Do not exceed 2 applications per season.

Walnuts (1): To control codling moth, navel orangeworm, and walnut husk fly. Do not exceed 8 applications per season.

BEEF AND DAIRY CATTLE AND HORSES

Can be used in dust bags, [this] shaker can and mechanical dust applicator. Horn Flies, Lice, Face Flies: Place contents of this package in any commercially available dust bag, suspend bag in areas frequented by cattle or in gateways or lanes through which the animals must pass daily for water, feed or minerals. Bags may also be placed in loafing sheds or in front of mineral feeders. For dairy cows, bags may be suspended in the exit through which the cows leave the milking barn. The bags should hang 4 to 6 inches below the back line of the cattle. For reduction of Face Flies, bags must be located so animals will be forced to use them daily and hung at a height so that the face is dusted.

Hom Flies, Lice - Direct Application: Apply 2 oz. of dust per animal by [this] shaker can or dust glove over the head, neck, shoulders, back and legs. <u>SWINE</u>

Lice on Swine Direct Application: Apply only 1 ounce per head as a uniform coat to the head, shoulder and back by use of a [this] shaker can or suitable mechanical dust applicator. Do not apply more often than once every 10 days. In severe infestation, both animals and the bedding may be treated. Do not ship animals for slaughter within 5 days of treatment.

POULTRY

To control Northern Fowl Mites, apply at a rate of 1 lb. per 100 birds. Ensure thorough treatment of vent area.

PETS

USE ONLY ON DOGS OR CATS: Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or medicated animals.

To control (kill) *fleas, ticks and lice*: Use product only outside or in a well-ventilated area. Wearing household latex or rubber gloves, dust entire animal avoiding pet's eyes, nose, mouth and genital areas. Rub or brush pet's hair to work dust down to the skin paying close attention to legs and feet. Use 1/2 oz. on pets 20 pounds and under and 1 oz. on pets over 20 pounds. Reapply every two weeks. Children should not apply this product. Do not use on puppies or kittens under 12 weeks of age. Dust pet bedding and doghouse using a [this] shaker can or other dust applicator.

ANTS:

Ants, Carpenter Ants:

Treat doors, around window frames, ant trails and hills, cracks and crevices and other areas of entry.

[PRODUCT FACTS]

[Kills Ants & Carpenter Ants]

[Where to Apply.] Treat doors, around window frames, ant trails and hills, cracks and crevices and other areas of entry.

[How to Apply:] Wearing household latex or rubber gloves, use a dust applicator such as a [this] shaker can, Apply when air is calm to avoid drift and contact with eyes and skin. Allow dust to settle in treated areas before reentering. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Wash hands thoroughly after handling and before eating or smoking.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Storage and Disposal language for residential use products:

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage

Store in cool, dry area, preferably a locked storage area. Keep container closed. Always store pesticides in the original container. Şfore မ်ာ့မှာ from food and pet food.

Pesticide Disposal and Container Handling

Nonrefillable container. Do not reuse or refill this container. If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor crains

cccocc cccoc cccc cccoc cccc

.....

ιεει

Page 3 of 4 2786-03090310 Storage and Disposal language for commercial and agricultural use products:

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and dispsosal.

Pesticide Storage

Store in a cool, dry area under lock and key. Post as a pesticide storage area. Always store pesticides in the original container. Store away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Place liquid formulations on lower shelves and dry formulations above.

Pesticide Disposa

To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

Container Handling

Nonrefillable container. Do not reuse or refill this container.

Completely empty can by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by incineration. Do not burn unless allowed by state and local ordinances.

Page 4 of 4 2786-03090310