

1021-1760

7-26-2002

Please read instructions before completing form

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98

	United States	Registration	OPP Identifier Number
	Environmental Protection Agency	Amendment	
	Washington, DC 20460	X Other	

Application for Pesticide - Section I

1. Company/Product Number 1021-1760	2. EPA Product Manager George LaRocca	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EVERCIDE® OUTDOOR INSECT CONTROL 2790	PM# 13	
5. Name and Address of Applicant (Include Zip Code) McLAUGHLIN GORMLEY KING COMPANY 8810 TENTH AVENUE NORTH MINNEAPOLIS, MN 55427 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application. NOTIFICATION
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below. JUL 26 2002

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
By notification, we are adding warranty language to our label.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
*Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Glass
					<input type="checkbox"/> Paper
					<input type="checkbox"/> Other (Specify)
3. Location of Net Contents information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Thomas A. Lennan	Title Registration Specialist	Telephone No. (Include Area Code) (763) 544-0341
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Registration Specialist	
4. Typed Name Thomas A. Lennan	5. Date 7/2/2002	

2/9



McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North • Minneapolis, Minnesota 55427-4319 U.S.A.

July 2, 2002

Document Processing Desk (NOTIF)
U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs (7504C)
Crystal Mall # 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Via Courier

Subject: EVERCIDE® OUTDOOR INSECT CONTROL 2790
EPA Reg. No. 1021-1760
Notification

Dear Sir or Madam:

By notification, we are adding warranty language to our label. A copy of the label is enclosed with the additions highlighted.

I certify that no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Thomas A. Lennan
Registration Specialist

Enclosure



EVERCIDE® OUTDOOR INSECT CONTROL - 2790

NOTIFICATION

JUL 26 2002

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

TELEPHONE (763) 544-0341

[] Denotes optional language

- For Use on Residential Areas Such as: Lawns, Ornamentals, Porches, Patios, Foundations, Wood Piles, Stored Lumber, Trench Around Building Foundation
- CONTROLS WOOD DESTROYING INSECTS
- Concentrated, Water Dilutable Product to control wood destroying, home invading and lawn insects
- Aids in Reducing Annoyance from Mosquitoes and Other Flying Insects
- Controls Wood Destroying Insects such as Termites, Carpenter Ants, Carpenter Bees, Powder Post Beetles, Deathwatch Beetles
- Kills Home Invading Pests Outdoors such as Ants, Beetles, Box Elder Bugs, Cockroaches, Crickets, Earwigs, Fleas, Ticks, Scorpions and other crawling and flying insects
- Kills Deer Ticks that may Transmit Lyme Disease
- Treats 22 linear feet for Termites
- For homeowner post construction use only
- Effective as an outdoor home barrier spray against listed crawling pests
- Kills Ants (including Fire Ants) & other home invading pests

Optional wording when Booklet Label is used
[OPEN Resealable Label for Directions & Precautions
PRESS to reuse]

ACTIVE INGREDIENT:

* Permethrin (3-phenoxyphenyl)methyl(±)-cis,trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate	9.00%
** OTHER INGREDIENTS	91.00%
	100.00%

- * Cis,trans ratio: Min. 35% (±) cis and max 65% (±) trans
- ** Contains Petroleum Distillate

EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • IMMEDIATELY contact your local Poison Control Center. • Vomiting should only be induced under the direction of a physician or a Poison Control Center. • If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in vomitus, rinse mouth and administer more water. • IMMEDIATELY transport victim to emergency facility. • Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 15 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.</p>	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, absorbed through skin or inhaled. Causes eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove and wash contaminated clothing before reuse.

4/9

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not apply EVERCIDE® Outdoor Insect Control - 2790, or allow it to drift to crops or weeds on which bees are actively foraging. Additional information may be obtained from Cooperative Extension Service. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION:

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs 4 fl oz = ½ cup

SHAKE WELL BEFORE USE

Specially Formulated for residential use. DO NOT USE INSIDE DWELLINGS.

This is an easy to apply product that can be used to control wood destroying, home-invading and lawn insects. This product can be used for treatment of localized areas of wooden structures, wood piles and stored lumber to control wood infesting borers, carpenter ants and carpenter bees. Do not spray animals with this product. People and pets should not be allowed in treated area until after spray has dried.

HOW TO APPLY:

This product can be applied using a hose-end sprayer, pump [up] style pressure sprayer or by watering [sprinkling] can. Carefully dilute the recommended amount of concentrate and water according to the directions found under the desired insect to control. Using a clean sprayer, apply insecticide when insects first appear and repeat as necessary. Flush sprayer or watering can with clean water after each use.

LAWN PESTS

Ants, Armyworm, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Deer Ticks, Fleas, Grasshoppers, Japanese Beetle Grubs, Mole Crickets, Pillbugs and Millipedes. Home lawns should not be longer than 3 inches at the time of application. Use 4 fluid ounces of concentrate to 5 gallons of water to cover 800 square feet. For heavy infestations repeat application after 2 weeks.

FOR SURFACE INSECT CONTROL (Armyworm, Cutworms, Fleas, etc.), delay watering or mowing for 12 to 24 hours for optimum control of surface feeding insect pests.

THATCH INHABITATING INSECT CONTROL (Chinch Bugs, Pillbugs, etc.): Lightly irrigate (water) after application with up to ½ inch of water to move the Evercide® Outdoor Insect Control into the thatch layer. If irrigation is not available, then use high water application rates for optimum results.

SUBSURFACE INSECT CONTROL (Mole Crickets, Grubs, etc.): Apply to lawns wet with dew, rain or irrigation. Water-in immediately after application with ¼ to ½ inch of water for optimum results.

ORNAMENTALS IN RESIDENTIAL LANDSCAPED AREAS (Including Trees, Shrubs, Flowers, Evergreens, Foliage Plants and Ground Covers). Ants, Aphids, Bagworm, Beet Armyworm, Cabbage Looper, Citrus Thrips, Fungus Gnat, Heliothis spp., Japanese Beetles, Lace Bug, Leaf Feeding Caterpillars, Leafminers, Leafhoppers, Leafrollers, Lygus Bugs, Mealybugs, Root Weevils (Adult), Whiteflies. Use 5 teaspoons of concentrate to 1 gallon of water. Apply sufficient volume of water to adequately cover foliage. Apply product when insects appear or feeding is noticed. Before treating a large number of plants, treat a few plants and observe prior to full scale application. Direct application to blooms may cause browning of petals. Repeat the application as needed to maintain control.

FIRE ANT MOUNDS

Add 5 teaspoons of concentrate to 1 gallon of water. Using a sprinkling can, apply 1 or 2 gallons evenly over and around each mound in a 4 ft diameter circle until it is wet. Apply gently to avoid disturbing ants and causing them to move and form new mounds. For best results, apply in cool weather, such as in early morning or late evening hours, but not in the heat of the day. Treat new mounds as they appear.

[TREATMENT FOR] HOME-INVADING PESTS – OUTDOORS

Including Ants, Asian Cockroaches, Bees, Beetles, Box Elder Bugs, Centipedes, Clover Mites, Cockroaches, Crickets, Earwigs, Firebrats, Fleas, Flies, Ground Beetles, Gypsy Moths (adult & caterpillar), Hornets, House Flies, Millipedes, Mosquitoes, Scorpions, Silverfish, Sowbugs, Spiders (including Black Widow & Brown Recluse Spiders), Ticks, Wasps, Yellowjackets. For use in hose-end sprayer, tank-type sprayer or sprinkling can: Use 5 teaspoons of concentrate to one gallon water to cover 300 sq. ft or 60 linear feet. To keep insects from entering the house, spray a 3 inch band of soil around the house next to the foundation. Also spray the foundation of the house to a height of 2 ft. Also spray walks, garbage cans & garbage areas, window frames and doorways, porches & patios, under shrubs & trees but avoid spraying foliage. DO NOT treat pets with this product. DO NOT use this product indoors.

MOSQUITOES – OUTDOORS

Mosquitoes coming to rest on areas treated for the control of lawn and home-invading pests will be killed for varying periods of time after application, depending on exposure of treated areas to weathering conditions.

5/9

TREATMENT FOR WOOD DESTROYING PESTS – OUTDOORS

Carpenter Ants, Carpenter Bees, Powder Post Beetles, False Powder Post Beetles, Deathwatch Beetles, Old House Borer, Ambrosia Beetle. Treat localized areas of infested wood. Add 7 ¼ fl. Oz (14 ½ Tbs) to one gallon of water

HOW TO APPLY:

Fences and Outdoor Wood Surfaces of Building: Apply evenly on wood surfaces with a paint brush. Allow to dry and repeat to ensure the insecticide soaks into the wood.

Wood Piles and Stored Lumber: Use a hose-end or tank sprayer or sprinkling can to deliver a coarse drenching spray. Do not apply to firewood.

{TREATMENT FOR} SUBTERRANEAN TERMITES – OUTDOORS

For outdoor, homeowner post-construction use only. **DO NOT** use under slabs, in crawl spaces or indoors. If termites are found within the house or structure, contact a licensed pest control operator for treatment.

MIXING INSTRUCTIONS FOR TERMITE: Add 7 ¼ fl. Oz (14 ½ Tbs) to one gallon of water for each 5 linear feet. (1 quart of EVERCIDE® Outdoor Insect Control - 2790 makes 4.4 gallons of dilution solution and covers 22 linear feet.) (1/2 gallon of EVERCIDE® Outdoor Insect Control – 2790 makes 8.8 gallons of diluted solution and covers 44 linear feet)

HOW TO APPLY

TRENCH TREATMENT

Remove all wood debris and wood forms. **Poured Concrete Foundations:** Dig a trench next to the foundation 6 inches wide and 4 inches deep or down to the top of the footing, whichever is less.

Brick & Block Foundations: Dig a trench 6 inches wide and 12 inches deep. To avoid shifting your house foundation, never dig below the top of the footing. Mix diluted product into soil as soil is replaced in the trench.

FENCE POSTS:

Using a sprinkling can, pour ½ gallon of diluted product into fence post hole and add another ½ gallon to the soil when filling the hole so that all the fill soil is treated to form a protective barrier.

WHEN TO APPLY

Reapplication for subterranean termites should only be made when there has been a disruption of the chemical barrier in the soil due to construction, excavation, landscaping, etc. Reapplication should be made as a spot treatment to those areas. Annual reapplication of entire premises must be avoided.

IMPORTANT

DO NOT treat structures that contain cisterns or wells. Soil in the vicinity of wells, cisterns or ponds should not be treated. For those situations, contact your County Cooperative Extension Agent or consult a commercial pest control service.

DO NOT treat soil that is water saturated or frozen, or in any conditions where run-off or movement from the treatment area (site) is likely to occur.

DO NOT apply while it is raining.

DO NOT use on pets.

DO NOT use on edible or ornamental plants. Spray drift onto these plants should be rinsed off immediately with water.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage and disposal. Open dumping is prohibited. Do not reuse empty container.

STORAGE: Keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area.

PESTICIDE DISPOSAL: If you no longer wish to use this product, give it to a friend who will use it, offer it to a garden club, or call your local solid waste agency for disposal instructions. Never pour pesticides down the toilet, drain, into the gutter or on the ground. Unless instructed otherwise, you may discard the product in your trash.

CONTAINER DISPOSAL: Do not reuse empty container. Do not rinse unless required for recycling. Use rinsate for product dilution. Place container in trash or offer for recycling, if recycling option exists in your area.

NET CONTENTS _____

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis MN 55427
Made in U.S.A

EPA Reg. No. 1021-1760

EPA Est. No. 1021-MN-2

6/9

NOTIFICATION
JUL 26 2002

[] Denotes optional language

- For Use on Residential Areas Such as: Lawns, Ornamentals, Porches, Patios, Foundations, Wood Piles, Stored Lumber, Trench Around Building Foundation
- **CONTROLS WOOD DESTROYING INSECTS**
- Concentrated, Water Dilutable Product to control wood destroying, home invading and lawn insects
- Aids in Reducing Annoyance from Mosquitoes and Other Flying Insects
- Controls Wood Destroying Insects such as Termites, Carpenter Ants, Carpenter Bees, Powder Post Beetles, Deathwatch Beetles
- Kills Home Invading Pests Outdoors such as Ants, Beetles, Box Elder Bugs, Cockroaches, Crickets, Earwigs, Fleas, Ticks, Scorpions and other crawling and flying insects
- Kills Deer Ticks that may Transmit Lyme Disease
- [Outdoor Termite & Carpenter Ant Concentrate with Self Mixing Concentrate Sprayer]
- Treats 22 linear feet for Termites
- For homeowner post construction use only
- Effective as an outdoor home barrier spray against listed crawling pests
- [9.0% Concentrate for use in hand-held sprayers or with attached Termite & Carpenter Ant Self-mixing Concentrate Sprayer]
- Kills Ants (including Fire Ants) & other home invading pests

Optional wording when Booklet Label is used
[OPEN Resealable Label for Directions & Precautions
PRESS to reuse]

ACTIVE INGREDIENT:

* Permethrin (3-phenoxyphenyl)methyl(±)-cis,trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate	9.00%
** OTHER INGREDIENTS	91.00%
	100.00%

- * Cis,trans ratio: Min. 35% (±) cis and max 65% (±) trans
- ** Contains Petroleum Distillate

EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> ▪ IMMEDIATELY contact your local Poison Control Center. ▪ Vomiting should only be induced under the direction of a physician or a Poison Control Center. ▪ If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in vomitus, rinse mouth and administer more water. ▪ IMMEDIATELY transport victim to emergency facility. ▪ Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> ▪ Hold eye open and rinse slowly and gently with water for 15-20 minutes. ▪ Remove contact lenses, if present, after the first 15 minutes, then continue rinsing eye. ▪ Call a poison control center or doctor for treatment advice.
IF ON SKIN	<ul style="list-style-type: none"> ▪ Take off contaminated clothing. ▪ Rinse skin immediately with plenty of water for 15-20 minutes. ▪ Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, absorbed through skin or inhaled. Causes eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove and wash contaminated clothing before reuse.

7/9

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not apply EVERCIDE® Outdoor Insect Control - 2790, or allow it to drift to crops or weeds on which bees are actively foraging. Additional information may be obtained from Cooperative Extension Service. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION:

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs 4 fl oz = ½ cup

SHAKE WELL BEFORE USE

Specially Formulated for residential use. DO NOT USE INSIDE DWELLINGS.

This is an easy to apply product that can be used to control wood destroying, home-invading and lawn insects. This product can be used for treatment of localized areas of wooden structures, wood piles and stored lumber to control wood infesting borers, carpenter ants and carpenter bees. Do not spray animals with this product. People and pets should not be allowed in treated area until after spray has dried.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS:

The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of [Distributor Name]. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES:

[DISTRIBUTOR NAME] MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL.

LAWN PESTS

Ants, Armyworm, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Deer Ticks, Fleas, Grasshoppers, Japanese Beetle Grubs, Mole Crickets, Pillbugs and Millipedes. Home lawns should not be longer than 3 inches at the time of application. Use 4 fluid ounces of concentrate to 5 gallons of water to cover 800 square feet. For heavy infestations repeat application after 2 weeks.

FOR SURFACE INSECT CONTROL (Armyworm, Cutworms, Fleas, etc.), delay watering or mowing for 12 to 24 hours for optimum control of surface feeding insect pests.

THATCH INHABITATING INSECT CONTROL (Chinch Bugs, Pillbugs, etc.): Lightly irrigate (water) after application with up to ½ inch of water to move the Evercide® Outdoor Insect Control into the thatch layer. If irrigation is not available, then use high water application rates for optimum results.

SUBSURFACE INSECT CONTROL (Mole Crickets, Grubs, etc.): Apply to lawns wet with dew, rain or irrigation. Water-in immediately after application with ¼ to ½ inch of water for optimum results.

ORNAMENTALS IN RESIDENTIAL LANDSCAPED AREAS (Including Trees, Shrubs, Flowers, Evergreens, Foliage Plants and Ground Covers). Ants, Aphids, Bagworm, Beet Armyworm, Cabbage Looper, Citrus Thrips, Fungus Gnat, Heliothis spp., Japanese Beetles, Lace Bug, Leaf Feeding Caterpillars, Leafminers, Leafhoppers, Leafrollers, Lygus Bugs, Mealybugs, Root Weevils (Adult), Whiteflies. Use 5 teaspoons of concentrate to 1 gallon of water. Apply sufficient volume of water to adequately cover foliage. Apply product when insects appear or feeding is noticed. Before treating a large number of plants, treat a few plants and observe prior to full scale application. Direct application to blooms may cause browning of petals. Repeat the application as needed to maintain control.

FIRE ANT MOUNDS

Add 5 teaspoons of concentrate to 1 gallon of water. Using a sprinkling can, apply 1 or 2 gallons evenly over and around each mound in a 4 ft diameter circle until it is wet. Apply gently to avoid disturbing ants and causing them to move and form new mounds. For best results, apply in cool weather, such as in early morning or late evening hours, but not in the heat of the day. Treat new mounds as they appear.

8/9

MOSQUITOES – OUTDOORS

Mosquitoes coming to rest on areas treated for the control of lawn and home-invading pests will be killed for varying periods of time after application, depending on exposure of treated areas to weathering conditions.

TREATMENT FOR SUBTERRANEAN TERMITES – OUTDOORS

For outdoor, homeowner post-construction use only. DO NOT use under slabs, in crawl spaces or indoors. If termites are found within the house or structure, contact a licensed pest control operator for treatment.

MIXING INSTRUCTIONS FOR TERMITE: Add 7 ¼ fl. Oz (14 ½ Tbs) to one gallon of water for each 5 linear feet. (1 quart of EVERCIDE® Outdoor Insect Control - 2790 makes 4.4 gallons of dilution solution and covers 22 linear feet.) (1/2 gallon of EVERCIDE® Outdoor Insect Control – 2790 makes 8.8 gallons of diluted solution and covers 44 linear feet)

HOW TO APPLY

TRENCH TREATMENT

Remove all wood debris and wood forms. Poured Concrete Foundations: Dig a trench next to the foundation 6 inches wide and 4 inches deep or down to the top of the footing, whichever is less.

Brick & Block Foundations: Dig a trench 6 inches wide and 12 inches deep. To avoid shifting your house foundation, never dig below the top of the footing. Mix diluted product into soil as soil is replaced in the trench.

(Optional wording when product is packaged with Termite and Carpenter Ant Self-mixing sprayer)
(Picture of Sprayer)

To use attached Self-mixing Concentrate Sprayer for Termites & Carpenter Ant Control

1. Connect a garden hose to the Self-mixing Spray Nozzle. Make sure the dial is in the "Off" position.
2. Turn water on at faucet. Extend the hose to the farthest area to be treated and work back toward the faucet so you do not come in contact with the treated area.
3. To begin spraying, point sprayer towards area to be treated and move the dial on the sprayer to the "On" position. Water will automatically mix with the product at 7 ½ fl. oz. per gallon of water. This is the correct rate for all Termite & Carpenter Ant applications. Under normal hose pressures, you will get 2 ½ to 3 ½ minutes of spray time before quart bottle is empty. For this reason, carefully measure and prepare the area to be treated before making the actual application.
4. The self-mixing applicator will give you approximately 3 minutes of spray time depending on water pressure in your hose. Monitor how quickly the concentrate is being used by watching the liquid level through the view stripe on the side of the bottle. For Termite applications, one quart will make 4.4 gallons of diluted spray. Quart bottle will treat 22 linear feet of trench. Remember to apply product to trench and also spray soil that is used to refill excavated trench.

FENCE POSTS:

Using a sprinkling can, pour ½ gallon of diluted product into fence post hole and add another ½ gallon to the soil when filling the hole so that all the fill soil is treated to form a protective barrier.

WHEN TO APPLY

Reapplication for subterranean termites should only be made when there has been a disruption of the chemical barrier in the soil due to construction, excavation, landscaping, etc. Reapplication should be made as a spot treatment to those areas. Annual reapplication of entire premises must be avoided.

TREATMENT FOR WOOD DESTROYING PESTS – OUTDOORS

Carpenter Ants, Carpenter Bees, Powder Post Beetles, False Powder Post Beetles, Deathwatch Beetles, Old House Borer, Ambrosia Beetle. Treat localized areas of infested wood. Add 7 ¼ fl. Oz (14 ½ Tbs) to one gallon of water.

HOW TO APPLY:

Fences and Outdoor Wood Surfaces of Building: Apply evenly on wood surfaces with a paint brush. Allow to dry and repeat to ensure the insecticide soaks into the wood.

Wood Piles and Stored Lumber: Use a hose-end or tank sprayer or sprinkling can to deliver a coarse drenching spray. Do not apply to firewood.

TREATMENT FOR HOME-INVADING PESTS – OUTDOORS

Including Ants, Asian Cockroaches, Bees, Beetles, Box Elder Bugs, Centipedes, Clover Mites, Cockroaches, Crickets, Earwigs, Elm Leaf Beetles, Firebrats, Fleas, Flies, Ground Beetles, Gypsy Moths (adult & caterpillar) Hornets, House Flies, Millipedes, Mosquitoes, Scorpions, Silverfish, Sowbugs, Spiders (including Black Widow & Brown Recluse Spiders), Ticks, Wasps, Yellowjackets. For use in [Dial Style] hose-end sprayer, tank-type sprayer or sprinkling can: [See chart on label for directions using additional application methods].

Use 5 teaspoons of concentrate to one gallon water to cover 300 sq. ft or 60 linear feet. To keep insects from entering the house, spray a 3 ft. band of soil around the house next to the foundation. Also spray the foundation of the house to a height of 2 ft. Also spray walks, garbage cans & garbage areas, window frames and doorways, porches & patios, under shrubs & trees but avoid spraying foliage. DO NOT treat pets with this product. DO NOT use this product indoors.

HOW TO APPLY:

This product can be applied using a [Dial Style] hose-end sprayer, pump [up] [style] pressure sprayer or by watering [sprinkling] can. Carefully dilute the recommended amount of concentrate and water according to the directions found under the desired insect control. Using a clean sprayer, apply insecticide when insects first appear and repeat as necessary. Flush sprayer or watering can with clean water after each use.

9/9

Additional Application Methods

Sprinkling Can or Bucket (Picture)	<ol style="list-style-type: none"> 1. Shake well. Add the appropriate amounts of concentrate and water to sprinkling can or bucket. 2. Mix well and apply
Pump Style Sprayers (Picture)	<ol style="list-style-type: none"> 1. Shake well. Add the appropriate amounts of concentrate and water to the sprayer tank. 2. Close sprayer, shake well and pressurize. 3. Adjust nozzle to a coarse spray pattern and apply. 4. Occasionally re-pressurize the sprayer if needed to maintain a good spray pattern.
Dial-Style Hose-End Sprayers (Picture)	<ol style="list-style-type: none"> 1. Shake well. Fill sprayer jar with enough Concentrate to cover plants to be treated. Close Sprayer and set dial. TIP: The numbers on Dial-Style hose-end Sprayers are ounces of concentrate per gallon of spray. 2. Attach sprayer to hose and apply.

Optional Chart when product is packaged with hose-end sprayer

Read The Label First!

Quick Facts

Pest	One Quart treats up to
Termites*	22 ft. of trench length 4-5 fence posts <i>*Using Self-mixing Concentrate Sprayer</i>
Carpenter Ants* Carpenter Bees*	Quart will deliver 4.4 gallons of spray Treat localized area of infested Wood <i>*Using Self-mixing Concentrate Sprayer</i>
Home Invading Pests	11,520 sq. ft. <i>Using additional application Methods listed on label</i>

IMPORTANT

DO NOT treat structures that contain cisterns or wells. Soil in the vicinity of wells, cisterns or ponds should not be treated. For those situations, contact your County Cooperative Extension Agent or consult a commercial pest control service.
 DO NOT treat soil that is water saturated or frozen, or in any conditions where run-off or movement from the treatment area (site) is likely to occur.
 DO NOT apply while it is raining.
 DO NOT use on pets.
 DO NOT use on edible or ornamental plants. Spray drift onto these plants should be rinsed off immediately with water.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage and disposal. Open dumping is prohibited. Do not reuse empty container.

STORAGE: Keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area.

PESTICIDE DISPOSAL: If you no longer wish to use this product, give it to a friend who will use it, offer it to a garden club, or call your local solid waste agency for disposal instructions. Never pour pesticides down the toilet, drain, into the gutter or on the ground. Unless instructed otherwise, you may discard the product in your trash.

CONTAINER DISPOSAL: Do not reuse empty container. Do not rinse unless required for recycling. Use rinsate for product dilution. Place container in trash or offer for recycling, if recycling option exists in your area.

NET CONTENTS _____

Manufactured by:
 Mc LAUGHLIN GORMLEY KING COMPANY
 8810 Tenth Avenue North
 Minneapolis, MN 55427
 Made in U.S.A