

02/15/2006

1/5



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
Amendment  
Other

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number 1021-1760	2. EPA Product Manager George LaRocca	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EVERCIDE® Outdoor Insect Control 2790	PM# 13	
5. Name and Address of Applicant (Include Zip Code) McLAUGHLIN GORMLEY KING COMPANY 8810 TENTH AVENUE NORTH MINNEAPOLIS, MN 55427  <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____ Product Name _____	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**NOTIFICATION**  
**FEB 15 2006**

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

By notification, we are adding alternate units and dimensions to the treatment of Home-Invading Pests. The alternate units maintain the exact same dilution rates. The larger application sq. ft. and linear ft. were expanded in direct proportion to diluting the product to a slightly larger volume i.e. 1.5 Gallons instead of 1 Gallon.

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
*Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
					<input type="checkbox"/> Glass
					<input type="checkbox"/> Paper
					<input type="checkbox"/> Other (Specify)
3. Location of Net Contents information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other	

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Thomas A. Lennan	Title Registration Specialist	Telephone No. (Include Area Code) (763) 544-0341
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6 Date Application Received  (Stamped)
2. Signature 	3. Title Registration Specialist	
4. Typed Name Thomas A. Lennan	5. Date 1/9/2006	

FEB 15 2006

EVERCIDE® Outdoor Insect Control 2790

**MGK®**McLAUGHLIN  
GORMLEY  
KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

[ ] Denotes optional language

- For Use on Residential Areas Such as: Lawns, Ornamentals, Porches, Patios, Foundations, Wood Piles, Stored Lumber, Trench Around Building Foundation
- CONTROLS WOOD DESTROYING INSECTS
- Concentrated, Water Dilutable Product to control wood destroying, home invading and lawn insects
- Aids in Reducing Annoyance from Mosquitoes and Other Flying Insects
- Controls Wood Destroying Insects such as Termites, Carpenter Ants, Carpenter Bees, Powder Post Beetles, Deathwatch Beetles
- Kills Home Invading Pests Outdoors such as Ants, Beetles, Box Elder Bugs, Cockroaches, Crickets, Earwigs, Fleas, Ticks, Scorpions and other crawling and flying insects
- Kills Deer Ticks that may Transmit Lyme Disease
- Treats 22 linear feet for Termites
- For homeowner post construction use only
- Effective as an outdoor home barrier spray against listed crawling pests
- Kills Ants (including Fire Ants) and other home invading pests

Optional wording when Booklet Label is used

[OPEN Resealable Label for Directions and Precautions

PRESS to reuse]

## ACTIVE INGREDIENT:

* Permethrin (3-phenoxyphenyl)methyl(±)-cis,trans-3-(2,2-dichloroethyl)-2,2-dimethylcyclopropanecarboxylate .....	9.00%
** OTHER INGREDIENTS.....	91.00%
	100.00%
* Cis,trans ratio: Min. 35% (±) cis and max 65% (±) trans	
** Contains petroleum distillates	

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give any liquid to the person.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
IF IN EYES:	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 15 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.	

NET CONTENTS \_\_\_\_\_

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427

EPA Reg. No. 1021-1760

EPA Est. No. 1021-MN-2

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Causes eye irritation. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

## GENERAL INFORMATION:

1 Tablespoon (Tbs) = 3 teaspoons (tsp)    1 fl oz = 2 Tbs    4 fl oz = 1/2 cup

## SHAKE WELL BEFORE USE

Specially Formulated for residential use. DO NOT USE INSIDE DWELLINGS.

This product is easy to apply and can be used to control wood destroying, home-invading, and lawn insects. This product may be used for treatment of localized areas of wooden structures, wood piles, and stored lumber to control wood infesting borers, carpenter ants, and carpenter

sk

bees. Do not spray animals with this product. Do not allow people or pets to enter treated area until after spray has dried.

#### HOW TO APPLY:

This product may be applied using a hose-end sprayer, pump [up] [style] pressure sprayer, or by watering [sprinkling] can. Carefully dilute the recommended amount of concentrate and water according to the desired insect control directions. Using a clean sprayer, apply insecticide when insects first appear and repeat as necessary. Flush sprayer or watering can with clean water after each use.

**LAWN PESTS:** Ants, Armyworms, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Deer Ticks, Fleas, Grasshoppers, Japanese Beetle Grubs, Mole Crickets, Pillbugs, and Millipedes: Home lawns should not be longer than 3 inches at time of application. Use 4 fluid ounces of concentrate to 5 gallons of water for coverage of 800 square feet. For heavy infestations, repeat application after 2 weeks.

**FOR SURFACE INSECT CONTROL (Armyworm, Cutworms, Fleas, etc.):** For optimum control of surface feeding insect pests, delay watering or mowing for 12 to 24 hours


**THATCH INHABITATING INSECT CONTROL (Chinch Bugs, Pillbugs, etc.):** Lightly irrigate with up to 1/2 inch of water after application Evercide® Outdoor Insect Control 2790 into the thatch layer. If irrigation is not available, then use high water application rates for optimum results.

**SUBSURFACE INSECT CONTROL (Mole Crickets, Grubs, etc.):** Apply to lawns wet with dew, rain, or irrigation. For optimum results, immediately after application, water-in with 1/4 to 1/2 inch of water for optimum results.

**ORNAMENTALS IN RESIDENTIAL LANDSCAPED AREAS (Including Trees, Shrubs, Flowers, Evergreens, Foliage Plants, and Ground Covers):** Ants, Aphids, Bagworms, Beet Armyworms, Cabbage Loopers, Citrus Thrips, Fungus Gnats, Heliothis spp., Japanese Beetles, Lace Bugs, Leaf Feeding Caterpillars, Leafminers, Leafhoppers, Leafrollers, Lygus Bugs, Mealybugs, Root Weevils (Adult), and Whiteflies: Dilute 5 teaspoons of concentrate in 1 gallon of water. Apply sufficient volume of water to adequately cover foliage. Apply product when insects appear or feeding is noticed. Before treating a large number of plants, treat a few plants and re-check prior to full-scale application. Direct application to blooms may cause browning of petals. Repeat application as needed to maintain control.

**FIRE ANT MOUNDS:** Dilute 5 teaspoons of concentrate in 1 gallon of water. Using a sprinkling can, apply 1 or 2 gallons of diluent evenly over and around each mound in a 4-foot diameter circle until wet. Apply gently to avoid disturbing ants and causing them to move and form new mounds. For best results, apply in cool weather, such as in early morning or late evening hours. Do not apply in the heat of the day. Treat new mounds as they appear.

**[TREATMENT FOR] HOME-INVADING PESTS – OUTDOORS** including Ants, Asian Cockroaches, Bees, Beetles, Boxelder Bugs, Centipedes, Clover Mites, Cockroaches, Crickets, Earwigs, Elm Leaf Beetles, Firebrats, Fleas, Flies, Ground Beetles, Gypsy Moths (adult and caterpillar), Homets, House Flies, Millipedes, Mosquitoes, Scorpions, Silverfish, Sowbugs, Spiders (including Black Widow and Brown Recluse), Ticks, Wasps, and Yellow Jackets: For use in hose-end sprayer, tank-type sprayer, or sprinkling can. Dilute 5 [7.5] teaspoons or .83 oz. [1 1/4 oz.] of concentrate in 1 [1.5] gallon[s] of water to cover 300 [450] square feet or 60 [90] linear feet. To keep insects from entering the house, spray a 3-foot band of soil around the house next to the foundation. Also, spray the foundation of the house to a height of 2 feet. Also spray walks, garbage cans and garbage areas, window frames and doorways, porches and patios, and under shrubs and trees but avoid spraying foliage. DO NOT treat pets with this product. DO NOT use this product indoors.



**MOSQUITOES – OUTDOORS:** Mosquitoes coming to rest on areas treated for the control of lawn and home-invading pests will be killed for varying periods of time after application, depending on exposure of treated areas to weathering conditions.

**TREATMENT FOR WOOD DESTROYING PESTS – OUTDOORS** including Carpenter Ants, Carpenter Bees, Powder Post Beetles, False Powder Post Beetles, Deathwatch Beetles, Old House Borers, and Ambrosia Beetles: Treat localized areas of infested wood. Add 7 1/4 fluid ounces (14 1/2 Tbs) to 1 gallon of water.

#### HOW TO APPLY

**Fences and Outdoor Wood Surfaces of Building:** Apply evenly on wood surfaces with a paintbrush. Allow to dry and repeat application to ensure the insecticide soaks into the wood.

**Wood Piles and Stored Lumber:** Use a hose-end or tank sprayer or sprinkling can to deliver a coarse drenching spray. Do not apply to firewood.

**[TREATMENT FOR] SUBTERRANEAN TERMITES – OUTDOORS:** For outdoor, homeowner post-construction use only. DO NOT use under slabs, in crawl spaces, or indoors. If termites are found within the house or structure, contact a licensed pest control operator for treatment.

**MIXING INSTRUCTIONS FOR TERMITE CONTROL:** Add 7 1/4 fluid ounces (14 1/2 Tbs) to 1 gallon of water for each 5 linear feet (1 quart of EVERCIDE® Outdoor Insect Control 2790 makes 4.4 gallons of diluted solution and covers 22 linear feet. 1/2 gallon of EVERCIDE® Outdoor Insect Control 2790 makes 8.8 gallons of diluted solution and covers 44 linear feet).

#### HOW TO APPLY

**TRENCH TREATMENT:** Remove all wood debris and wood forms.

**Poured Concrete Foundations:** Dig a trench next to the foundation 6 inches wide and 4 inches deep or down to the top of the footing, whichever is less.

**Brick and Block Foundations:** Dig a trench 6 inches wide and 12 inches deep. To avoid shifting your house foundation, never dig below the top of the footing. Mix diluted product into soil as soil is replaced in the trench.

**FENCE POSTS:** Using a sprinkling can, pour 1/2 gallon of diluted product into fence post hole and add another 1/2 gallon to the soil when filling the hole so that all the fill soil is treated to form a protective barrier.

#### WHEN TO APPLY

Only reapply for subterranean termites when there has been a disruption of the chemical barrier in the soil due to construction, excavation, landscaping, etc. Reapply as a spot treatment to those areas. Avoid annual reapplication of entire premises.

**IMPORTANT:** DO NOT treat structures that contain cisterns or wells. DO NOT treat soil in the vicinity of wells, cisterns, or ponds. For those situations, contact your County Cooperative Extension Agent or consult a commercial pest control service. DO NOT treat soil that is water saturated or frozen, or in any conditions where run-off or movement from the treatment area (site) is likely to occur. DO NOT apply while it is raining. DO NOT use on pets. DO NOT use on edible or ornamental plants. Immediately rinse with water spray drift onto these plants.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**STORAGE:** Keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area.

**DISPOSAL:**

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

90-02-1

443

4/5

5/5



**McLAUGHLIN GORMLEY KING COMPANY**  
8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A.  
763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

January 9, 2006

Document Processing Desk (NOTIF)  
U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs (7504C)  
Ariel Rios Building  
1200 Pennsylvania Avenue  
Washington, DC 20460-001

Via Courier

**NOTIFICATION**  
FEB 15 2006

Subject:  
EVERIDE® Outdoor Insect Control 2790  
EPA Reg. No. 1021-1760  
Notification per PR Notice 98-10

Dear Sir or Madam:

By notification, we are adding alternate units and dimensions to the treatment of Home – Invading Pests. The alternate units maintain the exact same dilution rates. The larger applications sq. ft. and leaer ft. were expanded in direction proportion to diluting the preocut to a slightly larger volume i.e. to 1.5 gallons rather than 1.0 Gallons.

Enclosed are 2 copies of the label with 1 copy with changes highlighted.

I certify that no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Thomas A. Lennan  
Registration Specialist

Enclosure

