

1021-1760

09-22-2010

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Mr. Steve Ditto
McLaughlin Gormley King Company
8810 Tenth Avenue North
Minneapolis, MN 55427-4372

SEP 22 2010

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Mr. Ditto:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated March 15, 2010 for the following product(s):

**Evercide® Outdoor Insect
Control 2790**

Reg. No. 1021-1760

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

A handwritten signature in cursive script, appearing to read "Linda A. DeLuise".

f Richard J. Gebken
Product Manager
Insecticide Branch
Registration Division (7504P)

2/14



United States
Environmental Protection Agency
Washington, DC 20460

Registration
Amendment
Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 1021-1760	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EVERCIDE® Outdoor Insect Control 2790	PM# 13	
5. Name and Address of Applicant (Include Zip Code) McLaughlin Gormley King Company 8810 10TH AVE N MINNEAPOLIS, MN 55427 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

Amendment - Explain below. Final printed labels in response to Agency letter dated _____

Resubmission in response to Agency letter dated _____ "Me Too" Application.

Notification - Explain below. Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Pyrethroid Non-Agricultural Outdoor Products Notification per EPA letter dated June 4, 2009.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
*Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents information
 Label Container

4. Size(s) Retail Container
4-24 oz.

5. Location of Label Directions
 On Label
 On Labeling accompanying product

6. Manner in Which Label is Affixed to Product
 Lithograph Other
 Paper glued
 Stenciled

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Steven K. Ditto	Title Regulatory Affairs Specialist	Telephone No. (Include Area Code) (763) 544-0341
-------------------------	--	---

Certification
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Regulatory Affairs Specialist	6. Date Application Received Received (Stamped)
4. Typed Name Steven K. Ditto	5. Date 3/15/2010	



McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A.
763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

March 15, 2010

Document Processing Desk (NOTIF - PYRETHROID)
Office of Pesticide Programs (7504P)
U.S. ENVIRONMENTAL PROTECTION AGENCY
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Via Courier

Subject: EVERCIDE® Outdoor Insect Control 2790
EPA Reg. No. 1021-1760
Pyrethroid Non-Agricultural Outdoor Products Notification Per EPA Letter
Dated June, 4 2009

Dear Sir or Madam:

By Notification we are changing the Environmental Hazards and Directions for Use sections to comply with the June 4, 2009 letter from the Environmental Protection Agency.

Enclosed are 2 copies of the label. One copy has changes highlighted.

Notification of label change per June 4, 2009, letter from Environmental Protection Agency. This notification is consistent with the guidance in the June 4, 2009 letter and the requirements of EPA's regulations at 40 CFR part 156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR part 156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.


If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Steven K. Ditto
Regulatory Affairs Specialist

Enclosure



Quality Products Since 1902

MAY 7 2010



McLAUGHLIN
GORMLEY
KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

[] OR () indicates alternate or optional wording

- [For Use on Residential Areas Such as: Lawns, Ornamentals, Porches, Patios, Foundations, Wood Piles, Stored Lumber, Trench Around Building Foundation]
- [CONTROLS WOOD DESTROYING INSECTS]
- [Concentrated, Water Dilutable Product to control wood destroying, home invading and lawn insects]
- [Aids in Reducing Annoyance from Mosquitoes and Other Flying Insects]
- [Controls Wood Destroying Insects such as Termites, Carpenter Ants, Carpenter Bees, Powder Post Beetles, Deathwatch Beetles]
- [Kills Home Invading Pests Outdoors such as Ants, Beetles, Box Elder Bugs, Cockroaches, Crickets, Earwigs, Fleas, Ticks, Scorpions and other crawling and flying insects]
- [Kills Deer Ticks that may Transmit Lyme Disease]
- [Treats 22 linear feet for Termites]
- [For homeowner post construction use only]
- [Effective as an outdoor home barrier spray against listed crawling pests]
- [Kills Ants (including Fire Ants) and other home invading pests]

Optional wording when Booklet Label is used
[OPEN Resealable Label for Directions and Precautions
PRESS to reuse]

ACTIVE INGREDIENT:

* Permethrin (3-phenoxyphenyl)methyl(±)-cis,trans-3-(2,2-dichloroethyl)-2,2-dimethylcyclopropanecarboxylate	9.00%
** OTHER INGREDIENTS	91.00%
	100.00%

* Cis,trans ratio: Min. 35% (±) cis and max 65% (±) trans

** Contains petroleum distillates

EVERCIDE®, MGK® - Registered trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN
CAUTION

NOTIFICATION
SEP 22 2010

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> ▪ Immediately call a poison control center or doctor. ▪ Do not induce vomiting unless told to do so by a poison control center or doctor. ▪ Do not give any liquid to the person. ▪ Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> ▪ Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. ▪ Remove contact lenses, if present, after the first 15 minutes. ▪ Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> ▪ Take off contaminated clothing. ▪ Rinse skin immediately with plenty of water for 15 – 20 minutes. ▪ Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

NET CONTENTS _____

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-1760

EPA Est. No. 1021-MN-2

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes eye irritation. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

5
14

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION:

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- (1) Treatment to soil or vegetation around structures;
- (2) Application to lawns, turf, and other vegetation;
- (3) Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs 4 fl oz = 1/2 cup

SHAKE WELL BEFORE USE

Specially Formulated for residential use. DO NOT USE INSIDE DWELLINGS.

This product is easy to apply and can be used to control wood destroying, home-invading, and lawn insects. This product may be used for treatment of localized areas of wooden structures, wood piles, and stored lumber to control wood infesting borers, carpenter ants, and carpenter bees. Do not spray animals with this product. Do not allow people or pets to enter treated area until after spray has dried.

HOW TO APPLY:

This product may be applied using a hose-end sprayer, pump [up] [style] pressure sprayer, by watering [sprinkling] can [or by Mosquito 86™ applicator]. Carefully dilute the recommended amount of concentrate and water according to the desired insect control directions. Using a clean sprayer, apply insecticide when insects first appear and repeat as necessary. Flush sprayer or watering can with clean water after each use.

LAWN PESTS: Ants, Armyworms, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Deer Ticks, Fleas, Grasshoppers, Japanese Beetle Grubs, Mole Crickets, Pillbugs, and Millipedes: Home lawns should not be longer than 3 inches at time of application. Use 4 fluid ounces of concentrate to 5 gallons of water for coverage of 800 square feet. For heavy infestations, repeat application after 2 weeks.

FOR SURFACE INSECT CONTROL (Armyworm, Cutworms, Fleas, etc.): For optimum control of surface feeding insect pests, delay watering or mowing for 12 to 24 hours

THATCH INHABITATING INSECT CONTROL (Chinch Bugs, Pillbugs, etc.): Lightly irrigate with up to 1/2 inch of water after application Evercide® Outdoor Insect Control 2790 into the thatch layer. If irrigation is not available, then use high water application rates for optimum results.

SUBSURFACE INSECT CONTROL (Mole Crickets, Grubs, etc.): Apply to lawns wet with dew, rain, or irrigation. For optimum results, immediately after application, water-in with 1/4 to 1/2 inch of water for optimum results.

ORNAMENTALS IN RESIDENTIAL LANDSCAPED AREAS (Including Trees, Shrubs, Flowers, Evergreens, Foliage Plants, and Ground Covers): Ants, Aphids, Bagworms, Beet Armyworms, Cabbage Loopers, Citrus Thrips, Fungus Gnats, Heliothis spp., Japanese Beetles, Lace Bugs, Leaf Feeding Caterpillars, Leafminers, Leafhoppers, Leafrollers, Lygus Bugs, Mealybugs, Root Weevils (Adult), and Whiteflies: Dilute 5 teaspoons of concentrate in 1 gallon of water. Apply sufficient volume of water to adequately cover foliage. Apply product when insects appear or feeding is noticed. Before treating a large number of plants, treat a few plants and re-check prior to full-scale application. Direct application to blooms may cause browning of petals. Repeat application as needed to maintain control.

FIRE ANT MOUNDS: Dilute 5 teaspoons of concentrate in 1 gallon of water. Using a sprinkling can, apply 1 or 2 gallons of diluent evenly over and around each mound in a 4-foot diameter circle until wet. Apply gently to avoid disturbing ants and causing them to move and form new mounds. For best results, apply in cool weather, such as in early morning or late evening hours. Do not apply in the heat of the day. Treat new mounds as they appear.

[TREATMENT FOR] HOME-INVADING PESTS – OUTDOORS including Ants, Asian Cockroaches, Bees, Beetles, Boxelder Bugs, Centipedes, Clover Mites, Cockroaches, Crickets, Earwigs, Elm Leaf Beetles, Firebrats, Fleas, Flies, Ground Beetles, Gypsy Moths (adult and caterpillar), Hornets, House Flies, Millipedes, Mosquitoes, Scorpions, Silverfish, Sowbugs, Spiders (including Black Widow and Brown Recluse), Ticks, Wasps, and Yellow Jackets: For use in hose-end sprayer, tank-type sprayer, or sprinkling can. Dilute 5 teaspoons of concentrate in 1 gallon of water to cover 300 square feet or 60 linear feet. To keep insects from entering the house, spray a 3-foot band of soil around the house next to the foundation. Also, spray the foundation of the house to a height of 2 feet. Also spray walks, garbage cans and garbage areas, window frames and doorways, porches, patios and shrubs and trees. DO NOT treat pets with this product. DO NOT use this product indoors.

[When using with the Mosquito 86™ sprayer for outdoor mosquito and flying insect control:

Dispense 7.5 teaspoons (1 1/4 oz.) of concentrate into sprayer tank. Fill tank with 1.5 gallons of water (to the fill line) to cover 450 square feet or 60 linear feet. Gently tighten the cap. Put the backpack on and tighten the straps by pulling downward. Attach the quick disconnect to the blower tubing; push together until it clicks. Start the blower and set to highest rpm setting. Squeeze together the two sides of the shutoff valve located on top of the blower tube together to begin fluid flow. Begin spraying. Spray with a brisk back and forth motion, walking along as you spray, keeping the wind at your back. ALWAYS KEEP THE NOZZLE MOVING BRISKLY BACK AND FORTH. To keep insects from entering the house, spray a 3-foot band of soil around the house next to the foundation and the house foundation to a height of 2 feet; also spray walks, garbage cans and garbage areas, window frames, doorways, porches, patios, and shrubs and trees.

When spraying is complete, push button on shutoff to stop fluid flow prior to reducing blower speed. Turn off the blower. Rinse tank with clean water; then fill tank half full with water and flush sprayer. Allow tank and sprayer to air dry before storing.]

MOSQUITOES – OUTDOORS: Mosquitoes coming to rest on areas treated for the control of lawn and home-invading pests will be killed for varying periods of time after application, depending on exposure of treated areas to weathering conditions.

TREATMENT FOR WOOD DESTROYING PESTS – OUTDOORS including Carpenter Ants, Carpenter Bees, Powder Post Beetles, False Powder Post Beetles, Deathwatch Beetles, Old House Borers, and Ambrosia Beetles: Treat localized areas of infested wood. Add 7 1/4 fluid ounces (14 1/2 Tbs) to 1 gallon of water.

HOW TO APPLY

Fences and Outdoor Wood Surfaces of Building: Apply evenly on wood surfaces with a paintbrush. Allow to dry and repeat application to ensure the insecticide soaks into the wood.

Wood Piles and Stored Lumber: Use a hose-end or tank sprayer or sprinkling can to deliver a coarse drenching spray. Do not apply to firewood.

[TREATMENT FOR] SUBTERRANEAN TERMITES – OUTDOORS: For outdoor, homeowner post-construction use only. DO NOT use under slabs, in crawl spaces, or indoors. If termites are found within the house or structure, contact a licensed pest control operator for treatment.

MIXING INSTRUCTIONS FOR TERMITE CONTROL: Add 7 1/4 fluid ounces (14 1/2 Tbs) to 1 gallon of water for each 5 linear feet (1 quart of EVERCIDE® Outdoor Insect Control 2790 makes 4.4 gallons of diluted solution and covers 22 linear feet. 1/2 gallon of EVERCIDE® Outdoor Insect Control 2790 makes 8.8 gallons of diluted solution and covers 44 linear feet).

HOW TO APPLY

TRENCH TREATMENT: Remove all wood debris and wood forms.

Poured Concrete Foundations: Dig a trench next to the foundation 6 inches wide and 4 inches deep or down to the top of the footing, whichever is less.

Brick and Block Foundations: Dig a trench 6 inches wide and 12 inches deep. To avoid shifting your house foundation, never dig below the top of the footing. Mix diluted product into soil as soil is replaced in the trench.

FENCE POSTS: Using a sprinkling can, pour 1/2 gallon of diluted product into fence post hole and add another 1/2 gallon to the soil when filling the hole so that all the fill soil is treated to form a protective barrier.

WHEN TO APPLY

Only reapply for subterranean termites when there has been a disruption of the chemical barrier in the soil due to construction, excavation, landscaping, etc. Reapply as a spot treatment to those areas. Avoid annual reapplication of entire premises.

IMPORTANT: DO NOT treat structures that contain cisterns or wells. DO NOT treat soil in the vicinity of wells, cisterns, or ponds. For those situations, contact your County Cooperative Extension Agent or consult a commercial pest control service. DO NOT treat soil that is water saturated or frozen, or in any conditions where run-off or movement from the treatment area (site) is likely to occur. DO NOT apply while it is raining. DO NOT use on pets. DO NOT use on edible or ornamental plants. Immediately rinse with water spray drift onto these plants.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Always store pesticides in the original container. Keep container closed when not in use. Store away from food and pet food. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area.

Pesticide Disposal and Container Handling

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash of offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

7
14



McLAUGHLIN
GORMLEY
KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

[] Denotes optional language

- For Use on Residential Areas Such as: Lawns, Ornamentals, Porches, Patios, Foundations, Wood Piles, Stored Lumber, Trench Around Building Foundation
- CONTROLS WOOD DESTROYING INSECTS
- Concentrated, Water Dilutable Product to control wood destroying, home invading and lawn insects
- Aids in Reducing Annoyance from Mosquitoes and Other Flying Insects
- Controls Wood Destroying Insects such as Termites, Carpenter Ants, Carpenter Bees, Powder Post Beetles, Deathwatch Beetles
- Kills Home Invading Pests Outdoors such as Ants, Beetles, Box Elder Bugs, Cockroaches, Crickets, Earwigs, Fleas, Ticks, Scorpions and other crawling and flying insects
- Kills Deer Ticks that may Transmit Lyme Disease
- [Outdoor Termite & Carpenter Ant Concentrate with Self Mixing Concentrate Sprayer]
- Treats 22 linear feet for Termites
- For homeowner post construction use only
- Effective as an outdoor home barrier spray against listed crawling pests
- [9.0% Concentrate for use in hand-held sprayers or with attached Termite & Carpenter Ant Self-mixing Concentrate Sprayer]
- Kills Ants (including Fire Ants) & other home invading pests

Optional wording when Booklet Label is used

[OPEN Resealable Label for Directions & Precautions
PRESS to reuse]

ACTIVE INGREDIENT:

* Permethrin (3-phenoxyphenyl)methyl(±)-cis,trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate	9.00%
** OTHER INGREDIENTS	91.00%
	100.00%

* Cis,trans ratio: Min. 35% (±) cis and max 65% (±) trans

** Contains Petroleum Distillate

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> ▪ Immediately call a poison control center or doctor. ▪ Do not induce vomiting unless told to do so by a poison control center or doctor. ▪ Do not give any liquid to the person. ▪ Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> ▪ Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. ▪ Remove contact lenses, if present, after the first 15 minutes. ▪ Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> ▪ Take off contaminated clothing. ▪ Rinse skin immediately with plenty of water for 15 – 20 minutes. ▪ Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

NET CONTENTS _____

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-1760

EPA Est. No. 1021-MN-2

8
14

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes eye irritation. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION:

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- (1) Treatment to soil or vegetation around structures;
- (2) Application to lawns, turf, and other vegetation;
- (3) Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs 4 fl oz = 1/2 cup

SHAKE WELL BEFORE USE

Specially Formulated for residential use. DO NOT USE INSIDE DWELLINGS.

This product is easy to apply and can be used to control wood destroying, home-invading, and lawn insects. This product may be used for treatment of localized areas of wooden structures, wood piles, and stored lumber to control wood infesting borers, carpenter ants, and carpenter bees. Do not spray animals with this product. Do not allow people or pets to enter treated area until after spray has dried.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS:

The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of [Distributor Name]. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES:

[DISTRIBUTOR NAME] MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL.

LAWN PESTS: Ants, Armyworms, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Deer Ticks, Fleas, Grasshoppers, Japanese Beetle Grubs, Mole Crickets, Pillbugs, and Millipedes: Home lawns should not be longer than 3 inches at time of application. Use 4 fluid ounces of concentrate to 5 gallons of water for coverage of 800 square feet. For heavy infestations, repeat application after 2 weeks.

FOR SURFACE INSECT CONTROL (Armyworm, Cutworms, Fleas, etc.): For optimum control of surface feeding insect pests, delay watering or mowing for 12 to 24 hours

THATCH INHABITATING INSECT CONTROL (Chinch Bugs, Pillbugs, etc.): Lightly irrigate with up to 1/2 inch of water after application Evercide® Outdoor Insect Control 2790 into the thatch layer. If irrigation is not available, then use high water application rates for optimum results.

SUBSURFACE INSECT CONTROL (Mole Crickets, Grubs, etc.): Apply to lawns wet with dew, rain, or irrigation. For optimum results, immediately after application, water-in with 1/4 to 1/2 inch of water for optimum results.

9/4

ORNAMENTALS IN RESIDENTIAL LANDSCAPED AREAS (Including Trees, Shrubs, Flowers, Evergreens, Foliage Plants, and Ground Covers): Ants, Aphids, Bagworms, Beet Armyworms, Cabbage Loopers, Citrus Thrips, Fungus Gnats, Heliothis spp., Japanese Beetles, Lace Bugs, Leaf Feeding Caterpillars, Leafminers, Leafhoppers, Leafrollers, Lygus Bugs, Mealybugs, Root Weevils (Adult), and Whiteflies: Dilute 5 teaspoons of concentrate in 1 gallon of water. Apply sufficient volume of water to adequately cover foliage. Apply product when insects appear or feeding is noticed. Before treating a large number of plants, treat a few plants and re-check prior to full-scale application. Direct application to blooms may cause browning of petals. Repeat application as needed to maintain control.

FIRE ANT MOUNDS: Dilute 5 teaspoons of concentrate in 1 gallon of water. Using a sprinkling can, apply 1 or 2 gallons of diluent evenly over and around each mound in a 4-foot diameter circle until wet. Apply gently to avoid disturbing ants and causing them to move and form new mounds. For best results, apply in cool weather, such as in early morning or late evening hours. Do not apply in the heat of the day. Treat new mounds as they appear.

MOSQUITOES – OUTDOORS: Mosquitoes coming to rest on areas treated for the control of lawn and home-invading pests will be killed for varying periods of time after application, depending on exposure of treated areas to weathering conditions.

[TREATMENT FOR] SUBTERRANEAN TERMITES – OUTDOORS: For outdoor, homeowner post-construction use only. DO NOT use under slabs, in crawl spaces, or indoors. If termites are found within the house or structure, contact a licensed pest control operator for treatment.

MIXING INSTRUCTIONS FOR TERMITE CONTROL: Add 7 - 1/4 fluid ounces (14 1/2 Tbs) to 1 gallon of water for each 5 linear feet (1 quart of EVERCIDE® Outdoor Insect Control 2790 makes 4.4 gallons of diluted solution and covers 22 linear feet. 1/2 gallon of EVERCIDE® Outdoor Insect Control 2790 makes 8.8 gallons of diluted solution and covers 44 linear feet).

HOW TO APPLY

TRENCH TREATMENT: Remove all wood debris and wood forms.

Poured Concrete Foundations: Dig a trench next to the foundation 6 inches wide and 4 inches deep or down to the top of the footing, whichever is less.

Brick and Block Foundations: Dig a trench 6 inches wide and 12 inches deep. To avoid shifting your house foundation, never dig below the top of the footing. Mix diluted product into soil as soil is replaced in the trench.

(Optional wording when product is packaged with Termite and Carpenter Ant Self-mixing sprayer)
(Picture of Sprayer)

To use attached Self-mixing Concentrate Sprayer for Termites & Carpenter Ant Control:

1. Connect a garden hose to the Self-mixing Spray Nozzle. Make sure the dial is in the "Off" position.
2. Turn water on at faucet. Extend the hose to the farthest area to be treated and work back toward the faucet so you do not come in contact with the treated area.
3. To begin spraying, point sprayer towards area to be treated and move the dial on the sprayer to the "On" position. Water will automatically mix with the product at 7-1/2 fl. oz. per gallon of water. This is the correct rate for all Termite & Carpenter Ant applications. Under normal hose pressures, you will get 2 1/2 to 3 1/2 minutes of spray time before quart bottle is empty. For this reason, carefully measure and prepare the area to be treated before making the actual application.
4. The self-mixing applicator will give you approximately 3 minutes of spray time depending on water pressure in your hose. Monitor how quickly the concentrate is being used by watching the liquid level through the view stripe on the side of the bottle. For Termite applications, one quart will make 4.4 gallons of diluted spray. Quart bottle will treat 22 linear feet of trench. Remember to apply product to trench and also spray soil that is used to refill excavated trench.

FENCE POSTS: Using a sprinkling can, pour 1/2 gallon of diluted product into fence post hole and add another 1/2 gallon to the soil when filling the hole so that all the fill soil is treated to form a protective barrier.

WHEN TO APPLY: Only reapply for subterranean termites when there has been a disruption of the chemical barrier in the soil due to construction, excavation, landscaping, etc. Reapply as a spot treatment to those areas. Avoid annual reapplication of entire premises.

TREATMENT FOR WOOD DESTROYING PESTS – OUTDOORS including Carpenter Ants, Carpenter Bees, Powder Post Beetles, False Powder Post Beetles, Deathwatch Beetles, Old House Borers, and Ambrosia Beetles: Treat localized areas of infested wood. Add 7 1/4 fluid ounces (14 1/2 Tbs) to 1 gallon of water.

HOW TO APPLY:

Fences and Outdoor Wood Surfaces of Building: Apply evenly on wood surfaces with a paintbrush. Allow to dry and repeat application to ensure the insecticide soaks into the wood.

Wood Piles and Stored Lumber: Use a hose-end or tank sprayer or sprinkling can to deliver a coarse drenching spray. Do not apply to firewood.

[TREATMENT FOR] HOME-INVADING PESTS – OUTDOORS including Ants, Asian Cockroaches, Bees, Beetles, Boxelder Bugs, Centipedes, Clover Mites, Cockroaches, Crickets, Earwigs, Elm Leaf Beetles, Firebrats, Fleas, Flies, Ground Beetles, Gypsy Moths (adult and caterpillar), Hornets, House Flies, Millipedes, Mosquitoes, Scorpions, Silverfish, Sowbugs, Spiders (including Black Widow and Brown Recluse), Ticks, Wasps, and Yellow Jackets: For use in [Dial Style] hose-end sprayer, tank-type sprayer, or sprinkling can. [See chart on label for directions using additional application methods.]

Dilute 5 teaspoons of concentrate in 1 gallon of water to cover 300 square feet or 60 linear feet. To keep insects from entering the house, spray a 3-foot band of soil around the house next to the foundation. Also, spray the foundation of the house to a height of 2 feet. Also spray walks, garbage cans and garbage areas, window frames and doorways, porches and patios, and shrubs and trees. DO NOT treat pets with this product. DO NOT use this product indoors.

10
14

HOW TO APPLY:

This product can be applied using a [Dial Style] hose-end sprayer, pump [up] [style] pressure sprayer or by watering [sprinkling] can. Carefully dilute the recommended amount of concentrate and water according to the directions found under the desired insect control. Using a clean sprayer, apply insecticide when insects first appear and repeat as necessary. Flush sprayer or watering can with clean water after each use.

Additional Application Methods:

Sprinkling Can or Bucket (Picture)	1. Shake well. Add the appropriate amounts of concentrate and water to sprinkling can or bucket. 2. Mix well and apply
Pump Style Sprayers (Picture)	1. Shake well. Add the appropriate amounts of concentrate and water to the sprayer tank. 2. Close sprayer, shake well and pressurize. 3. Adjust nozzle to a coarse spray pattern and apply. 4. Occasionally re-pressurize the sprayer if needed to maintain a good spray pattern.
Dial-Style Hose-End Sprayers (Picture)	1. Shake well. Fill sprayer jar with enough Concentrate to cover plants to be treated. Close Sprayer and set dial. TIP: The numbers on Dial-Style hose-end Sprayers are ounces of concentrate per gallon of spray. 2. Attach sprayer to hose and apply.

Optional Chart when product is packaged with hose-end sprayer

Read The Label First!

Quick Facts

Pest	One Quart treats up to
Termites***	22 ft. of trench length 4-5 fence posts ***Using Self-mixing Concentrate Sprayer
Carpenter Ants*** Carpenter Bees***	Quart will deliver 4.4 gallons of spray Treat localized area of infested Wood ***Using Self-mixing Concentrate Sprayer
Home Invading Pests	11,520 sq. ft. Using additional application Methods listed on label

IMPORTANT: DO NOT treat structures that contain cisterns or wells. DO NOT treat soil in the vicinity of wells, cisterns, or ponds. For those situations, contact your County Cooperative Extension Agent or consult a commercial pest control service. DO NOT treat soil that is water saturated or frozen, or in any conditions where run-off or movement from the treatment area (site) is likely to occur. DO NOT apply while it is raining. DO NOT use on pets. DO NOT use on edible or ornamental plants. Immediately rinse with water any spray drift onto these plants.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Always store pesticides in the original container. Keep container closed when not in use. Store away from food and pet food. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area.

Pesticide Disposal and Container Handling

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash of offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

2790-03090310z-ROLL

EVERCIDE® OUTDOOR INSECT CONTROL - 2790

[] Denotes optional language

- For Use on Residential Areas Such as: Lawns, Ornamentals, Porches, Patios, Foundations, Wood Piles, Stored Lumber, Trench Around Building Foundation
- CONTROLS WOOD DESTROYING INSECTS
- Concentrated, Water Dilutable Product to control wood destroying, home invading and lawn insects
- Aids in Reducing Annoyance from Mosquitoes and Other Flying Insects
- Controls Wood Destroying Insects such as Termites, Carpenter Ants, Carpenter Bees, Powder Post Beetles, Deathwatch Beetles
- Kills Home Invading Pests Outdoors such as Ants, Beetles, Box Elder Bugs, Cockroaches, Crickets, Earwigs, Fleas, Ticks, Scorpions and other crawling and flying insects
- Kills Deer Ticks that may Transmit Lyme Disease
- [Outdoor Termite & Carpenter Ant Concentrate with Self Mixing Concentrate Sprayer]
- Treats 22 linear feet for Termites
- For homeowner post construction use only
- Effective as an outdoor home barrier spray against listed crawling pests
- [9.0% Concentrate for use in hand-held sprayers or with attached Termite & Carpenter Ant Self-mixing Concentrate Sprayer]
- Kills Ants (including Fire Ants) & other home invading pests
- [Patent Pending Mosquito Sprayer. Powered by the [Brand Name] Power Blower]. For use with (Product Name).]
- [Kills Mosquitoes—Also Kills Bees, Flies, Hornets, House Flies, Wasps, and Yellow Jackets.]
- [No tools or Assembly Required. *30 day Unconditional Guarantee. Dual Purpose Power—Leaf Blower and Mosquito Sprayer]
- 8 [16] fl oz bottle of (Product name) included inside!
- [Easy to use Sprayer Delivers solution as a fine mist.]

[Box contents: (Brand name) Power Blower, (Product name) Kit, 2-Stoke Oil 2.5 fl. oz., (Product name) 8 [16] fl oz.

[(Brand name) Gas Power Blower. 25cc, 2-Cycle Full-Crank engine for easy dependable starts. Produces up to 180 MPH airflow with 325 CFM air volume, Lightweight, compact design for easy handling. Dual operating handle for easy right or left handed use. 2-Year limited warranty.

[Power Blower Specifications: Engine 22cc, 2-Cycle Full-Crank Engine. Starting System Recoil with Primer. Blower Speed 180 MPH / 325 CFM. Warranty 2-Year Limited. Design Lightweight, Compact Design For Easy Handling.

[Box contains everything necessary to being spraying your yard!]

Optional wording when Booklet Label is used
 [OPEN Resealable Label for Directions & Precautions
 PRESS to reuse]

ACTIVE INGREDIENT:

* Permethrin (3-phenoxyphenyl)methyl(±)-cis,trans-3-(2,2-dichloroetheynl)-2,2-dimethylcyclopropanecarboxylate

9.00%

** OTHER INGREDIENTS

91.00%

100.00%

* Cis,trans ratio: Min. 35% (±) cis and max 65% (±) trans

** Contains Petroleum Distillate

EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED:	▪	Immediately call a poison control center or doctor
	▪	Do not induce vomiting unless told to do so by a poison control center or doctor.
	▪	Do not give any liquid to the person.
	▪	Do not give anything by mouth to an unconscious person.
IF IN EYES:	▪	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	▪	Remove contact lenses, if present, after the first 15 minutes.
	▪	Call a poison control center or doctor for treatment advice.
IF ON SKIN	▪	Take off contaminated clothing.
	▪	Rinse skin immediately with plenty of water for 15-20 minutes.
	▪	Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.		

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

12
14

CAUTION

Causes eye irritation. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION:

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- (1) Treatment to soil or vegetation around structures;
- (2) Application to lawns, turf, and other vegetation;
- (3) Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs 4 fl oz = ½ cup

SHAKE WELL BEFORE USE

Specially Formulated for residential use. DO NOT USE INSIDE DWELLINGS.

This product is easy to apply and can be used to control wood destroying, home-invading and lawn insects. This product can be used for treatment of localized areas of wooden structures, wood piles and stored lumber to control wood infesting borers, carpenter ants and carpenter bees. Do not spray animals with this product. People and pets should not be allowed in treated area until after spray has dried.

HOW TO APPLY:

This product may be applied using a hose end sprayer, Pump [up] [style] pressure sprayer, by watering [sprinkling] can [or by (Brand name) applicator]. Carefully dilute the recommended amount of concentrate and water according to the desired insect control directions. Using a clean sprayer, apply insecticide when insects first appear and repeat as necessary. Flush sprayer or watering can with clean water after each use.

LAWN PESTS

Ants, Armyworm, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Deer Ticks, Fleas, Grasshoppers, Japanese Beetle Grubs, Mole Crickets, Pill bugs and Millipedes. Home lawns should not be longer than 3 inches at the time of application. Use 4 fluid ounces of concentrate to 5 gallons of water to cover 800 square feet. For heavy infestations repeat application after 2 weeks.

FOR SURFACE INSECT CONTROL (Armyworm, Cutworms, Fleas, etc.), delay watering or mowing for 12 to 24 hours for optimum control of surface feeding insect pests.

THATCH INHABITATING INSECT CONTROL (Chinch Bugs, Pillbugs, etc.): Lightly irrigate with up to ½ inch of water after application to move the Evercide® Outdoor Insect Control into the thatch layer. If irrigation is not available, then use high water application rates for optimum results.

SUBSURFACE INSECT CONTROL (Mole Crickets, Grubs, etc.): Apply to lawns wet with dew, rain or irrigation. For optimum results, immediately after application, water -in with ¼ to ½ of water for optimum results.

ORNAMENTALS IN RESIDENTIAL LANDSCAPED AREAS (Including Trees, Shrubs, Flowers, Evergreens, Foliage Plants and Ground Covers). Ants, Aphids, Bagworm, Beet Armyworm, Cabbage Looper, Citrus Thrips, Fungus Gnat, Heliothis spp., Japanese Beetles, Lace Bug, Leaf Feeding Caterpillars, Leafminers, Leafhoppers, Leafrollers, Lygus Bugs, Mealybugs, Root Weevils (Adult), Whiteflies. Dilute 5 teaspoons of concentrate in 1 gallon of water. Apply sufficient volume of water to adequately cover foliage. Apply product when insects appear or feeding is noticed. Before treating a large number of plants, treat a few plants and observe prior to full scale application. Direct application to blooms may cause browning of petals. Repeat the application as needed to maintain control.

FIRE ANT MOUNDS

Dilute 5 teaspoons of concentrate in 1 gallon of water. Using a sprinkling can, apply 1 or 2 gallons of diluent evenly over and around each mound in a 4 ft. diameter circle until wet. Apply gently to avoid disturbing ants and causing them to move and form new mounds. For best results, apply in cool weather, such as in early morning or late evening hours, but not in the heat of the day. Treat new mounds as they appear.

[TREATMENT FOR] HOME-INVADING PESTS – OUTDOORS including Ants, Asian Cockroaches, Bees, Beetles, Boxelder Bugs, Centipedes, Clover Mites, Cockroaches, Crickets, Earwigs, Elm Leaf Beetles, Firebrats, Fleas, Flies, Ground Beetles, Gypsy Moths (adult and caterpillar), Hornets, House Flies, Millipedes, Mosquitoes, Scorpions, Silverfish, Sowbugs, Spiders (including Black Widow and Brown Recluse), Ticks, Wasps, and Yellow Jackets: For use in hose-end sprayer, tank-type sprayer, or sprinkling can. Dilute 5 teaspoons of concentrate in 1 gallon of water to cover 300 square feet or 60 linear feet. To keep insects from entering the house, spray a 3-foot band of soil around the house next to the foundation. Also, spray the foundation of the house to a height of 2 feet. Also spray walks, garbage cans and garbage areas, window frames and doorways, porches, patios and shrubs and trees. DO NOT treat pets with this product. DO NOT use this product indoors.

[When using with the [Brand Name] sprayer for outdoor mosquito and flying insect control:

Dispense 7.5 teaspoons (1 ¼ oz.) of concentrate into sprayer tank. Fill tank with 1.5 gallons of water (to the fill line) to cover 450 square feet or 90 liner feet. Gently tighten the cap. Put the backpack on and tighten the straps by pulling downward. Attach the quick disconnect to the blower tubing; push together until it clicks. Start the blower and set to highest rpm setting. Squeeze together the two sides of the shutoff valve located on top of the blower tube together to begin fluid flow. Begin spraying. Spray with a brisk back and forth motion, walking along as you spray, keeping the wind at your back. ALWAYS KEEP THE NOZZLE MOVING BRISKLY BACK AND FORTH. To keep insects from entering the house, spray a 3-foot band of soil around the house next to the foundation and the house foundation to a height of 2 feet; also spray walks, garbage cans and garbage areas, window frames, doorways, porches, patios, and shrubs and trees.

When spraying is complete, push button on shutoff to stop fluid flow prior to reducing blower speed. Turn off the blower. Rinse tank with clean water; then fill tank half full with water and flush sprayer. Allow tank and sprayer to air dry before storing.]

MOSQUITOES – OUTDOORS

Mosquitoes coming to rest on areas treated for the control of lawn and home-invading pests will be killed for varying periods of time after application, depending on exposure of treated areas to weathering conditions.

TREATMENT FOR SUBTERRANEAN TERMITES – OUTDOORS

For outdoor, homeowner post-construction use only. DO NOT use under slabs, in crawl spaces or indoors. If termites are found within the house or structure, contact a licensed pest control operator for treatment.

MIXING INSTRUCTIONS FOR TERMITE: Add 7 ¼ fl. Oz (14 ½ Tbs) to one gallon of water for each 5 linear feet. (1 quart of EVERCIDE® Outdoor Insect Control - 2790 makes 4.4 gallons of dilution solution and covers 22 linear feet.) (1/2 gallon of EVERCIDE® Outdoor Insect Control – 2790 makes 8.8 gallons of diluted solution and covers 44 linear feet)

HOW TO APPLY

TRENCH TREATMENT

Remove all wood debris and wood forms.

Poured Concrete Foundations: Dig a trench next to the foundation 6 inches wide and 4 inches deep or down to the top of the footing, which ever is less.

Brick & Block Foundations: Dig a trench 6 inches wide and 12 inches deep. To avoid shifting your house foundation, never dig below the top of the footing. Mix diluted product into soil as soil is replaced in the trench.

FENCE POSTS:

Using a sprinkling can, pour ¼ gallon of diluted product into fence post hole and add another ½ gallon to the soil when filling the hole so that all the fill soil is treated to form a protective barrier.

WHEN TO APPLY

Only reapply for subterranean termites when there has been a disruption of the chemical barrier in the soil due to construction, excavation, landscaping, etc. Reapply as a spot treatment to those areas. Avoid annual reapplication of entire premises.

HOW TO APPLY:

This product can be applied using a [Dial Style] hose-end sprayer, pump [up] [style] pressure sprayer or by watering [sprinkling] can. Carefully dilute the recommended amount of concentrate and water according to the directions found under the desired insect control. Using a clean sprayer, apply insecticide when insects first appear and repeat as necessary. Flush sprayer or watering can with clean water after each use.

IMPORTANT: DO NOT treat structures that contain cisterns or wells. DO NOT treat soil in the vicinity of wells, cisterns, or ponds. For those situations, contact your County Cooperative Extension Agent or consult a commercial pest control service. DO NOT treat soil that is water saturated or frozen, or in any conditions where run-off or movement from the treatment area (site) is likely to occur. DO NOT apply while it is raining. DO NOT use on pets. DO NOT use on edible or ornamental plants. Immediately rinse with water spray drift onto these plants.

14
74

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Always store pesticides in the original container. Keep container closed when not in use. Store away from food and pet food. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area.

Pesticide Disposal and Container Handling

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[PATENT PENDING

Mosquito 86 and Mosquito 86 Agent E are trademarks of Roll, LLC. (These are not registered yet - false marking can have monetary consequences)

General Notice: Other product names used herein are for identification purposes only and may be trademarks of their respective owners. Roll LLC disclaims any and all rights in those marks.

Roll LLC shall not be liable to any person for INJURIES OR LOSSES OF ANY KIND INCLUDING WITHOUT LIMITATION personal injury, property damage or other losses or expenses incurred as a result of this product being used other than in accordance with the instructions provided, THIS PRODUCT BEING USED WITH PRODUCTS OTHER THAN ORIGINAL MOSQUITO 86 PRODUCTS, or this product being misused, abused, repaired, modified or altered IN ANY WAY by anyone other than a Roll LLC authorized service provider.

Guarantee and Returns

Thank you for purchasing Mosquito 86™!

We unconditionally guarantee all Mosquito 86™ merchandise sold for 30 days from the original purchase date.

In the unfortunate event that your kit contains defective or missing components, please contact

Mosquito 86 at 877-639-8686 or visit customer service at www.mosquito86.com.

Do not return your unit to the store you purchased it from. We apologize for any inconvenience and will rectify the problem immediately. Your complete satisfaction is our goal.]

NET CONTENTS _____

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427

EPA Reg. No. 1021-1760

EPA Est. No. 1021-MN-2