

1021-1761

07/19/2004

1/2

51922-1203

MGK® **McLAUGHLIN GORMLEY KING COMPANY**

PYROCID® Flusher™ 51922

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

TELEPHONE (763) 544-0341

- Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.
- Non-Flammable
- Instantly drives roaches from their harborage
- Ideal inspection tool
- Provides initial kill of pests contacted
- Integral part of an IPM Program in schools, government buildings, military bases, and other public buildings

KILLS: Angoumois Grain Moths, Ants, Bed Bugs, Booklice, Carpet Beetles, Centipedes, Chocolate Moths, Cigarette Beetles, Clothes Moths, Clover Mites, Cluster Flies, Cockroaches, Confused Flour Beetles, Crickets, Drug Store Beetles, Fleas, Flies, Fruit Flies, Gnats, Grain Mites, Granary Weevils, Horn Flies, House Flies, Indian Meal Moths, Mediterranean Flour Moths, Millipedes, Mosquitoes, Mud Daubers, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Sowbugs, Spiders, Stable Flies, Ticks and Wasps.

FOR USE IN AND AROUND: Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Food Processing Plants, Nursing Homes, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, Warehouses, and other Commercial and Industrial Buildings.

ACTIVE INGREDIENTS:

Pyrethrins-----	0.50%
* Piperonyl Butoxide, Technical -----	1.00%
** N-Octyl Bicycloheptene Dicarboximide-----	1.67%
OTHER INGREDIENTS -----	96.83%
	100.00%

- * Equivalent to 0.8% (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.2% Related Compounds
- ** MGK® 264, Insecticide Synergist

MGK®, PYROCID® - Registered trademarks of McLaughlin Gormley King Co.
Flusher™ - Trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

ACCEPTED
JUL 19 2004
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1021-1761

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Do not remain in treated area and ventilate the area after treatment is completed. Avoid breathing vapor. Avoid contact with skin or clothing. Wash thoroughly after using and before smoking or eating. Do not contaminate water, food or foodstuffs. Remove all pets and birds. For aquariums, remove or cover and turn off air pumps (if conditions permit).

IN HOSPITALS: Remove patients prior to treating the facility. Ventilate area for two hours prior to returning patients.

FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS: Foods should be removed or covered during general volumetric treatment. After general volumetric treatment, all food processing surfaces and equipment should be thoroughly washed with an effective cleaning compound followed by a potable water rinse before using. Careful crack and crevice application for inspection purposes is permissible at all times. In food handling establishments, do not apply as a space spray while food processing is underway.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not use this product in electrical equipment (where there is exposed wiring or contact points) due to possibility of short circuits and shock hazard. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is recommended for use as an aid for inspections, to determine the presence of insects, their locations and an indication of the size and distribution of the infestation. It provides rapid kill of insects contacted.

CRACKS, CREVICES AND CLOSED VOIDS:

Inject PYROCIDE® Flusher™ 51922 into cracks and crevices or closed void areas where insects may be harboring, living or breeding. For cracks, crevices, holes and other small openings, inject approximately one-second of product. For closed voids calculate the void's cubic volume and treat at the rate of five to ten seconds per three cubic feet. For inaccessible voids drill small holes and inject product. Several holes may be required in long-running voids. Insects that are contacted will be driven from their harborage sites.

DIRECTED CONTACT:

Direct PYROCIDE® Flusher™ 51992 into open void areas in and/or around equipment, stored items, stoves, cabinets, cooking equipment, washers, dryers and refrigerators. Other areas that may be inspected are void areas around stored food, cleaning supplies, attics and crawl spaces. Directed contact applications may be made in these sites. For directed contact applications, release 1 to 3 seconds of product per inspection site. Insects that are contacted will be driven from their harborage sites. For directed contact applications on exposed surfaces, apply PYROCIDE® Flusher™ 51992 from a distance of at least 18 inches.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool area away from heat or open flame.

PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Replace cap and discard empty container in trash, sanitary landfill, or by other approved state and local procedures. Do not puncture or incinerate.



Net Weight _____

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427