MGK®

MULTICIDE® Wasp & Hornet Spray 27301

0

23/2005

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

McLAUGHLIN

GORMLEY KING COMPANY

This product can be used both indoors (attics and other places where nests are built and where food or feed are not exposed) and outdoors for Spot Treatment of
Wasp and Hornet nests attached to/adjacent to a residence or structure.

Jet Spray Kills Wasps and Hor	nets in Seconds		nm ti fi	Net Contents	
		ACCE	PTED	Manufactured by:	
Kills Larvae and Pupae in Treated Nests		-		Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North	
Kills Insects Returning to the Treated Nest		FEB 2 3	3 2005	Minneapolis, MN 55427	
				eg. No. 1021-1768 EPA Est. No. 1021-MN-2	
Jet Spray Reaches Nests up to 20 Feet Above Ground		Under the Fede	ral Insecticide. Rodenticide Act,	PRECAUTIONARY STATEMENTS	
Dielectric Breakdown Voltage: 28.4 KV by ASTM Test Method D-877-87		as amended, fo	r the pesticate	HAZARDS TO HUMANS AND DOMESTIC ANIMALS	
ACTIVE INGREDIENT:		BPA Reg. No.	1021-1768	CAUTION	
(RS)-2-methyl-4-oxo-3-(2-propynyl) cyclopent-2-enyl-1(RS)-cis,		0.100%		if absorbed through skin. Avoid contact with eyes, skin or clothing. Wash	
trans-chrysanthemate		thoroughly with soap and water after handling and before eating, drinking, chewing gum,			
** OTHER INGREDIENT	S		orusing	tobacco. Remove and wash contaminated clothing before reuse.	
		100.000%		ENVIRONMENTAL HAZARDS	
* MGK® 264, Inse ** Contains petrole		This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate.			
MULTICIDE, MGK® - Registered trademarks of McLaughlin Gormley King Company					
KEEP OUT OF REACH OF CHILDREN			PHYSICAL OR CHEMICAL HAZARDS Flammable. Contents under pressure. Keep away from heat, sparks, and open flame.		
			Do not puncture or incinerate container. Exposure to temperatures above 130°F may		
CAUTION			cause bursting.		
FIRST AID			DIRECTIONS FOR USE		
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 			It is a violation of Federal Law to use this product	
	minutes.			in a manner inconsistent with its labeling.	
IF SWALLOWED:	 Call a poison control center or doctor for treat Immediately call a poison control center or do 		Avoid conte	amination of food and feedstuffs.	
IF SWALLOWED.	F SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison				
control center or a doctor.			Do not use in commercial food/feed processing, preparation, or food/feed storage or serving areas. In the home, all food/feed processing surfaces and utensils should be covered during treatment or thoroughly washed before use following treatment. Exposed food/feed should be		
 Do not give any liquid to the person. Do not give anything by mouth to an unconscious p 					
Have the product container of label with you when calling a poison control center or doct		or doctor, or	ctor, or covered or removed.		
going for treatment. For information regarding medical emergencies or pesticide incidents, cal the international Poison Center at 1-888-740-8712.			Remove pe	ets and birds and cover fish aquariums before spraying.	
Contains Petrolenm Distillate - vomiting may cause aspiration pneumonia.			Do not apply to pets or contaminate feed, foodstuffs, dishes, or utensils. Avoid spraying vegetation directly. Foliage of plants that are contacted with spray should be hosed off.		
			•		
			to asphalt r	ct may stain or adversely affect vinyl, painted, and plastic surfaces. Avoid application oofing shingles as staining may occur. Before using in areas where spray may se surfaces, test in an inconspicuous area and check for staining in a few hours.	
			001100t (110		

Page 1 of 2

ല

<u>For Control of Nests of Wasp and Hornets</u>: The best time to spray t⁴ est is in the early morning or early evening, when air temperature is cooler, most inset, are in the nest, and little activity is observed around the nest opening. Spray only if the air is still.

Stand at a safe distance from the nest, not directly under it. Hold container upright at arms length, point the actuator at the nest. If nest has visible entrances, first spray into these openings and then soak the remainder of the nest. Treated insects may fail out of the nest and die. Any insects returning to the nest after treatment will be killed. Wait 48 hours before removing the nest.

STORAGE AND DISPOSAL

Do not contan.e water, food, or feed by storage and disposal.

STORAGE: Store in a cool dry place away from heat or open flame, preferably in a locked storage area.

DISPOSAL:

Do Not Puncture or incinerate: If empty: Place in trash or offer for recycling if evailable.

.

If parity filled: Galf your local notid waste agency or 1.800 GLEANUP for disposal

histructions.

· · ·

Page 2 of 2

.

. •

.