1021-1775



ENDED STATESTING ROMMENTAL PROTECTION AGENCY WASHINGTON D.C. 20460

> OFFICE OF PREAT NHON PENTRODES AND TOXICSUBSEANCES

November 20, 2006

Julie B. Schlekau McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427

SUBJECT:	Applications for Pesticide Notification	
	EVERCIDE® Vegetable and Garden Insect Killer 2526	EPA Reg. No. 1021-1582
	MGK® Insect Repellent Spray 2559	EPA Reg. No. 1021-1600
	EVERCIDE® Residual Ant & Roach Spray 2543	EPA Reg. No. 1021-1601
	EVERCIDE® Emulsifiable Concentrate 2668	EPA Reg. No. 1021-1645
	MULTICIDE® Wasp and Hornet Killer 2695	EPA Reg. No. 1021-1649
	EVERCIDE® House & Garden Spray 2664	EPA Reg. No. 1021-1667
	PYROCIDE® Home & Garden	EPA Reg. No. 1021-1705
	PYROCIDE® Flea & Tick Shampoo 51921	EPA Reg. No. 1021-1723
	EVERCIDE® Permethrin Dust 2786	EPA Reg. No. 1021-1749
	/ EVERCIDE® Outdoor Insect Control 2790	EPA Reg. No. 1021-1760
\	/ MGK® Wasp & Hornet Killer Aerosol	EPA Reg. No. 1021-1775
	MULTICIDE® Wasp & Hornet Spray 20863	EPA Reg. No. 1021-1784
	EVERCIDE® Ant and Roach Spray 21322	EPA Reg. No. 1021-1808
	Applications Dated October 25, 2006	-

Dear Ms. Schlekau:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above products. The Registration Division (RD) has conducted a preliminary screen of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been stamped "Notification" and will be placed in our records. If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Please read instructions before corr	niet.os (om				Form Approved	OMB No. 2070-00	960 Approval expires 05-31-98
	United States United States Environmental Protection Ag Washington, DC 20460		gency		Registration Amendment Other		OPP Identifier Number
			for Pesticid	e - Section	1		
1. Company/Product Numb 1021-1775	per	<u> </u>	2. EPA Produce Richard Ge	t Manager		3. Proposed	Classification
4. Company/Product (Nam MGK® Wasp & Horne		<u> </u>	PM#			None	Restricted
5. Name and Address of A		<u></u>	6. Expedited			h FIFRA Sect	ion 3(c)(3)(b)(i), my
McLAUGHLIN GORN 8810 TENTH AVENU	ILEY KING COMPAN E NORTH		product is sim	lar or identica			
MINNEAPOLIS, MN 5	55427		EPA Reg. No				
Check if this	is a new address		Product Nam			<u> </u>	
			Section - II				
	 Explain below. in in response to Agency le 	tter dated			Final printed Agency letter "Me Too" App		onse to
-	Explain below.				Other - Expla		
Explanation: Use addition	al page(s) if necessary. (F	or section (and 5	Section (L.)				NOTIFICATION
							NOV 202006
			Section - III				
1. Material This Product Wi Child-Resistant Packaging	Unit Packaging		Water Soluble	Packaning		2. Type of C	ontainer
	Yes			r ackaging fes		Metal	onanei
				No		Plastic	
_	If "Yes"	No. per	If "Yes"		No. per	Giass	
Certification must	Unit Packaging wgt.	container	Package wgt.		container	Paper	
be submitted	<u> </u>					Other (Specify)
3. Location of Net Contents	information Container	4. Size(s) Reta	ail Container		5. Location of	f Label Directi On Label	ons
3. Manner in Which Label is	s Affixed to Product	Lithograph			Other	On Labeling	accompanying product
		Paper glued Stenciled					
			Section - IV				
	items directly below for ide	entification of indiv	vidual to be cont	acted, if nece	essary, to proc		
Name JULIE B. SCHLEKAU		Title Registration	n Specialist			Telephone N (763) 544-	o. (Include Area Code) 0341
•	nts I have made on this for nowingly false or misleadir v.					I te.	6. Date Application Repoined (Stamped)
Signature	Schlitan	3. Title Registration	Specialist				
I. Typed Name JULIE B. SCHLEKAU		5. Date 10/25/2006					

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.



McLAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A. 763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

October 25, 2006

Document Processing Desk (NOTIF) Office of Pesticide Programs (H7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

NOTIFICATION NOV 2 0 2005

3/6

Subject: Notification per PR Notice 98-10 MGK® Wasp & Hornet Killer Aerosol EPA Reg. No. 1021-1775

Dear Sir/Madam:

Per our discussions with Jim Downing of the Labeling Unit, please find enclosed a Notification per PR Notice 98-10, wherein we have deleted the 1-800-CLEANUP number from our Storage and Disposal statement until the new PR Notice issues. We are enclosing two copies of the label with this deletion.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need further information, please feel free to give us a call.

Sincerely,

L'uhe SSchlitan

Julie B. Schlekau Registration Specialist

Enclosures

Quality Products Since 1902

MGK®

McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

[Optional Marketing Claims]:

Fast (superior) Knock-Down

Kills Wasps, Homets and Yellow Jackets
 Kills with contact

NOTIFICATION

NOV 2 0 2006

IF IN EYES:	 Hold minu 	eye open and rinspisiowly and gently with water for 15-20 ites.
		ove contact lenses, if present, after the first 5 minutes.
	 Call 	a poison control center or dector for treatment advice.
Have the product contair	r or label v	vith you when calling a poison control center or doctor, or
		regarding medical emergencies or pesticide incidents, call
the International Poison	enter at 1-	888-740-8712.

Federal regulations prohibit CFC propellants in aerosols



Net Weight ______ Manufactured by: McLAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427 EPA Reg. No. 1021-1775 EPA Est. No. 1021-MN-2

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin or inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling or before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product around electrical equipment due to possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

OUTDOORS

SHAKE TWICE ONLY [SHAKE WELL] BEFORE USING. HOLD CAN UPRIGHT. APPLY IN SHORT BURSTS. DO NOT USE INSIDE THE HOME DO NOT SPRAY IN WINDY CONDITIONS [PRODUCT FACTS]

Blanketing Foam Covers Pests
Blanketing Foam

Fast Acting

20 Ft. Range! Water-Based (Aerosol)

For Outdoor Use

Guaranteed kill

- Effective (broad spectrum insecticide) (killing formula)
- Multi-Purpose Use Indoors and Outdoors

Kills Common Plant Pests on Ornamentals

Moths and other listed pests

- For Indoor and Outdoor Use
- Fast (superior) knock-down
- [*For Listed Pests]

ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1,2-dicarboximide) methyl 2,2-	
dimethyl-3-(methylpropenyl) cyclopropanecarboxylate]	0.20%
d-(cis,trans) phenothrin (Sumithrin): [3-phenoxybenzyl-(1RS, 3RS;	
1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)	0.20%
cyclopropanecarboxylate]	
OTHER INGREDIENTS	
	100.00%

Kills Flies, Mosquitoes, Gnats, Box Elder Bugs, Aphids, Japanese Beetles, Gypsy Moths, Tent Caterpillars, Whiteflies, Mealybugs, (Spider) Mites, Small Flying

KEEP OUT OF REACH OF CHILDREN

CAUTION

	FIRST AID		
IF SWALLOWED:	Immediately call a poison control center or doctor.		
	 Do not induce vomiting unless told to do so by a poison control center or doctor. 		
	 Do not give any liquid to the person. 		
	 Do not give anything by mouth to an unconscious person. 		
IF ON SKIN OR	Take off contaminated clothing.		
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.		
	 Call a poison control center or doctor for treatment advice. 		
IF INHALED:	 Move person to fresh air. 		
	 If person is not breathing, call 911 or an ambulance, then give 		
	artificial respiration, preferably mouth-to-mouth if possible.		
	 Call a poison control center or doctor for further treatment. 		

Page 1 of 3 20864-1006

Ventila [†] e	To Kill Wasps: Application should be made at dusk or early morning when insects are least	Other Uses – Outdoors Only:
spraying	active. [1.] Hold can upright. [2.] Point valve opening away from face. [3.] With wind at back, aim at nests in trees, bushes, under eaves, chimneys, cracks or crevices.	To kill Tent Caterpillars: Applications are most effective when caterpillars are young a
	and at nests in nees, busiles, bilder gaves, chinneys, clacks of clevices.	are first noticed. For best results, application should be made at dusk or early morning
(For Spot	To Kill Yellow Jackets: Yellow Jackets make their nests in the ground, dead tree stumps,	insects have returned to their tents. The caterpillar tent should be thoroughly wetted w
Earwigs,	railroad ties, walls or similar structures. [1.] During daylight hours, watch them closely to	aerosol spray. Ideally tents should be sprayed from two sides from less then 10 feet a
and Brow	determine location of nest entrance. [2.] Wait until dusk or early morning when insects are at	whenever possible to achieve the most thorough coverage. Because tents are natural
thorough	rest. [3.] Empty entire can down hole from a close enough distance to direct 100% of spray into	resistent/repellent, the branches coming out of the top of the tent should be thoroughly
should be	hole.	on all sides if possible for distance of 1-2 feet away from the tont. The reason for this
storage a		some caterpillars may attempt to abandon the tent shortly after spray application. Any
around w	To Kill Hornets: Unless you can clearly see the opening at the bottom of the hornet's nest, never	residue on the branches above the tent will, therefore, contaminate the crawling individ
	use a hornet spray (on the nest) as hornets may escape and attack you. Hornets usually make	thereby ensuring their demise even when the spray does not penetrate the tent.
[Alternate	their nests in trees, shrubs and under eaves. [1.] During daylight hours, determine location of	
Palmetto	nest entrance. [2.] Wait until dusk or early morning when insects are at rest. Direct foam spray	To kill Gypsy Moth Caterpillars: Apply directly to foliage in trees and shrubs where pate
Beetles,	into entrance hole. (3.) As homets fall out continue spraying until no more are visible or the can	are feeding. Spray individual caterpillars which migrate down tranks of trees and rest a
and apply	is empty. [4.] Leave area immediately.	level. Spray individual adult moths when observed and destroy egg masses whenever
food proc		Avoid unnecessary contact with plant foliage, shingles, siding etc., to minimize any pot
(For Spo	To Kill Spiders, Caterpillar and Eastern Tent Caterpillars: General: When sprayed directly on	damage.
Spray bc	insects, this spray will kill the insect listed. Caution should be taken when spraying new tender	-
carpets :	growth on young plants.	To kill Ants: Spray trails, nests and nest entrances. Spray individual insects where po
whereve		
warranty	WHEN SPRAYING, HOLD CAN 18-24 INCHES FROM PLANT. For best results, spray in the	To kill Spiders (including Black Widow and Brown Recluse Spiders): Spray individual
carpeting	evening or on a cloudy day when air is still. Mist the plants lightly. Use a slow sweeping	observed. Pests which are thoroughly contacted will eventually die.
ourpent	motion. Avoid wetting foliage with spray. Spray rows at the rate of 1 foot per second. For	To bill O to be a construction of the Distance Difference and Tislay. Operation is that the best states
(For Spc	heavy growth, spray both sides of row. Repeat as needed. Do not spray when temperatures exceed 90°F.	To kill Crickets, Centipedes, Sowbugs, Pillbugs and Ticks: Spray individual pests observation with an anti-state will exceptible discussion.
toothed		Pests which are thoroughly contacted will eventually die.
panty. 8	This product is not recommended for use on vinyl siding.	OUTDOORS
shelves	This product is not recommended for dise on any siding.	
국국 나라 토	[Optional Wording:]	GENERAL: To kill listed ornamental pests spray directly on insects when possible. Ki
To kill F		Eastern Tent Caterpillars, Gypsy Moth Caterpillars, Aphids, Cankerworms, Leafhopper
destroy	To kill Wasps, Yellow Jackets, and Hornets: For best results application should be made at	Flies, Spider Mites, Japanese Beetles, Mealybugs, Ants, Caterpillars, and Box Elder B
sleeping floors, a	dusk or early morning. At these times and especially during cooler weather the insects are least	(ornamentals including) Ornamental Cherry, Spirea, Roses, Crepe Myrtle, Ornamental
of two s	active, also most insects have returned to their nest. Remove protective cap. Hold can in	Crabapple, Andromeda, Azalea, Chrysanthemum, Gardenia, Purple Passion Vine, Per
surface	upright position to spray. It is best to apply in short bursts. Point valve opening away from	Oleander, and Arborvitae. Caution should be taken when spraying new tender growth
SPRAY	face. With wind at back, aim directly into the next, depress button, and contact as many insects	plants. When spraying, hold can 18-20 inches from plant. For best results, spray in the
before a	as possible. The foam helps determine where application has been made and aids in covering	evening or on a cloudy day when air is still. Mist the plants lightly. Use a slow sweepi
Deloid C	insect with chemical. Insects contacted will drop but may not immediately die. However, they	motion. Avoid wetting the foliage with the spray. Spray rows at the rate of 1 foot per s
To treat	will not recover. Insects which are thoroughly contacted will eventually die. Spray all individual	For heavy growth, spray both sides of row. Do not spray when temperatures exceed 9
and car	insects observed. Spray will reach nests up to 20 feet away. Repeat as necessary. Since it is	not spray in windy conditions. [Optional statement: People and pets should not be all
potentia	impossible to test all surfaces under all conditions, avoid unnecessary contact with plant foliage, chingles, siding ate, to minimize any estential damage.	treated area until spray has dried.]
such as	shingles, siding etc. to minimize any potential damage.	Optional: For use in homes and non-food areas of industrial buildings, schools, wareh
Spray a	Specific Use Instructions:	office buildings, theaters, garages, motels and hotels.
•		onios outorigo, tileatero, galageo, motoio ano notero.
	For Wasps: Aim directly at nests which are typically located in trees, attics, bushes, under	SHAKE WELL BEFORE USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BI
	eaves, chimneys, cracks and crevices.	
		INDOORS:
	For Yellow Jackets: Nests are typically located in the ground, dead tree stumps, railroad ties,	
	wall voids, or similar structures. Empty the entire can into the hole from a close enough	(Addition for indoors) Do not use in commercial food processing, storage preparation

wall voids, or similar structures. Empty the entire can into the hole from a close enough distance to direct 100% of spray into hole. Spray all individual insects observed.

For Hornets: Nests are typically located in trees, shrubs and under eaves. Never apply unless you can see the opening at the bottom of the next as insects may escape and attack you. Therefore determine the location of the nest entrance during daylight hours but wait until dusk or early morning when the insects are least active. Direct spray into entrance hole. As insects fall out continue spraying until no more are visible or can is empty. Leave area immediately.

(Addition for indoors:) Do not use in commercial food processing, storage preparation serving areas. In the home all food processing surfaces and utensils should be covered treatment or thoroughly washed before use. Remove pets, birds and cover fish aquari (tanks) before spraving.

(For Space Spray) To kill Flies, Mosquitoes, Gnats, Bees, Wasps, and Small Flying M Close all doors and windows and direct spray into center of room with a slow sweeping Spray 5-10 seconds for an average room. Keep room closed for 15 minutes after spra Ventilate room thoroughly before re-entry. Sweep up and destroy fallen insects. Before spraying cover exposed food and utensils.

(For Spot Treatment) To kill Ants, Centipedes, Cockroaches, Waterbugs, Palmetto Bugs, Earwigs, Crickets, Silverfish, Firebrats, Sowbugs, Pillbugs, and Spiders (including Black Widow and Brown Recluse Spiders): Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected or harboring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas and wherever these pests are suspected of hiding. To kill ants, treat doors, around window frames, ant trails and other areas of entry.

[Alternate wording: For crack and crevice treatment of Ants, Cockroaches, Waterbugs, Palmetto Bugs, Centipedes, Crickets, Silverfish, Firebrats, Sowbugs, Pillbugs, Spiders, Carpet Beetles, Fleas and Ticks (such as Brown Dog Ticks): Attach extension tube to spray actuator and apply in small amounts directly into cracks and crevices. Avoid contamination of food or food processing surfaces.]

(For Spot Treatment) To kill Carpet Beetles: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom or rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Note: Check carpet or furniture manufacturer's warranty and care and maintenance information before using product on your specific brand of carpeting or furniture.

(For Spot Treatment) To kill exposed forms of Confused Flour Beetles, Rice Weevils, and Sawtoothed Grain Beetles: Find and destroy infested package goods. Remove all other items from panty. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried.

To kill Fleas and Ticks (such as Brown Dog Ticks) in pest bedding and pet areas: Remove and destroy pet's old bedding. To reduce infestation, thoroughly spray the animal's bedding, sleeping quarters, around baseboards, window and door frames, wall cracks, local areas of floors, and other restijng places until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Put fresh bedding in pet's quarters after spray has dried. DONOT SPRAY ANIMALS. Also treat dogs and cats with a registered flea and tick control product before allowing them to reenter treated area.

To treat Flea and Tick (such as Brown Dog Ticks) infestation in rugs and carpets: Spray rugs and carpets where fleas tend to hide. If used on light or delicate upholstery fabrics, test for potential staining in an inconspicuous place prior to use. Spray thoroughly into hiding places such as cracks and crevices, in walls and floors, along baseboards, window and door frames. Spray at the rate of one square foot per second.

STORA	GE AND	DISPOSAL
-------	--------	----------

[Do not contaminate water, food or feed by storage and disposal.]

<u>STORAGE</u>: Store in a cool dry place away from heat or open flame, preferably in a locked storage area.

CONTAINER DISPOSAL:

Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

> Page 3 of 3 20864-1006