



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

January 12, 2026

Thomas Lennan  
Senior Regulatory Affairs Specialist  
McLaughlin Gormley King Company D/B/A MGK  
7325 Aspen Lane N.  
Minneapolis, MN 55428

Subject: Label Amendment - Registration Review Mitigation for Esfenvalerate  
Product Name: EVERCIDE VEGETABLE AND GARDEN INSECT KILLER 28063  
EPA Registration Number: 1021-1777  
Case Number: 480430  
Application Dates: 11/4/2020

Dear Thomas Lennan:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Esfenvalerate Interim Decision and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for

shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Carolyn Smith by phone at (202) 566-2273, or via email at [smith.carolyn@epa.gov](mailto:smith.carolyn@epa.gov).

Sincerely,

A handwritten signature in black ink that reads "Marianne A. Walters". The signature is fluid and cursive, with "Marianne" and "Walters" being the most distinct parts.

Marianne Walters, Team Leader  
Risk Management and Implementation Branch 3  
Pesticide Re-Evaluation Division  
Office of Pesticide Programs

ENCLOSURE: Stamped label

# EVERCIDE® Vegetable and Garden Insect Killer 28063

Ready-To-Use Spray to Control Ornamental and Outdoor House and Garden Pests around Residential Structures

For outdoor use only

ACTIVE INGREDIENT:

Esfenvalerate, (S)-cyano (3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate .....	0.0033%
OTHER INGREDIENTS.....	99.9967%
	100.0000%

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

ACCEPTED

1/12/2026

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under  
EPA Reg. No. 1021-1777

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"><li>Call a poison control center or doctor immediately for treatment advice.</li><li>Have person sip a glass of water if able to swallow.</li><li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>Do not give anything by mouth to an unconscious person.</li></ul>
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"><li>Take off contaminated clothing.</li><li>Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>Call a poison control center or doctor for treatment advice.</li></ul>

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Manufactured by  


7325 Aspen Lane North  
Minneapolis, MN 55428

EPA Reg. No. 1021-1777

EPA Est. No. 1021-MN-2

Net Contents: \_\_\_\_\_

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS**

This pesticide is highly toxic to fish and other wildlife. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product  
in a manner inconsistent with its labeling.

**SHAKE WELL BEFORE EACH USE. HOLD CONTAINER UPRIGHT.**

**APPLY IN SHORT BURSTS.**

**USE RESTRICTIONS:**

- Do not water the treated area to the point of runoff.
- Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.
- Do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
- Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- Do not apply or irrigate to the point of runoff.
- Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of pesticide application.

- Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.



- {Note to reviewer: Pictogram must be no smaller than 1.5 cm<sup>2</sup> or 0.25 sq. in. unless size is greater than 10% of label size}
- Do not allow the product to enter any drain during or after application.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.
- Spot treatments must not exceed two square feet in size. (for example 2 ft by 1. Ft. or 4 ft. by 0.5 ft).
- Do not apply when the wind speed is greater than 15 mph
- 

All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Application to pervious surfaces such as soil, lawn, turf, and other vegetation;
2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn);
3. Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
4. Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
5. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
6. Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.

#### SPRAY DRIFT ADVISORIES

- Take precautions to minimize spray drift.

Avoid contamination of food and feedstuffs. Avoid contamination of food or food handling surfaces. Treat surfaces to ensure thorough coverage but avoid runoff.

To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

To control listed insects, apply the spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly throughout the growing season up to days of harvest given for each crop.

#### FOR USE ON THE FOLLOWING GARDEN VEGETABLES

<u>CROP</u>	<u>DAYS TO HARVEST</u>	<u>CROP</u>	<u>DAYS TO HARVEST</u>
Artichoke	7	Green Peas	3
Broccoli	3	Melons	3
Cabbage	3	Peppers	7
Carrots	7	Potatoes	7
Cauliflower	3	Pumpkin	3
Collards	7	Radishes	7
Cucumbers	3	Snap Beans	3
Dry Beans	21	Squash	3
Dry Peas	21	Sweet Corn	1
Eggplant	7	Tomatoes	1

TO CONTROL THE FOLLOWING INSECTS: Alfalfa Caterpillars, Alfalfa Loopers, Aphids, Armyworms, Artichoke Plume Moths, Beet Armyworms, Buckhorn Aphids, Cabbage Loopers, Carrot Weevils, Celery Loopers, Chinch Bugs, Colorado Potato Beetles, Corn Earworms, Corn Rootworms (adults), Cowpea Curculios, Cucumber Beetles (adults) - spotted and striped, Cutworms, Diamondback Moths, European Corn Borers, Flea Beetles, Grasshoppers, Green Cloverworms, Imported Cabbageworms, Leafhoppers, Loopers, Lygus Bugs, Mexican Bean Beetles, Painted Lady Caterpillars, Pea Aphids, Pea Weevils, Pepper Weevils, Pickleworms, Potato Leafhoppers, Potato Psyllids, Potato Tuberworms, Rindworms, Saltmarsh Caterpillars, Sap Beetles, Southwestern Corn Borers, Squash Bugs, Squash Vine Borers, Stalk Borers, Stink Bugs, Tarnished Plant Bugs, Tobacco Hornworms, Tomato Fruitworms, Tomato Hornworms, Tomato Pinworms, Vegetable Leafminers, Velvetbean Caterpillars, Western Bean Cutworms, and Whiteflies.

FOR GARDEN TREE FRUITS, NUTS, AND BERRIES: Apply as a full coverage spray to upper and lower leaf surfaces. Apply to the point of drip but not to runoff. As pests are observed, repeat treatment to maintain control up to the number of days listed before the harvest for each crop.

TO CONTROL THE FOLLOWING INSECTS: Apple Aphids, Black Cherry Aphids, Blueberry Spanworms, Cherry Fruitworms, Cranberry Fruitworms, Cranberry Weevils, Grasshoppers, Leafhoppers, Red Striped Fireworms, Codling Moths, Leafrollers, Leafhoppers, Green Fruit Worms, Plant Bugs, Oblique Banded Leafrollers, Variegated Leafrollers, Tentiform Leafminers, San Jose Scales (on fruit only), Tufted Apple Bud Moths, Plum Curculios, Oriental Fruit Moths, Apple Maggots, Red-Banded Leafrollers, Lesser Appleworms, Rosey Apple Aphids, Periodical Cicadas, Pear Psyllids, Pear Slugs, Naval Orangeworms, Peach Twig Borers, Filbert Worms, Peach Tree Borers, Lesser Peach Tree Borers, Cherry Fruit Flies, American Plum Borers, Pecan Weevils, Hickory Shuckworms, Pecan Nut Casebearers, Pecan Aphids, Pecan Spittlebugs, Pecan Stem Phylloxera, Pecan Leaf Phylloxera, Walnut Aphids, and Walnut Husk Flies.

<u>CROP</u>	<u> DAYS TO HARVEST</u>	<u>CROP</u>	<u> DAYS TO HARVEST</u>
Apple	21	Pecans	21
Almond	21	Pears	28
Blueberry	14	Stone Fruits	
Caneberries		Apricot	14
Blackberries	21	Cherries	14
Loganberries	21	Nectarines	14
Red Raspberries	21	Peaches	14
Black Raspberries	21	Plums	14
Elderberries	21	Prunes	14
Gooseberries	21	Walnuts	21
Filberts	21		

**FOR USE ON ORNAMENTAL PLANTS (Annuals and Perennials), SHRUBS, ROSES, AND SHADE TREES:** Apply to cover upper and lower leaf surfaces. Apply to the point of drip but not to runoff. Repeat weekly as pests are observed.

**TO CONTROL THE FOLLOWING INSECTS:** Alfalfa Caterpillars, Alfalfa Loopers, Aphids, Armyworms, Artichoke Plume Moths, Beet Armyworms, Buckhorn Aphids, Cabbage Loopers, Carrot Weevils, Celery Loopers, Chinch Bugs, Colorado Potato Beetles, Corn Earworms, Corn Rootworms (adults), Cowpea Curculios, Cucumber Beetles (adults) - spotted and striped, Cutworms, Diamondback Moths, European Corn Borers, Flea Beetles, Grasshoppers, Green Cloverworms, Imported Cabbageworms, Leafhoppers, Loopers, Lygus Bugs, Mexican Bean Beetles, Painted Lady Caterpillars, Pea Aphids, Pea Weevils, Pepper Weevils, Pickleworms, Potato Leafhoppers, Potato Psyllids, Potato Tuberworms, Rindworms, Saltmarsh Caterpillars, Sap Beetles, Southwestern Corn Borers, Squash Bugs, Squash Vine Borers, Stalk Borers, Stink Bugs, Tarnished Plant Bugs, Tobacco Hornworms, Tomato Fruitworms, Tomato Hornworms, Tomato Pinworms, Vegetable Leafminers, Velvetbean Caterpillars, Western Bean Cutworms, Whiteflies, Japanese Beetles, Spittlebugs, Redheaded Pine Sawflies, Balsam Woolly Adelgids, Pine Chafers, Red Pine Sawflies, Pine Coreid Bugs, European Pine Sawflies, and Northern Pine Weevils.

**FOR OUTDOOR PESTS:** To control on contact ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, pillbugs, sowbugs, spiders, and ticks. Use at the rate of 1 gallon per 1,000 square feet on outside surfaces of buildings, porches, patios, garages and other areas where these pests are seen or found. Do not apply in or near fish ponds or other bodies of water.

**Building Perimeter Treatment:** To help prevent infestations of buildings by ants, centipedes, crickets, sowbugs, pillbugs, and spiders, treat a 12 to 18 inch band of soil or other substrate adjacent to building and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Apply as a coarse wet spray at the rate of 1 gallon per 1,000 square feet.

Not for use on plants being grown for sale or other commercial use, for commercial seed production, or for research purposes.

## STORAGE AND DISPOSAL

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

Do not contaminate water, food, or feed by storage and disposal.

### PESTICIDE STORAGE

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

### PESTICIDE DISPOSAL AND CONTAINER HANDLING

Non-refillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Do not pour our dispose down-the-drain or sewer. Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

# EVERCIDE® Vegetable and Garden Insect Killer 28063

*[indicates optional text]*

READY-TO-USE

*[Icon] WATER BASED*

*[Icon] OUTDOOR USE ONLY*

Contains Esfenvalerate, a Synthetic Pyrethroid

Contains a Pyrethroid Insect Killer

Multi-Purpose Insect Killer

Low Odor

Kills Beetles (including Japanese Beetles), Caterpillars (including Tomato Hornworms), Ants, Ticks (including ticks carrying Lyme disease) and [& other garden and [&] nuisance pests [insects] [bugs]

Kills Beetles, Caterpillars, Ants, Ticks and [&] More

On [For] [For use on] Roses, Flowers, Small Trees, Shrubs, Fruits, Vegetables and [&]

Other Outdoor Surfaces [Areas]

Kills [Controls over] [more than] 100 insects [bugs] [pests] on vegetables, flowers, small trees and [&] shrubs

Kills [Controls over] [more than] 100 garden and nuisance pests without harming roses, flower or shrubs

Can be used on [most popular] fruits and [&] vegetables (see back panel for details)

Use in [on] Vegetable Gardens

Kills on Contact

Fast Acting Formula

Kills over 100 insects [bugs] [pests] on contact

Active Ingredient

Esfenvalerate .....	00.0033%
Other Ingredients .....	99.9967%
	100.0000%

## KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel [booklet] for additional precautionary statements.

NET    24 FL OZ (1 PT 8 FL OZ) 709 mL  
30 FL OZ (1 PT 14 FL OZ) 886 mL  
1/2 GAL / 1.89 L  
1 GAL / 3.78 L  
1.33 GAL/5 L/170 FL OZ

Shake Well Before Use

### *Applicator directions for nested sprayers*

#### **QUICK CONNECT SPRAYER** *[illustrations]*

1. Remove sprayer. Pull cord ALL THE WAY OUT.
2. Insert red plug into spout (on cap) until it clicks.
3. Flip up spout. Open nozzle at end of sprayer.

### *Applicator directions for Pull 'N Spray*

[Wand sticker]

IMPORTANT! Follow directions and illustrations on back to assemble and use Pull 'N Spray correctly.

[Shoulder sticker] *[Illustration]*

- *[Illustration]* 1. Detach yellow wand and pull plug and tubing from bottom of wand. Insert plug firmly into "T-handle" until it clicks. **ONCE CONNECTED, PLUG CANNOT BE REMOVED WITHOUT DAMAGING "T-HANDLE."**
- *[Illustration]* 2. Slide white strip on cap, then grab "t-handle" and pull all the way up. **JUST PULL UP – NO NEED TO PUMP.**
- *[Illustration]* 3. Point wand at area to be treated and push button to begin spraying. Twist nozzle at end of wand to adjust spray pattern.
- *[Illustration]* 4. Pull "T-handle" again as needed to continue spraying. **JUST PULL UP – NO NEED TO PUMP.** When finished, push "T-handle" gently down to cap and follow storage instructions.

*Text for booklet labels:*

Open Resealable Label  
for Directions & Precautions  
PRESS TO RESEAL

*[Product name]* controls more than one hundred garden and nuisance pests. This easy to use one-step bug killer quickly kills insects without harming your roses, flowers or shrubs. Reapply *[product name]* as directed for a more beautiful garden.

Thank you for choosing Ortho. You'll like the results and so will your [yard] garden.

<b>PRODUCT FACTS</b>	
<b>KILLS BUGS [INSECTS] [PESTS]</b>	<ul style="list-style-type: none"><li>Garden Pests: Aphids, beetles, caterpillars, whiteflies and [&amp;] other garden pests [more]</li><li>Nuisance Pests (outdoors): Ants, cockroaches, spiders, ticks (including ticks which [that] transmit Lyme disease) and [&amp;] other nuisance pests [more]</li></ul>
<i>[Option to list other pests here that are listed elsewhere on this label.]</i>	
<b>WHERE TO USE</b>	<ul style="list-style-type: none"><li>On roses, flowers, shrubs, vegetables and [&amp;] fruits</li><li>Outdoor surfaces of buildings, porches and [&amp;] patios</li></ul>
<i>[Option to list other sites here that are listed elsewhere on this label.]</i>	
<i>[phone icon]</i>	<b>Questions, Comments or Medical Information</b> call 1-800-225-2883 <a href="http://www.ortho.com">www.ortho.com</a>

Specially formulated for residential use.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

##### USE RESTRICTIONS:

- Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.
- Do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
- Do not spray the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- Do not apply or irrigate to the point of runoff.
- Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
- Do not water the treated area to the point of runoff.
- Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.



- {Note to reviewer: Pictogram must be no smaller than 1.5 cm<sup>2</sup> or 0.25 sq. in. unless size is greater than 10% of label size}
- Do not allow the product to enter any drain during or after application.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.
- Do not apply when the wind speed is greater than 15 mph

All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- Application to pervious surfaces such as soil, lawn, turf, and other vegetation;
- Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn);
- Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
- Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
- Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
- Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.

##### SPRAY DRIFT ADVISORIES

- Take precautions to minimize spray drift.

<b>FOR BEST RESULTS</b>	
<b>HOW TO APPLY</b> <i>[optional illustration]</i>	<ul style="list-style-type: none"><li><i>Text for trigger sprayer:</i> Adjust spray nozzle to give a fine spray. When done close nozzle.</li><li><i>Text for nested sprayer:</i> Adjust spray nozzle to give a fine spray. When done, flip down spout to close. NO NEED TO DISCONNECT TRIGGER SPRAYER. Close nozzle on trigger sprayer. Snap sprayer back in place.</li><li><i>Text for Pull 'N Spray:</i> Adjust nozzle on wand to deliver a narrow or wide spray. Pull up on handle – DO NOT PUMP. Follow illustrations and instructions above. Point wand at area to be treated and push button to begin spraying. Twist nozzle at end of wand to adjust spray pattern. Pull "T-handle" again as needed to continue spraying. JUST PULL UP – NO NEED TO PUMP. Hold wand 12 inches from the insect or surface being sprayed. Use only for spot treatment. Do not spray into the air. Spray until slightly wet without soaking.</li><li>Treat surfaces to ensure thorough coverage but avoid runoff.</li></ul>

	<ul style="list-style-type: none"> <li>• To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.</li> <li>• To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.</li> <li>• Spot treatments must not exceed two square feet in size. (for example 2 ft by 1. Ft. or 4 ft. by 0.5 ft).</li> <li>• Garden Pests: Hold sprayer [wand] about 12 inches from plant. Thoroughly cover all plant surfaces until slightly wet, but not to the point of runoff. <i>Alternative text:</i> Spray plant to wet the upper and lower leaf surfaces until wet but not to the point of runoff.</li> <li>• Nuisance Pests: Apply directly to the listed pests in outdoor areas. Also, spray outdoor surfaces of buildings, porches, patios, garages and [&amp;] other areas where these bugs [insects] [pests] have been seen or are found. Do not apply in or near fish ponds or other bodies of water.</li> </ul> <p><i>Alternative text:</i></p> <ul style="list-style-type: none"> <li>• Nuisance Pests: Apply directly to the listed pests in outdoor areas.</li> <li>• Outdoor Surfaces: Spray buildings, porches, patios, garages and [&amp;] other areas where the bugs [insects] [pests] have been seen or are found. Do not spray in or near fish ponds or other bodies of water.</li> </ul>
<b>WHEN TO APPLY</b> <i>[optional illustration]</i>	Apply as necessary to maintain control waiting at least 7 days between each application.

#### **GARDEN PESTS [BUGS] [INSECTS] CONTROLLED [KILLED]**

##### **On Ornamental Plants including: Roses, Flowers, Shrubs and [&] Small [Shade] Trees**

Aphids, Armyworms, Balsam Woolly Adelgids, Buckhorn Aphids, Cabbage Loopers, Cucumber Beetles (adults) - spotted and [&] striped, Cutworms, European Pine Sawflies, Fall Webworms, Flea Beetles, Grasshoppers, Gypsy Moths, Imported Cabbageworms, Japanese Beetles, Leafhoppers, Loopers, Northern Pine Weevils, Pine Chafers, Pine Coreid Bugs, Red Pine Sawflies, Redheaded Pine Sawflies, Saltmarsh Caterpillars, Spittlebugs, Tent Caterpillar and [&] Whiteflies.

##### **On Listed Vegetables and [&] Melons**

Alfalfa Caterpillars, Alfalfa Loopers, Aphids, Armyworms, Artichoke Plume Moths, Beet Armyworms, Buckhorn Aphids, Cabbage Loopers, Carrot Weevils, Celery Loopers, Chinch Bugs, Colorado Potato Beetles, Corn Earworms, Corn Rootworms (adults), Cowpea Curculios, Cucumber Beetles (adults) - spotted and [&] striped, Cutworms, Diamondback Moths, European Corn Borers, Flea Beetles, Grasshoppers, Green Cloverworms, Imported Cabbageworms, Leafhoppers, Loopers, Lygus Bugs, Mexican Bean Beetles, Painted Lady Caterpillars, Pea Aphids, Pea Weevils, Pepper Weevils, Pickleworms, Potato Leafhoppers, Potato Psyllids, Potato Tuberworms, Rindworms, Saltmarsh Caterpillars, Sap Beetles, Southwestern Corn Borers, Squash Bugs, Squash Vine Borers, Stalk Borers, Stink Bugs, Tarnished Plant Bugs, Tobacco Hornworms, Tomato Fruitworms, Tomato Hornworms, Tomato Pinworms, Vegetable Leafminers, Velvetbean Caterpillars, Western Bean Cutworms and [&] Whiteflies.

##### **On Berries, Fruit and [&] Nut Trees**

Apple Aphids, Black Cherry Aphids, Blueberry Spanworms, Cherry Fruitworms, Cranberry Fruitworms, Cranberry Weevils, Grasshoppers, Leafhoppers, Red Striped Fireworms, Codling Moths, Leafrollers, Leafhoppers, Green Fruit Worms, Plant Bugs, Oblique Banded Leafrollers, Variegated Leafrollers, Tentiform Leafminers, San Jose Scales (on fruit only), Tufted Apple Bud Moths, Plum Curculios, Oriental Fruit Moths, Apple Maggots, Red-Banded Leafrollers, Lesser Appleworms, Rosey Apple Aphids, Periodical Cicadas, Pear Psylla, Pear Slugs, Naval Orangeworms, Peach Twig Borers, Filbert Worms, Peach Tree Borers, Lesser Peach Tree Borers, Cherry Fruit Flies, American Plum Borers, Pecan Weevils, Hickory Shuckworms, Pecan Nut Casebearers, Pecan Aphids, Pecan Spittlebugs, Pecan Stem Phylloxera, Pecan Leaf Phylloxera, Walnut Aphids and [&] Walnut Husk Flies.

Vegetables	Days to Wait to Harvest	Vegetables	Days to Wait to Harvest	Vegetables	Days to Wait to Harvest
Artichoke	7	Dry Beans	21	Radishes	7
Broccoli	3	Dry Peas	21	Snap Beans	3
Cabbage	3	Eggplant	7	Squash	3
Carrots	7	Green Peas	3	Sweet Corn	1
Cauliflower	3	Peppers	7	Tomatoes	1
Collards	7	Potatoes	7		
Cucumbers	3	Pumpkin	3		

Berries and [&] Melons	Days to Wait to Harvest	Small Fruit and [&] Nut Trees (such as container grown, dwarf or young trees)	Days to Wait to Harvest
Blueberry	14	Almond	21
Caneberries	21	Apple	21
(Blackberries		Apricot	14
Loganberries, Red		Cherries	14
Raspberries and [&] Black Raspberries)		Filberts	21
Elderberries	21	Nectarines	14
Gooseberries	21	Peaches	14
Melons	3	Pecans	21
		Pears	28
		Plums	14
		Prunes	14
		Walnuts	21

#### **NUISANCE BUGS [INSECTS] [PESTS] CONTROLLED [KILLED]**

Ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, sowbugs, pillbugs, spiders, and [&] ticks which [that] transmit Lyme disease).

[reentry icon] People and pets may enter treated area after spray has dried.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Avoid contamination of food or feedstuffs. Avoid contamination of food or food handling surfaces.

## **STORAGE AND DISPOSAL [optional icon]**

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

*[optional storage illustration]*

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE**

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING**

Non-refillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## **STORAGE AND DISPOSAL FOR PULL 'N SPRAY [optional icon]**

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

*[optional storage illustration]*

Do not contaminate water, food, or feed by storage and disposal.

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

**PESTICIDE STORAGE:** To store, push "T-handle" gently down to cap. Slide white strip on cap back to closed position. **LEAVE WAND PLUG CONNECTED TO "T-HANDLE."** Snap wand back into place on side of container. Store in a cool, dry area. Store this product in its original container, in a secure area. Protect container from freezing. Store away from food and pet food.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:**

Non-refillable container. Do not reuse or refill this container.

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Do not pour our dispose down-the-drain or sewer. Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### **PRECAUTIONARY STATEMENTS [optional icon]** HAZARDS TO HUMANS & DOMESTIC ANIMALS

## **CAUTION:**

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

**FIRST AID:**

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. Emergency Information: call 1-800-225-2883.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is highly toxic to fish and other wildlife. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

**✉ Questions, Comments or Medical Information ?**  
call 1-800-225-2883      [www.ortho.com](http://www.ortho.com)

Ortho® - Registered trademark of Monsanto Company

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

EPA Reg. No. 1021-1777

EPA Est.

Superscript is first letter of lot number