



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

January 28, 2026

Thomas Lennan  
Senior Regulatory Affairs Specialist  
McLaughlin Gormley King Company D/B/A MGK  
7325 Aspen Lane N  
Minneapolis, MN 55428

Subject: Label Amendment - Registration Review Mitigation for Esfenvalerate  
Product Name: EVERCIDE® Emulsifiable Concentrate 28061  
EPA Registration Number: 1021-1778  
Case Number: 473534  
Application Dates: March 25, 2021

Dear Thomas Lennan:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Esfenvalerate Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for

shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Nicholas Geroux by phone at (202) 564-4093, or via email at [geroux.nicholas@epa.gov](mailto:geroux.nicholas@epa.gov).

Sincerely,



Dana L. Friedman, Chief  
Risk Management and Implementation Branch 1  
Pesticide Re-Evaluation Division  
Office of Pesticide Programs  
U.S. Environmental Protection Agency

ENCLOSURE: Stamped label

# EVERCIDE® Emulsifiable Concentrate 28061

FOR OUTDOOR USE ONLY

[ ] denotes optional wording.

Water Dilutable Concentrate To Control Lawn, Ornamental, and Outdoor House and Garden Pests Around Residential Structures Only  
[Kills Over 110 Insects.] [Kills on contact] [Kills Insects in Lawns, Vegetable Gardens & Fruit Trees] [Kills insects on Lawns and in Gardens] [Attach directly to garden hose and spray] [Spray Yard and Lawn] [Spray Roses and Flowers] [Spray Vegetable Garden] [Spray Fruit and Nuts in Garden and on Trees] [Spray Ornamentals, Trees and Shrubs] [Spray Outside Perimeter of Home and Garage. Spray Deck and Patio]  
[Use as a Yard & Lawn Spray, Rose and Flower Spray, Fruit & Vegetable Garden Spray, Fruit and Nut Tree Spray, Ornamental Tree and Shrub Spray, Outside Perimeter Spray, Deck and Patio Spray]  
[Water based Formulation]  
[32 oz. treats up to 16,000 square feet (sq. ft., ft<sup>2</sup>) 16 oz. treats up to 8,000 square feet (sq. ft., ft<sup>2</sup>)]

[Kills Ticks and Deer Ticks that may carry Lyme disease]  
[Kills Foraging Fire Ants on contact in your Lawn and Garden]  
[Kills Insects around the perimeter of your Home, on your Deck and Patio]  
[Acts as a barrier outside to stop insect from coming [inside] into your home]  
[Attach directly to garden hose and spray]  
[Contains Esfenvalerate, a Synthetic Pyrethroid]  
[Concentrated Formula] [Treats 8,000 sq. ft. [area]] [Treats 100' x 80' [area].] [Water based formulation] [Treats 100' x 80'] [Treats up to 8,000 sq. ft. or 100' x 80']  
[Kills Stink Bugs, Brown Marmorated Stink Bugs (BMSB), Asian Lady Beetles and Boxelder Bugs]

ACTIVE INGREDIENTS:

Esfenvalerate (S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate ..... 0.425%

OTHER INGREDIENTS ..... 99.575%  
100.000%

EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**

**ACCEPTED**

Jan 28, 2026

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under  
EPA Reg. No. 1021-1778

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"><li>Call a poison control center or doctor immediately for treatment advice.</li><li>Have person sip a glass of water if able to swallow.</li><li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>Do not give anything by mouth to an unconscious person.</li></ul>
IF IN EYES:	<ul style="list-style-type: none"><li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>Call a poison control center or doctor for treatment advice.</li></ul>
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"><li>Take off contaminated clothing.</li><li>Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>Call a poison control center or doctor for treatment advice.</li></ul>

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Manufactured by



7325 Aspen Lane North  
Minneapolis, MN 55428

EPA Reg. No. 1021-1778

EPA Est. No. 1021-MN-2

Net Contents: \_\_\_\_\_

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling.

**ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

**[PRODUCT USAGE:**

Kills Insects: Spiders, Ants, Aphids, Fleas, Ticks, Crickets, Cockroaches and Many More.

Use On: Fruit Trees, Vegetables, Roses, Flowers, Lawns, Trees and Shrubs.]

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product  
in a manner inconsistent with its labeling.

**USE RESTRICTIONS:**

Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.



{Note to reviewer: Pictogram must be no smaller than 1.5 cm<sup>2</sup> or 0.25 sq. in. unless size is greater than 10% of label size}

All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Application to pervious surfaces such as soil, lawn, turf, and other vegetation;
2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn);
3. Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
4. Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
5. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
6. Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.

Spot treatments must not exceed two square feet in size.(for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.)

Treat surfaces to ensure thorough coverage but avoid runoff.

To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

For soil or foliar applications:

Do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds

Treat surfaces to ensure thorough coverage but avoid runoff.To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.

Do not allow the product to enter any drain during or after application.

Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.

Do not apply or irrigate to the point of runoff.

Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).

Rainfall within 24 hours after application may cause unintended runoff of pesticide application.

Do not apply when the wind speed is greater than 15 mph.

**SHAKE WELL BEFORE USE**

**FOR GARDEN VEGETABLE PESTS:** Mix EVERCIDE® Emulsifiable Concentrate 28061 in a tank type sprayer or hose end sprayer, at the rate of 1 fl. oz. per gallon of water.

Note: 1 Fluid Ounce = 2 Tablespoonsful = 6 Teaspoonfuls.

Do not use utensils for food use after using them for measuring this product.

**TO CONTROL THE FOLLOWING INSECTS:** Alfalfa Caterpillars, Alfalfa Loopers, Aphids, Armyworms, Artichoke Plume Moths, Beet Armyworms, Brown Marmorated Stink Bugs (BMSB), Buckhorn Aphids, Cabbage Loopers, Carrot Weevils, Celery Loopers, Chinch Bugs, Cicadas, Colorado Potato Beetles, Corn Earworms, Corn Rootworms (adults), Cowpea Curculios, Cucumber Beetles (adults) - spotted and striped, Cutworms, Diamondback Moths, European Corn Borers, Flea Beetles, Grasshoppers, Green Cloverworms, Imported Cabbageworms, Leafhoppers, Loopers, Lygus Bugs, Mexican Bean Beetles, Painted Lady Caterpillars, Pea Aphids, Pea Weevils, Pepper Weevils, Pickleworms, Potato Leafhoppers, Potato Psyllids, Potato Tuberworms, Rindworms, Saltmarsh Caterpillars, Sap Beetles, Southwestern Corn Borers, Squash Bugs, Squash Vine Borers, Stalk Borers, Stink Bugs, Tarnished Plant Bugs, Tobacco Hornworms, Tomato Fruitworms, Tomato Hornworms, Tomato Pinworms, Vegetable Leafminers, Velvetbean Caterpillars, Western Bean Cutworms and Whiteflies.

To control listed insects, apply the spray to provide thorough coverage of upper and lower leaf surfaces. Apply as necessary to maintain control waiting at least 7 days between each application.

**FOR USE ON THE FOLLOWING VEGETABLES**

<u>CROP</u>	<u>DAYS TO HARVEST</u>	<u>CROP</u>	<u>DAYS TO HARVEST</u>	<u>CROP</u>	<u>DAYS TO HARVEST</u>
Artichoke	7	Dry Beans	21	Potatoes	7
Broccoli	3	Dry Peas	21	Pumpkin	3
Cabbage	3	Eggplant	7	Radishes	7
Carrots	7	Green Peas	3	Snap Beans	3
Cauliflower	3	Melons	3	Squash	3
Collards	7	Peppers	7	Sweet Corn	1
Cucumbers	3			Tomatoes	1

**FOR GARDEN TREE FRUITS, NUTS, AND BERRIES:** Mix EVERCIDE Emulsifiable Concentrate 28061 in a tank type or hose end sprayer at the rate of 1 fl. oz. per gallon of water. Apply as a full coverage spray to upper and lower leaf surfaces. Spray to wet but not to the point of runoff. Apply as necessary to maintain control waiting at least 7 days between each application.

**TO CONTROL THE FOLLOWING INSECTS:** Apple Aphids, Black Cherry Aphids, Blueberry Spanworms, Brown Marmorated Stink Bugs (BMSB), Cherry Fruitworms, Cranberry Fruitworms, Cranberry Weevils, Grasshoppers, Leafhoppers, Red Striped Fireworms, Codling Moths, Leafrollers, Leafhoppers, Green Fruitworms, Plant Bugs, Oblique Banded Leafrollers, Variegated Leafrollers, Tentiform Leafminers, San Jose Scales (on fruit only), Tufted Apple Bud Moths, Plum Curculios, Oriental Fruit Moths, Apple Maggots, Redbanded Leafrollers, Lesser Appleworms, Rosey Apple Aphids, Periodical Cicadas, Pear Psylla, Pear Slugs, Naval Orangeworms, Peach Twig Borers, Filbertworms, Peachtree Borers, Lesser Peachtree Borers, Cherry Fruit Flies, American Plum Borers, Pecan Weevils, Hickory Shuckworms, Pecan Nut Casebearers, Pecan Aphids, Pecan Spittlebugs, Pecan Stem Phylloxera, Pecan Leaf Phylloxera, Stink Bugs, Walnut Aphids, Walnut Husk Flies.

<u>CROP</u>	<u>DAYS TO HARVEST</u>	<u>CROP</u>	<u>DAYS TO HARVEST</u>
Apple	21	Pecans	21
Almond	21	Pears	28
Blueberry	14	Stone Fruits	
Caneberries		Apricot	14
Blackberries	21	Cherries	14
Loganberries	21	Nectarines	14
Red Raspberries	21	Peaches	14
Black Raspberries	21	Plums	14
Elderberries	21	Prunes	14
Gooseberries	21	Walnuts	21
Filberts	21		

**FOR USE ON ORNAMENTAL PLANTS (Annuals and Perennials), SHRUBS & ROSES:** Mix EVERCIDE® Emulsifiable Concentrate 28061 in a tank type or hose end sprayer at the rate of 1 fl. oz. per gallon of water. Apply to cover upper and lower leaf surfaces. Spray to wet but not to the point of runoff. Apply as necessary to maintain control waiting at least 7 days between each application.

**TO CONTROL THE FOLLOWING INSECTS:** Alfalfa Caterpillars, Alfalfa Loopers, Aphids, Armyworms, Artichoke Plume Moths, Beet Armyworms, Brown Marmorated stink Bugs (BMSB), Buckhorn Aphids, Cabbage Loopers, Carrot Weevils, Celery Loopers, Chinch Bugs, Cicadas, Colorado Potato Beetles, Corn Earworms, Corn Rootworms (adults), Cowpea Curculios, Cucumber Beetles (adults) - spotted and striped, Cutworms, Diamondback Moths, European Corn Borers, Flea Beetles, Grasshoppers, Green Cloverworms, Imported Cabbageworms, Leafhoppers, Loopers, Lygus Bugs, Mexican Bean Beetles, Painted Lady Caterpillars, Pea Aphids, Pea Weevils, Pepper Weevils, Pickleworms, Potato Leafhoppers, Potato Psyllids, Potato Tuberworms, Rindworms, Saltmarsh Caterpillars, Sap Beetles, Southwestern Corn Borers, Squash Bugs, Squash Vine Borers, Stalk Borers, Stink Bugs, Tarnished Plant Bugs, Tobacco Hornworms, Tomato Fruitworms, Tomato Hornworms, Tomato Pinworms, Vegetable Leafminers, Velvetbean Caterpillars, Western Bean Cutworms, Whiteflies, Japanese Beetles, Spittlebugs, Redheaded Pine Sawflies, Balsam Woolly Adelgids, Pine Chafers, Red Pine Sawflies, Pine Coreid Bugs, European Pine Sawflies, Northern Pine Weevils.

**LAWN FLEA & TICK CONTROL:**

To kill fleas and ticks harboring in lawns and back yards, use this concentrate in a hose-end sprayer. Place required amount of concentrate in sprayer jar (see chart below) and fill with water to the recommended level. Mix well. Attach to sprayer and spray as recommended. For best results, lawn should be mowed a day or two before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Kills on contact the Ixodes scapularis tick (deer tick), which may carry Lyme disease. Also kills foraging fire ants upon direct contact. A registered fire ant mound treatment should also be used in conjunction with this product.

Keep pets and children out of treated areas until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding area should also be treated with a registered flea and tick control product in conjunction with this application.

#### HOSE END SPRAY APPLICATION

Amount of Product to Use Fluid Ounces*	Amount of Water to Use	Area to be Treated
1 fl. oz.	3 gallons	500 sq. ft. (50' x 10')
2 fl. oz.	6 gallons	1,000 sq. ft. (50' x 20')
4 fl. oz.	12 gallons	2,000 sq. ft. (50' x 40')

#### [HOW TO USE THE READY-TO-SPRAY-SYSTEM

1. Connect sprayer to hose and turn on water.
2. Point in the direction you want to spray, turn the sprayer control knob to the ON position, and spray.
3. To stop, turn the sprayer control knob to the OFF position and turn off the water.
4. When finished, relieve water pressure by turning the control knob back to ON till the line is depressurized, then turn back to OFF.
5. Disconnect the sprayer from the hose.]

#### [DIRECTIONS FOR HOSE-END SPRAYER

The enclosed hose-end sprayer is calibrated to deliver the correct amount of product in accordance with label directions. Use this sprayer ONLY with the accompanying bottle in accordance with the label directions.

1. Make certain the valve is in the OFF position.
2. Screw the sprayer attachment onto the garden hose.
3. Remove the cap from the bottle and carefully screw the bottle counter-clockwise into the sprayer attachment until tight.
4. Turn on water at faucet while aiming the sprayer toward the lawn and turn the control knob of the sprayer attachment to the ON position to begin spraying.
5. When finished spraying, turn the control knob to the OFF position. Discharge residual water pressure by turning water supply OFF and re-open the control knob.

If this product is packaged in a Hose-End Sprayer, follow the directions below.

#### [HOW TO USE THIS HOSE-END SPRAYER

##### SHAKE WELL BEFORE USE

1. Before you start, the blue top water flow valve should be in the "OFF" position, and the red product flow valve should be in the up, "OFF" position.
2. Shake container well and attach it to your garden hose.
3. Turn on the water from your faucet.
4. To apply, remove side pin (labeled "PULL OUT") and rotate red product flow valve to "ON"; then while holding sprayer at waist level and pointing in a direction away from face and body, push blue water flow valve forward to activate water.
5. When you are finished spraying or if you have to stop spraying at any time, press blue water flow valve with thumb to the rear to shut off water and return side red valve to the upright "OFF" position and replace side pin.
6. Turn off the water at the faucet.



7. Remove the container from the garden hose; then rinse thoroughly and store according to storage instructions.]

#### [DIRECTIONS FOR Ready-to-Use Spray System

1. Connect sprayer to hose end and turn on water.
2. Point in the direction you want to spray, turn the sprayer control knob to the ON position, and spray.
3. To stop, turn the sprayer control knob to the OFF position and turn off the water.
4. When finished, relieve water pressure by turning the control knob back to ON till the line is depressurized, then turn back to OFF.
5. Disconnect the sprayer from the hose.]

**FOR OUTDOOR PESTS:** Mix EVERCIDE® Emulsifiable Concentrate 28061 in a tank type or hose end sprayer or watering can at the rate of 2 fl. oz. per gallon of water to control on contact ants, Asian Lady beetles, Boxelder bugs, Brown Marmorated stink bugs, cicadas, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, pillbugs, sowbugs, spiders, stink bugs, and ticks. Use at the rate of 1 gallon (diluted spray) per 1,000 sq. ft. to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

**Building Perimeter Treatment:** To help prevent infestations of buildings by ants, Asian Lady beetles, Boxelder bugs, Brown Marmorated stink bugs, centipedes, crickets, sowbugs, pillbugs, spiders, and stink bugs, treat a 12 to 18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 feet where these pests are active and may find entrance. Use 16 fl. oz. of concentrate per gallon of water and apply as a coarse wet spray at the rate of 1 gallon per 1,000 sq. ft.

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto. Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.

## STORAGE AND DISPOSAL

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

Do not contaminate water, food, or feed by storage and disposal.

### PESTICIDE STORAGE

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

### PESTICIDE DISPOSAL AND CONTAINER HANDLING

Non-refillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partially filled:

Do not pour our dispose down-the-drain or sewer. Call your local solid waste agency for disposal options.

**[IMPORTANT:** Read the entire Directions for Use, Conditions of Sale and Disclaimer of Warranties and Limitations of Liability before using this product.

**CONDITIONS OF SALE:** The directions for use of this product have been determined to be appropriate for the correct use of this product. This product has been tested under different environmental conditions similar to those that are ordinary and customary where the product is to be used. Insufficient control of pests or plant injury may result from the occurrence of extraordinary or unusual conditions, or from failure to follow label directions. In addition, failure to follow label directions may cause injury to animals, man and damage to the environment. Manufacturer and Seller offer, and the buyer accepts and uses, this product subject to the conditions that extraordinary or unusual environmental conditions, or failure to follow label directions are beyond the control of Manufacturer and Seller and are, therefore, the responsibility of the buyer.

### **LIMITED WARRANTY AND LIMITATION OF DAMAGES**

Manufacturer and Seller warrant that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER AND SELLER MAKE NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Manufacturer or Seller is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.]

# EVERCIDE® Emulsifiable Concentrate 28061

*[indicates optional text]*

MAKES UP TO 96 GALLONS [OF SPRAY] (quart)  
Covers up to 16,000 sq. ft. of lawn (quart)

*[Icon] FOR OUTDOOR USE ONLY*

CONCENTRATE

Contains Esfenvalerate, a Synthetic Pyrethroid

Multi-Purpose Insect Killer

Low Odor

## NEW FORMULA

One Application:

- Kills Beetles (including Japanese Beetles), Cicadas, Caterpillars (including Tomato Hornworms), Ants, Fleas, Ticks (including ticks [which (that) may carry] Lyme disease) and [& other lawn, garden and [&] nuisance pests [insects] [bugs]
- Kills on contact
- Kills [Controls over] [more than] 100 insects [bugs] [pests] on vegetables, flowers, lawns, and [&] shrubs

On [For] Roses, Flowers, Shrubs, Fruits, Vegetables, Lawns and [&] Other Outdoor Surfaces

Controls [Kills over] [more than] 100 insects [bugs] [pests]

Can be used on [most popular] fruits and [&] vegetables (see back panel for details)

Use in [on] Vegetable Gardens

Guaranteed Kill or your money back

## Active Ingredient

Esfenvalerate .....	00.425%
Other Ingredients .....	99.575%

## KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel booklet for additional precautionary statements.

**NET 32 FL. OZ. (1 QT) 946 mL**

Open Resealable Label  
for Directions & Precautions  
PRESS TO RESEAL

*[DNS icon] Easy to apply with [an Ortho Dial 'n Spray®], hose-end or tank sprayer.*

### PRODUCT FACTS

#### KILLS PESTS [INSECTS] [BUGS]

##### Garden Pests [Insects] [Bugs]:

Aphids, Beetles (including Japanese Beetles), Cicadas, Caterpillars (including Tomato Hornworms), Whiteflies and [& other lawn, garden and [&] nuisance bugs [insects] [pests]

##### Nuisance Pests [Insects] [Bugs]:

Ants, Fleas, Ticks (including Ticks which may carry Lyme disease), Cockroaches, Spiders and [& other lawn, garden and [&] nuisance bugs [insects] [pests]

*[Option to list other pests listed on this label in this section.]*

### WHERE TO USE/ AMOUNT TO USE

- In Gardens: 1 fl. oz. (2 Tbsp.) / gal water (on Flowers, Shrubs, Vegetables and [&] Fruits)
- On Lawns: 2 tsp / gal water / 167 sq. ft.
- For Nuisance Pests Outdoors: 2 oz. / gal water / 1,000 sq. ft.
- On Other Outdoor Surfaces: 4 Tbsp. (2 fl. oz.) / gal water / 1,000 sq. ft.

Do not use utensils for food use after using them for measuring this product.

 **Questions, Comments or Medical Information ?**  
call 1-800-225-2883

Specially formulated for residential use.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product  
in a manner inconsistent with its labeling.

### USE RESTRICTIONS:

Do not allow to enter indoor or outdoor drains unless labeled for drain treatments.

No permita la entrada a desagües internos o externos a menos que el etiquetado indique que está permitido el uso del producto para tratamiento de desagües.



{Note to reviewer: Pictogram must be no smaller than 1.5 cm<sup>2</sup> or 0.25 sq. in. unless size is greater than 10% of label size}

All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Application to pervious surfaces such as soil, lawn, turf, and other vegetation;
2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn);
3. Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
4. Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
5. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
6. Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.

Spot treatments must not exceed two square feet in size. (for example 2 ft. by 1 ft. or 4 ft. by 0.5 ft.)

Treat surfaces to ensure thorough coverage but avoid runoff.

To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

For soil or foliar applications:

Do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.

Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.

Do not allow the product to enter any drain during or after application.

Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.

Do not apply or irrigate to the point of runoff.

Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).

Rainfall within 24 hours after application may cause unintended runoff of pesticide application.

Do not apply when the wind speed is greater than 15 mph.

## IN GARDENS

---

## MIXING INSTRUCTIONS In Gardens

**Amount to Use:** 1 fl. oz. (2 Tbsp.) per gal of water for hose-end or tank sprayer  
[DNS icon] When using Ortho Dial 'n Spray®

1. Set dial to 1 oz.
2. Pour product into sprayer to fill jar one-quarter to one-half full. **DO NOT** add water.
3. After spraying, unused product can be poured back into its original container.

## HOW TO APPLY

[Use a Tank, **Ortho Dial 'n Spray**<sup>®</sup>, or Hose-End Sprayer] Spray plant to wet the upper and lower leaf surfaces until dripping.

## WHEN TO APPLY

Apply as necessary to maintain control waiting at least 7 days between each application.

## PLANTS

Ornamental Plants including: Roses, Flowers, Shrubs and [&] Shade Trees

Vegetables: See list in following table.

Vegetables	Days to Harvest	Vegetables	Days to Harvest	Vegetables	Days to Harvest
Artichoke	7	Dry Beans	21	Potatoes	7
Broccoli	3	Dry Peas	21	Pumpkin	3
Cabbage	3	Eggplant	7	Radishes	7
Carrots	7	Green Peas	3	Snap Beans	3
Cauliflower	3	Melons	3	Squash	3
Collards	7	Peppers	7	Sweet Corn	1
Cucumbers	3			Tomatoes	1

Fruits and [&] Nut Trees: See crops in following table.

	Fruits and [&] Nut Trees	Days to Harvest		Fruits and [&] Nut Trees	Days to Harvest
	Almond	21		Peaches	14
	Apple	21		Pecans	21
	Apricot	14		Pears	28
	Blueberry	14		Plums	14
	Caneberries (Blackberries, Loganberries, Red Raspberries and [&] Black Raspberries)	21		Prunes	14
	Cherries	14		Walnuts	21
	Elderberries	21			
	Gooseberries	21			
	Filberts	21			
	Melons	3			
	Nectarines	14			

## PESTS [BUGS] [INSECTS] CONTROLLED [KILLED]

### On Ornamental Plants

Aphids, Armyworms, Balsam Woolly Adelgids, Buckhorn Aphids, Cabbage Loopers, Cucumber Beetles (adults) - spotted and [&] striped, Cutworms, European Pine Sawflies, Fall Webworms, Flea Beetles, Grasshoppers, Gypsy Moths, Imported Cabbageworms, Japanese Beetles, Leafhoppers, Loopers, Northern Pine Weevils, Pine Chafers, Pine Coreid Bugs, Red Pine Sawflies, Redheaded Pine Sawflies, Saltmarsh Caterpillars, Spittlebugs, Tent Caterpillars and [&] Whiteflies.

### On Vegetables and [&] Melons

Alfalfa Caterpillars, Alfalfa Loopers, Aphids, Armyworms, Artichoke Plume Moths, Beet Armyworms, Buckhorn Aphids, Cabbage Loopers, Carrot Weevils, Celery Loopers, Chinch Bugs, Colorado Potato Beetles, Corn Earworms, Corn Rootworms (adults), Cowpea Curculios, Cucumber Beetles (adults) - spotted and [&] striped, Cutworms, Diamondback Moths, European Corn Borers, Flea Beetles, Grasshoppers, Green Cloverworms, Imported Cabbageworms, Leafhoppers, Loopers, Lygus Bugs, Mexican Bean Beetles, Painted Lady Caterpillars, Pea Aphids, Pea Weevils, Pepper Weevils, Pickleworms, Potato Leafhoppers, Potato Psyllids, Potato Tuberworms, Rindworms, Saltmarsh Caterpillars, Sap Beetles, Southwestern Corn Borers, Squash Bugs, Squash Vine Borers, Stalk Borers, Stink Bugs, Tarnished Plant Bugs, Tobacco Hornworms, Tomato Fruitworms, Tomato Hornworms, Tomato Pinworms, Vegetable Leafminers, Velvetbean Caterpillars, Western Bean Cutworms and [&] Whiteflies.

### On Berries, Fruit and [&] Nut Trees

Apple Aphids, Black Cherry Aphids, Blueberry Spanworms, Cherry Fruitworms, Cranberry Fruitworms, Cranberry Weevils, Grasshoppers, Leafhoppers, Red Striped Fireworms, Codling Moths, Leafrollers, Leafhoppers, Green Fruitworms, Plant Bugs, Oblique Banded Leafrollers, Variegated Leafrollers, Tentiform Leafminers, San Jose Scales (on fruit only), Tufted Apple Bud Moths, Plum Curculios, Oriental Fruit Moths, Apple Maggots, Redbanded Leafrollers, Lesser Appleworms, Rosy Apple Aphids, Periodical Cicadas, Pear Psylla, Pear Slugs, Naval Orangeworms, Peach Twig Borers, Filbertworms, Peachtree Borers, Lesser Peachtree Borers, Cherry Fruit Flies, American Plum Borers, Pecan Weevils, Hickory Shuckworms, Pecan Nut Casebearers, Pecan Aphids, Pecan Spittlebugs, Pecan Stem Phylloxera, Pecan Leaf Phylloxera, Walnut Aphids and [&] Walnut Husk Flies.

## ON OTHER OUTDOOR SURFACES

## BUGS [INSECTS] [PESTS] CONTROLLED [KILLED]

Ants, Cicadas, Cockroaches (including German and Asian Cockroaches), Crickets, Palmetto Bugs, Sowbugs, Pillbugs, Spiders, and Ticks.

MIXING INSTRUCTIONS On Other Outdoor Surfaces	
<b>Amount to Use:</b> 2 fl. oz. per gallon of water for 1,000 sq. ft. of outside surfaces [in a hose-end or tank sprayer].	
[When using Ortho Dial 'n Spray®]	
1.	Set dial to 2 ounces
2.	Add 6 fl. oz. (12 Tbsp.) to sprayer jar. DO NOT add water.
3.	Spray evenly over 3,000 sq. ft. (50' x 60')

1 Tablespoon (Tbsp.) = 3 teaspoons (tsp)

1 fl. oz. = 2 Tbsp.

## HOW TO APPLY

[Use a Tank, Ortho Dial 'n Spray®, or Hose-End Sprayer]. Spray outdoor surfaces of buildings, porches, patios, garages and [&] other areas where these bugs [insects] [pests] have been seen or are found. Do not spray in or near fish ponds or other bodies of water.

## ON LAWNS

### BUGS [INSECTS] [PESTS] CONTROLLED [KILLED]

Fleas and [&] Ticks (including ticks [which (that) may carry Lyme disease])  
Also kills foraging fire ants upon direct contact.

### MIXING INSTRUCTIONS On Lawns

**Amount to Use:** 2 tsp per gal of water for each 167 sq. ft. for hose-end sprayers

[D/INS icon] When using Ortho Dial 'n Spray®

1. Set dial to 2 tsp.
2. Add 6 fl. oz. (12 Tbsp.) to sprayer jar. DO NOT add water.
3. Spray evenly over 3000 sq. ft. (50' x 60')

1 Tablespoon (Tbsp.) = 3 teaspoons (tsp)

1 fl. oz. = 2 Tbsp.

## HOW TO APPLY

[Use a Tank, Ortho Dial 'n Spray®, or Hose-End Sprayer].

- Measure lawn. Calculate sq. ft. by multiplying length times width. [walking man icon]
- Spray evenly over measured area. Treat entire lawn. Also spray under trees and shrubs.
- [Treat fire ant mounds with Ortho Orthene® Fire ant Killer.]

**Important:** Do not spray animals. Dogs, cats, their kennels or bedding areas should also be treated with a registered flea and tick control product [such as (product name)] in conjunction with this application.

## WHEN TO MOW LAWN

For best results, mow a day or two before spraying.

[reentry icon] People and pets may enter treated area after spray has dried.

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

## STORAGE AND DISPOSAL

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

Do not contaminate water, food, or feed, by storage and disposal.

### PESTICIDE STORAGE

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food

### PESTICIDE DISPOSAL AND CONTAINER HANDLING

Non-refillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partially filled: Do not pour our dispose down-the-drain or sewer. Call your local solid waste agency for disposal options.

### PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS & DOMESTIC ANIMALS

## CAUTION:

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling.

### FIRST AID

**IF SWALLOWED:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Emergency Information call 1-800-225-2883.

### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

### Questions, Comments or Medical Information ?

**call 1-800-225-2883**

Ortho®, Dial 'n Spray®, Registered trademarks of Monsanto Company  
EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

EPA Reg. No. 1021-1778

EPA Est.

Superscript is first letter of lot number

# EVERCIDE® Emulsifiable Concentrate 28061

*[indicates optional text]*

ORTHO® [product name]  
LOCK 'N SPRAY®

PEEL OFF  
NEW!  
Lock 'N Spray® [logo] SYSTEM  
*Easy [illustration]*  
*Fast [illustration]*  
*Clean [illustration]*

Makes up to 96 gallons [of spray] (quart)  
Covers up to 16,000 sq. ft. of lawn (quart)

*[Icon]* FOR OUTDOOR USE ONLY

NEW FORMULA  
Contains Esfenvalerate, a Synthetic Pyrethroid  
Multi-Purpose Insect Killer

Low Odor

One Application:

- Kills Beetles (including Japanese Beetles), Cicadas, Caterpillars (including Tomato Hornworms), Ants, Fleas, Ticks (including ticks [which (that) may carry] Lyme disease) and [&] other lawn, garden and [&] nuisance pests [insects] [bugs]

- Kills on contact

- Kills [Controls over] [more than] 100 insects [bugs] [pests] on vegetables, flowers, lawns, and [&] shrubs

On [For] Roses, Flowers, Shrubs, Fruits, Vegetables, Lawns and [&] Other Outdoor Surfaces

Controls [Kills over] [more than] 100 insects [bugs] [pests]

Can be used on [most popular] fruits and [&] vegetables (see back panel for details)

Use in [on] Vegetable Gardens

Guaranteed Kill or your money back

Active Ingredient	
Esfenvalerate.....	0.425%
Other Ingredients .....	99.575%

## KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel booklet for additional precautionary statements.

NET 32 FL. OZ. (1 QT) 946 mL [1 PINT/16 FL. OZ./473.16 mL]

Open Resealable Label  
for Directions & Precautions  
PRESS TO RESEAL

### FOR USE WITH THE Lock 'N Spray® [logo] [SYSTEM]

*[Product name]* controls over 100 garden and nuisance pests. Reapply *[product name]* as directed for a more beautiful yard [garden].

*[Product name]* in the unique Lock 'N Spray System makes it fast and easy to control over 100 garden and nuisance pests. Reapply *[product name]* as directed for a more beautiful yard [garden]. Simply attach the Lock 'N Spray sprayer to this cartridge and the correct amount of *[product name]* and water mix automatically. No measuring. No mixing. No messy cleanup. And Lock 'N Spray cartridges are spill-proof!

The unique Lock 'N Spray System makes *[product name]* fast and easy to apply -- simply attach the Lock 'N Spray sprayer to this cartridge and the correct amount of *[product name]* and water mix automatically. No measuring. No mixing. No messy cleanup. And Lock 'N Spray cartridges are spill-proof!

Thank you for choosing Ortho. You'll like the results and so will your yard [lawn] and garden.

### PRODUCT FACTS

#### KILLS

#### PESTS [INSECTS] [BUGS]

- Garden Pests: Aphids, beetles (including Japanese beetles), cicadas, caterpillars (including tomato hornworms), whiteflies and other garden insects [and nuisance insects].  
Nuisance Pests: Ants, fleas, ticks (including ticks which may carry Lyme disease) [including Lyme disease ticks], cockroaches, spiders and other nuisance pests [insects].

*[Option to list other pests listed on this label in this section.]*

**WHERE TO USE/  
AMOUNT TO SPRAY**

- In Gardens [(On Flowers, Shrubs, Vegetables and [&] Fruits)]: Spray plant to wet the upper and lower leaf surfaces until dripping. [One quart (entire contents) makes 32 gallons of spray.]
- On Lawns: 1 [One] quart (entire contents) treats 16,000 sq. ft. [(1 Pint (entire contents) treats 8,000 sq. ft.)]
- For Nuisance Pests: Outdoors (32 oz. [1 quart] treats 16,000 sq. ft.) [(1 Pint treats 8,000 sq. ft.)]
- On Other Outdoor Surfaces: 1 [One] quart (entire contents) treats 16,000 sq. ft. [(1 Pint treats 8,000 sq. ft.)]

Do not use utensils for food use after using them for measuring this product.

 **Questions, Comments or Medical Information ?**  
call 1-800-225-2883

Specially formulated for residential use.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product  
in a manner inconsistent with its labeling.

**USE RESTRICTIONS:**

Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.



{Note to reviewer: Pictogram must be no smaller than 1.5 cm<sup>2</sup> or 0.25 sq. in. unless size is greater than 10% of label size}

All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except  
for the following permitted uses:

1. Application to pervious surfaces such as soil, lawn, turf, and other vegetation;
2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to  
pervious surfaces (e.g., soil, mulch, or lawn);
3. Applications to underside of eaves, soffits, doors, or windows permanently protected from  
rainfall by a covering, overhang, awning, or other structure;
4. Applications around potential exterior pest entry points into man-made structures such as  
doorways and windows, when limited to a band not to exceed one inch;
5. Applications to vertical surfaces (such as the side of a man-made structure) directly above  
impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
6. Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch  
or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or  
surface waters.

Spot treatments must not exceed two square feet in size. (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.)

Treat surfaces to ensure thorough coverage but avoid runoff.

To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

**For Soil or Foliar Applications:**

Do not apply by ground within 25 feet of lakes, reservoirs, rivers,  
permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds

Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers  
or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water  
bodies, or aquatic habitat can occur.

Do not allow the product to enter any drain during or after application.

Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios  
except as a spot or crack-and-crevice treatment.

Do not apply or irrigate to the point of runoff.

Do not make applications during rain. Avoid making applications when rainfall is expected before  
the product has sufficient time to dry (minimum 4 hours).

Rainfall within 24 hours after application may cause unintended runoff of pesticide application.

Do not apply when the wind speed is greater than 15 mph.

<b>HOW TO USE THE Lock 'N Spray® [logo] SYSTEM</b>	
<b>CONNECT</b> [Illustration #1]	Connect sprayer to hose.
<b>ATTACH</b> [Illustration #2]	Attach cartridge to sprayer. Turn cartridge until it clicks into place.
<b>SPRAY</b> [Illustration #3]	To begin spraying, rotate sprayer nozzle tip to direct spray up or down, or remove for a 20 to 25 foot (ft.) jet spray. Turn on water and squeeze trigger.
<b>FINISH</b> [Reverse illustration #2]	<ul style="list-style-type: none"> <li>To stop spraying, release trigger, unlock cartridge and remove from sprayer. (No need to turn off water.)</li> <li>To clean sprayer, flush with water, squeezing and releasing trigger in 2 short bursts. Turn off water.</li> <li>Squeeze trigger to drain water from sprayer, then disconnect sprayer from hose.</li> </ul>
Cartridge reseals itself automatically - No spills, no leaks!	

<b>HOW TO USE THE READY-TO-SPRAY SYSTEM</b>	
<b>CONNECT</b>	<ol style="list-style-type: none"> <li>1. Connect sprayer to hose.</li> <li>2. Turn on water.</li> </ol>
<b>SPRAY</b>	<ol style="list-style-type: none"> <li>1. To begin spraying, point in the direction you want to spray.</li> <li>2. Bend small yellow plastic tab back and turn knob clockwise to ON position.</li> <li>3. Spray evenly over measured area.</li> </ol>
<b>FINISH</b>	<ol style="list-style-type: none"> <li>1. To stop spraying, turn knob counter-clockwise to OFF position.</li> <li>2. Turn off water.</li> <li>3. Relieve water pressure by bending yellow plastic tab back and turning knob to ON position until water slows to a drip. Then, turn knob back to OFF position.</li> <li>4. Disconnect sprayer from hose.</li> </ol>

## IN GARDENS

### PESTS [BUGS] [INSECTS] CONTROLLED [KILLED]

#### On Ornamental Plants

Aphids, Armyworms, Balsam Woolly Adelgids, Buckhorn Aphids, Cabbage Loopers, Cucumber Beetles (adults) - spotted and [&] striped, Cutworms, European Pine Sawflies, Fall Webworms, Flea Beetles, Grasshoppers, Gypsy Moths, Imported Cabbageworms, Japanese Beetles, Leafhoppers, Loopers, Northern Pine Weevils, Pine Chafers, Pine Coreid Bugs, Red Pine Sawflies, Redheaded Pine Sawflies, Saltmarsh Caterpillars, Spittlebugs, Tent Caterpillars and [&] Whiteflies.

#### INSECTS CONTROLLED

#### On Ornamental Plants (including: roses, flowers & shrubs)

Aphids, armyworms, balsam woolly Adelgids, buckhorn aphids, cabbage loopers, cucumber beetles (adults) - spotted and striped, cutworms, European pine sawflies, fall webworms, flea beetles, grasshoppers, gypsy moths, imported cabbageworms, Japanese beetles, leafhoppers, loopers, northern pine weevils, pine chafers, pine coreid bugs, red pine sawflies, redheaded pine sawflies, saltmarsh caterpillars, spittlebugs, tent caterpillars and whiteflies.

#### On Vegetables & Melons

Alfalfa caterpillars, alfalfa loopers, aphids, armyworms, artichoke plume moths, beet armyworms, buckhorn aphids, cabbage loopers, carrot weevils, celery loopers, chinch bugs, Colorado potato beetles, corn earworms, corn rootworms (adults), cowpea curculios, cucumber beetles (adults) - spotted and striped, cutworms, diamondback moths, European corn borers, flea beetles, grasshoppers, green Cloverworms, imported cabbageworms, leafhoppers, loopers, lygus bugs, Mexican bean beetles, painted lady caterpillars, pea aphids, pea weevils, pepper weevils, pickleworms, potato leafhoppers, potato psyllids, potato Tuberworms, Rindworms, saltmarsh caterpillars, sap beetles, southwestern corn borers, squash bugs, squash vine borers, stalk borers, stink bugs, tarnished plant bugs, tobacco hornworms, tomato fruitworms, tomato hornworms, tomato pinworms, vegetable leafminers, velvetbean caterpillars, western bean cutworms and whiteflies.

#### On Berries, Fruit and [&] Nut Trees

Apple Aphids, Black Cherry Aphids, Blueberry Spanworms, Cherry Fruitworms, Cranberry Fruitworms, Cranberry Weevils, Grasshoppers, Leafhoppers, Red Striped Fireworms, Codling Moths, Leafrollers, Leafhoppers, Green Fruitworms, Plant Bugs, Oblique Banded Leafrollers, Variegated Leafrollers, Tentiform Leafminers, San Jose Scales (on fruit only), Tufted Apple Bud Moths, Plum Curculios, Oriental Fruit Moths, Apple Maggots, Redbanded Leafrollers, Lesser Appleworms, Rosy Apple Aphids, Periodical Cicadas, Pear Psylla, Pear Slugs, Naval Orangeworms, Peach Twig Borers, Filbertworms, Peachtree Borers, Lesser Peachtree Borers, Cherry Fruit Flies, American Plum Borers, Pecan Weevils, Hickory Shuckworms, Pecan Nut Casebearers, Pecan Aphids, Pecan Spittlebugs, Pecan Stem Phylloxera, Pecan Leaf Phylloxera, Walnut Aphids and [&] Walnut Husk Flies.

#### HOW TO APPLY

Spray plant to wet the upper and lower leaf surfaces until dripping.

#### WHEN TO APPLY [optional icon]

Apply as necessary to maintain control waiting at least 7 days between each application.

VEGETABLES	DAYS TO WAIT TO HARVEST	VEGETABLES	DAYS TO WAIT TO HARVEST
Artichoke	7	Green Peas	3
Broccoli	3	Peppers	7
Cabbage	3	Potatoes	7
Carrots	7	Pumpkin	3
Cauliflower	3	Radishes	7
Collards	7	Snap Beans	3

Cucumbers	3	Squash	3
Dry Beans	21	Sweet Corn	1
Dry Peas	21	Tomatoes	1
Eggplant	7		
<b>MELONS</b>	<b>DAYS TO WAIT TO HARVEST</b>		<b>3</b>

Fruits and [&] Nut Trees	Days to Harvest	Fruits and [&] Nut Trees	Days to Harvest
Almond	21	Peaches	14
Apple	21	Pecans	21
Apricot	14	Pears	28
Blueberry	14	Plums	14
Caneberries (Blackberries, Loganberries, Red Raspberries and [&] Black Raspberries)	21	Prunes	14
Cherries	14	Walnuts	21
Elderberries	21		
Gooseberries	21		
Filberts	21		
Melons	3		
Nectarines	14		

## ON LAWNS

### BUGS [INSECTS] [PESTS] CONTROLLED [KILLED]

Fleas and [&] Ticks (including ticks [which (that) may carry] Lyme disease)  
Also kills foraging fire ants upon direct contact.

### HOW TO APPLY

[Walking man icon]

- Measure lawn. Calculate sq. ft. by multiplying length times width. (2 oz. treats 1,000 sq. ft.) [/ 1 fl. oz. treats 500 sq. ft.])
- Spray evenly over measured area. Treat entire lawn. Also spray under trees and shrubs.

### WHEN TO MOW LAWN

For best results, mow a day or two before spraying.

## ON OTHER OUTDOOR SURFACES

### BUGS [INSECTS] [PESTS] CONTROLLED [KILLED]

Ants, Cicadas, Cockroaches (including German and Asian Cockroaches), Crickets, Palmetto Bugs, Sowbugs, Pillbugs, Spiders, and Ticks.

### INSECTS CONTROLLED

Ants, cicadas, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, sowbugs, pillbugs, spiders and ticks (including ticks which may carry Lyme disease) [including Lyme disease ticks]

### HOW TO APPLY

Spray outdoor surfaces of buildings, porches, patios, garages and other areas where these insects have been seen or are found. Do not spray in or near fish ponds or other bodies of water. (2 [fl.] oz. treats 1,000 sq. ft.) [/ 1 fl. oz. treats 500 sq. ft.])

### IMPORTANT

[Reentry icon] People and pets may enter treated area after spray has dried.

Do not spray animals [with this product]. [Dogs, cats, their kennels or bedding areas should also be treated with a registered flea and tick control product in conjunction with this application].

[For complete flea control, it is also important to control fleas indoors and on pets. Use a product registered for use on dogs and cats, such as [product name]. For indoors on carpets or pet resting areas, use a product such as [product name].]

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.  
Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.

## STORAGE AND DISPOSAL [icon]

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.  
Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.

Do not contaminate water, food, or feed by storage and disposal.

### PESTICIDE STORAGE

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

## PESTICIDE DISPOSAL AND CONTAINER HANDLING

Non-refillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partially filled: Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for disposal options.

## PRECAUTIONARY STATEMENTS /icon/

### **HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling.

**FIRST AID: IF SWALLOWED:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Emergency Information call 1-800-225-2883.

### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

**✉ Questions, Comments or Medical Information ?**  
call 1-800-225-2883

Ortho® , Lock 'n Spray®, Registered trademarks of Monsanto Company  
EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

EPA Reg. No. 1021-1778

EPA Est.

Superscript is first letter of lot number

# BUG BUSTER<sup>II</sup>

Control Lawn, Ornamental, and  
Outdoor House and Garden Pests

For Outdoor Use Only.

One Application Kills Beetles (including Japanese Beetles),  
Cicadas, Caterpillars (Including Tomato Hornworms), Grasshoppers, Ants, Fleas, Ticks & Other Lawn, Garden & Nuisance Insects

For Roses, Flowers, Shrubs, Fruits, Vegetables,  
Lawns & Other Outdoor Surfaces



Active Ingredient:

Esfenvalerate .....	00.425%
Other Ingredients .....	99.575%
TOTAL .....	100.000%

NET CONTENTS: \_\_\_\_\_

KEEP OUT OF REACH OF CHILDREN

## CAUTION

FIRST AID
IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling.

### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

### **PRODUCT USAGE**

Kills Insects: Spiders, Ants, Aphids, Fleas, Ticks, Crickets, Cockroaches and Many More.

Use as a Yard & Lawn Spray, Rose and Flower Spray, Fruit & Vegetable Garden Spray, Fruit and Nut Tree Spray, Ornamental Tree and Shrub Spray, Outside Perimeter Spray, Deck and Patio Spray.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
Do not water the treated area to the point of runoff. Do not make applications during rain.

### **USE RESTRICTIONS:**

All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except  
28061\_1021-1778\_1225a

for the following permitted uses:

1. Application to pervious surfaces such as soil, lawn, turf, and other vegetation;
2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn);
3. Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
4. Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
5. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
6. Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.

Spot treatments must not exceed two square feet in size. (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.)

Treat surfaces to ensure thorough coverage but avoid runoff.

To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

For Soil or foliar applications:

Do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds

Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.

Do not allow the product to enter any drain during or after application.

Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.

Do not apply or irrigate to the point of runoff.

Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).

Rainfall within 24 hours after application may cause unintended runoff of pesticide application.

Do not apply when the wind speed is greater than 15 mph.

**SHAKE WELL BEFORE USE.**

**AMOUNT TO USE:** 1 fl. oz. (2 Tbsp.) per gallon of water for tank or hose-end sprayer.


1 Tablespoon (Tbsp.) = 3 teaspoons (tsp); 1 fl. oz. = 2 Tbsp.

If this product is packaged in a Hose-End Sprayer, follow the directions below.

#### **HOW TO USE THIS HOSE-END SPRAYER**

**SHAKE WELL BEFORE USE.**

1. Connect sprayer to hose and turn on water.
2. Point in the direction you want to spray, turn the sprayer control knob to the ON position, and spray.
3. To stop, turn the sprayer control knob to the OFF position and turn off the water.
4. When finished, relieve water pressure by turning the control knob back to ON till the line is depressurized, then turn back to OFF.
5. Disconnect the sprayer from the hose.



## **IN GARDENS**

### **INSECTS CONTROLLED**

#### **On Ornamental Plants**

Aphids, Armyworms, Balsam Woolly Adelgids, Buckhorn Aphids, Cabbage Loopers, Cucumber Beetles (adults) – spotted & striped, Cutworms, European Pine Sawflies, Fall Webworms, Flea Beetles, Grasshoppers, Gypsy Moths, Imported Cabbageworms, Japanese Beetles, Leafhoppers, Loopers, Northern Pine Weevils, Pine Chafer, Pine Coreid Bugs, Red Pine Sawflies, Redheaded Pine Sawflies, Saltmarsh Caterpillars, Spittlebugs, Tent Caterpillars and Whiteflies.

#### **On Vegetables & Melons**

Alfalfa Caterpillars, Alfalfa Loopers, Aphids, Armyworms, Artichoke Plume Moths, Beet Armyworms, Buckhorn Aphids, Cabbage Loopers, Carrot Weevils, Celery Loopers, Chinch Bugs, Colorado Potato Beetles, Corn Earworms, Corn Rootworms (adults), Cowpea Curculios, Cucumber Beetles (adults) – spotted and striped, Cutworms, Diamondback Moths, European Corn Borers, Flea Beetles, Grasshoppers, Green Cloverworms, Imported Cabbageworms, Leafhoppers, Loopers, Lygus Bugs, Mexican Bean Beetles, Painted Lady Caterpillars, Pea Aphids, Pea Weevils, Pepper Weevils, Pickleworms, Potato Leafhoppers, Potato Psyllids, Potato Tuberworms, Rindworms, Saltmarsh Caterpillars, Sap Beetles, Southwestern Corn Borers, Squash Bugs, Squash Vine Borers, Stalk Borers, Stink Bugs, Tarnished Plant Bugs, Tobacco Hornworms, Tomato Fruitworms, Tomato Hornworms, Tomato Pinworms, Vegetable Leafminers, Velvetbean Caterpillars, Western Bean Cutworms and Whiteflies.

#### **On Berries, Fruit & Nut Trees**

Apple Aphids, Black Cherry Aphids, Blueberry Spanworms, Cherry Fruitworms, Cranberry Fruitworms, Cranberry Weevils, Grasshoppers, Leafhoppers, Red Striped Fireworms, Codling Moths, Leafrollers, Leafhoppers, Green Fruitworms, Plant Bugs, Oblique Banded Leafrollers, Variegated Leafrollers, Tentiform Leafminers, San Jose Scales (on fruit only), Tufted Apple Bud Moths, Plum Curculios, Oriental Fruit Moths, Apple Maggots, Redbanded Leafrollers, Lesser Appleworms, Rosy Apple Aphids, Periodical Cicadas, Pear Psylla, Pear Slugs, Naval Orangeworms, Peach Twig Borers, Filbertworms, Peachtree Borers, Lesser Peachtree Borers, Cherry Fruit Flies, American Plum Borers, Pecan Weevils, Hickory Shuckworms, Pecan Nut Casebearers, Pecan Aphids, Pecan Spittlebugs, Pecan Stem Phylloxera, Pecan Leaf Phylloxera, Walnut Aphids and Walnut Husk Flies.

#### **How To Apply**

Spray plant to wet the upper and lower leaf surfaces until dripping.

#### **When To Apply**

Apply as necessary to maintain control waiting at least 7 days between each application.

VEGETABLES	DAYS TO HARVEST	VEGETABLES	DAYS TO HARVEST
Artichoke	7	Green Peas	3
Broccoli	3	Melons	3
Cabbage	3	Peppers	7
Carrots	7	Potatoes	7
Cauliflower	3	Pumpkin	3
Collards	7	Radishes	7
Cucumbers	3	Snap Beans	3
Dry Beans	21	Squash	3
Dry Peas	21	Sweet Corn	1
Eggplant	7	Tomatoes	1

FRUITS & NUT TREES	DAYS TO HARVEST	FRUITS & NUT TREES	DAYS TO HARVEST
Almond	21	Melons	3
Apple	21	Nectarines	14
Apricot	14	Peaches	14
Blueberry	14	Pecans	21
Caneberries, (Blackberries, Loganberries, Red Raspberries & Black Raspberries)	21	Pears	28
Cherries	14	Plums	14
Elderberries	21	Prunes	14
Filberts	21	Walnuts	21
Gooseberries	21		

## **ON LAWNS**

### **INSECTS CONTROLLED**

Fleas & Ticks (including ticks which may carry Lyme disease). Also kills foraging fire ants upon direct contact.

#### **How To Apply**

- Measure lawn. Calculate sq. ft. by multiplying length times width. 1 fl. oz. treats 500 sq. ft.
- Spray evenly over measured area. Treat entire lawn. Also spray under trees and shrubs.

#### **When To Mow Lawn**

For best results, mow a day or two before spraying.

## **ON OTHER OUTDOOR SURFACES**

### **Insects Controlled**

Ants, Cicadas, Cockroaches (including German and Asian Cockroaches), Crickets, Palmetto Bugs, Sowbugs, Pillbugs, Spiders and Ticks.

### **How To Apply**

Spray outdoor surfaces of building, porches, patios, garages and other areas where these insects have been seen or are found. Do not spray in or near fish ponds or other bodies of water. 1 fl. oz. treats 500 sq. ft.

### **Important**

People and pets may enter treated area after spray has dried.

Do not spray animals. Dogs, cats, their kennels or bedding areas should also be treated with a registered flea and tick control product in conjunction with this application.

For complete flea control, it is also important to control fleas indoors and on pets. Use a product registered for use on dogs and cats.

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.

**Use the following pictogram on product labels:**



(Pictogram must be no smaller than 1.5 cm<sup>2</sup> or 0.25 sq. in. unless size is greater than 10% of label size)

## **STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store in a cool, dry area. Always store pesticides in original container. Store away from food and pet food.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partially filled:** Do not pour our dispose down-the-drain or sewer. Call your local solid waste agency for disposal options.

### **NOTICE**

Buyer assumes all responsibility for safety and use not in accordance with directions.