| 1021 - | -1786 | 07/19/2003 | > | |
|--|---|---|------------------------------------|--|
| U.S. ENVIRONMENTAL PROTECTION Office of Pesticide Programs Registration Division (H7505C) 401 M St., S.W. Washington, D.C. 20460 NOTICE OF PESTICII Registration | f Pesticide Programs ion Division (H7505C) 01 M St., S.W. ington, D.C. 20460 | EPA Reg. Number: 1021-1786 | Date of Issuance: July 19, 2003 | |
| | | Term of Issuance: Conditional Registration | | |
| | gistration | Name of Pesticide Product: Pyrocide® Indoor/Outdoor Insect Killer 73525 | | |
| Name and Address of Registrant (McLaughlin Gorm 8810 Tenth Avenue Minneapolis, MN | ley King Compar e, North | ıy | | |
| | | epted in connection with this registration roduct always refer to the above EPA re | | sted by the Registration Division prior to |
| Registration is in no way to be co | onstrued as an endorsement of | recommendation of this product by the | Agency. In order to protect heal | nsecticide, Fungicide and Rodenticide Ac th and the environment, the Administrator me in connection with the registration of a |

14

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

- 2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, EPA Reg. No.1021-1786

b. Revise the marketing statement "Contains Pyrethrum Naturally Derived From the Chrysanthemum Flower" to "Contains Pyrethrum Derived From the Chrysanthemum Flower" The term Naturally is considered to be false and misleading as outlined in 40 CFR 156.10.

3. Submit two copies of the revised final printed label for the record.

| Signature of Approving Official: | Date: July 19, 2003 | |
|----------------------------------|--------------------------------------|--------|
| Reland Julk | | |
| EPA Form 8570-6 | Page No. 1 of 2 Registration No. 102 | 1-1786 |

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

10

Sincerely,

Richard J. Cable

Marion Johnson Product Manager 10 Insecticide Branch Registration Division (7505C)

enclosure

| Signature of Approving Official: | Date: July 19, 2003 |
|----------------------------------|--|
| Reland flake | |
| EPA Form 8570-6 | Page No. 2 of 2 Registration No. 1021-1786 |

PYROCIDE® Indoor/Outdoor Insect Killer 73525



King Company

8810 Tenth Avenue N. Minneapolis, Minnesota 55427-4372 U.S.A.

100.00%

JUL 1 9 2003

Under the Federal Insecticide,

Fungitide, and Rodenticide Act,

as amended, for the posticide registered under EPA Reg. No.

1121-1780

Multi-Purpose

- Effective Fast Killing Insecticide
- Kills Crawling and Flying Insects on Contact.
- · Contains Pyrethrum Naturally Derived From the Chrysanthemum Flower
- · Pyrethrum is Made From Chrysanthemum Flowers
- Water Based
- Kills and Repels Biting Flies
- For Control of Fleas, Brown Dog Ticks, Bedbugs
- Plant Spray Insect Killer
- House & Garden Insect Killer
- Flying & Crawling Insect Killer
- For Use on House Plants & Outdoor Ornamental Shrubs
- Contains Pyrethrum a botanical extract

Easy to Use Trigger Pump or Apply with Conventional Mechanicator WILL COMMENTS **Compressed Air Equipment** In EPA Letter Baled:

A Stable Concentrated Pyrocide® Micro-Emulsion Leaves no Lingering Odor or Sticky Residue Unscented, Non-Aerosol, No Aerosol Fumes

For Control of Fleas and Brown Dog Ticks on Premises

FAST AND EFFECTIVE

For use in The Home

ACTIVE INGREDIENTS:

0.10% Pyrethrins..... Piperonyl butoxide 1.00% OTHER INGREDIENTS 98.90%

* Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% related compounds PYROCIDE® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

| | FIRST AID |
|----------------------------|--|
| IF IN EYES: | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
| IF ON SKIN OR CLOTHING: | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| IF SWALLOWED | Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| | Intainer or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical ticide incidents, call the International Poison Center at 1-888-740-8712. |

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Harmful if swallowed, or absorbed through the skin. Wash thoroughly with soap and water after handling. Avoid contact with skin, eyes, or clothing. In case of contact, flush with plenty of water. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

73525-0303

r

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE

TO KILL:

CRAWLING INSECTS: Cockroaches, Silverfish, Sowbugs, Ants (including Black Carpenter Ants), Crickets, Earwigs, Grain Mites, Clovermites, Spiders (including Black Widow Spiders), Scorpions, Boxelder Bugs, Centipedes. Turn sprayer nozzle to stream position and spray directly into cracks, crevices and other hiding places along baseboards, hitting as many bugs as possible. Keep about three feet away from walls, fabrics and furniture.

FLYING INSECTS: Biting Flies, House Flies, Mosquitoes, Gnats, Mediterranean Flour Moths, Small Flying Moths. Close doors and windows. Turn sprayer nozzle to spray position. Spray into the upper corners of room. Keep about three feet away from walls, fabrics and furniture. Keep room closed for at least 15 minutes and then air room out before occupancy.

STORED PRODUCT PESTS: Confused Fiour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Cigarette Beetles and Granary Weevils. In case of infested foods in cabinets, dispose of the infested material. Remove all contents and clean thoroughly. Spray interior surfaces of empty cabinets thoroughly. After spray has dried, cover shelves with paper or otherwise protect foods from direct contact with sprayed surfaces.

WASPS & HORNETS: Turn sprayer nozzle to stream position. Spray directly on insects whenever possible. Apply a wet spray after dark when all insects have returned to their nests.

GARDEN INSECTS ON HOUSE PLANTS AND ORNAMENTAL PLANTS OUTDOORS: Turn sprayer nozzie to spray position. Direct spray so that upper and lower leaf surfaces are contacted. To control Aphids, Bagworms, Thrips, Flea Beetles, Japanese Beetles, Lace Bugs, Leaf Hoppers, Leaftiers, Mimosa Webworm Larvae, Plant Bugs, and Whiteflies use fine mist spray about 18 to 24 inches from infested plants. Use with care on new growth and tender foliage. Avoid spraying plants when temperature exceeds 85° F. Spray when air is still. Avoid heavy wetting.

VEGETABLES (including in-home greenhouses): Arrugia, Beets, Broccoli, Brussels Sprouts, Cabbage, Carrots, Chinese Cabbage (Bok Choy), Chinese Mustard Cabbage (Gai Choy), Cabbage (Napa), Cauliflower, Cucumber, Collards, Cilantro, Celery, Eggplant, Edible Gourds, Endive, Japanese Radish (Daikon), Lettuce (Head and Leafy), Okra, Melons (including hybrids-Cantaloupe, Casaba, Crenshaw, Honeydew, Muskmelon), Parsley, Parsnips, Potato, Peppers (including Bell, Chili, Cooking, Pimentos, Sweet), Pumpkins, Rhubarb, Rutabaga, Radish, Swiss Chard, Squash (Winter and Summer), Spinach, Tomatillo, Tomatoes, Watermelon, and Zucchini.

FOR CONTROL OF: Ants, Aphids, Armyworms, Asparagus Beetle, Blister Beetles, Cabbage Looper, 12-Spotted Cucumber Beetle, Colorado Potato Beetle, Corn Earworm, Crickets, Cross-Striped Cabbageworm, Diamondback Moth Larvae, Fireworms, Flea Beetles, Fruit Worms, Fruit Tree Leafroller, Grape Leafhopper, Gypsy Moth (larvae and adults), Harequin Bug, Tomato Hornworm, Imported Cabbageworm, Leafhoppers, Leafrollers, Leafters, Mexican Bean Beetle, Potato Leafhopper, Psyllids, Stink Bugs, Thrips, Vinegar Files, and Webworms: Water plant Thoroughly. Tum spray nozzle to the on position, and hold spray nozzle about 12° from the plants. Spray lightly covering, contacting insects on upper and lower leaf surfaces, until surfaces are slightly wet. Avoid over saturating. Spray when insects or their damage first appears. Do not wait until plants are heavily infested. Spray may be applied up to and including day of harvest.

PET AREAS: To control Fleas and Brown Dog Ticks and ticks that may carry Lymes disease on premises: Turn sprayer nozzle to spray position. Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Do NOT treat pets with this product. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with a flea and tick product registered with the EPA for on animal use is recommended. Repeat treatment as needed.

| | STORAGE AND DISPOSAL |
|----------------------|---|
| | e in a cool, dry, preferably locked storage area. Store in original container, in an upright position spray nozzle securely closed. Do not store with spray nozzle below level of product in container. |
| DISPOSAL: | |
| if emply: | Do not reuse this container. Please in trash or offer for recycling if available. |
| If partially filled: | Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. |

Net Contents _____ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-

EPA Est. No. 1021-MN-2