



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

December 2, 2025

Tom Lennan
Senior Regulatory Affairs Specialist
MCLAUGHLIN GORMLEY KING COMPANY
7325 Aspen Lane North
Minneapolis, MN 55428

Subject: Label Amendment - Registration Review Mitigation for Esfenvalerate and
Prallethrin
Product Name: EVERCIDE® O.B. RTU 28101
EPA Registration Number: 1021-1787
Case Number: 477452 & 478008
Application Dates: 11/11/2020 & 3/30/2021

Dear Tom Lennan:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Esfenvalerate and Prallethrin Interim Decisions, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must

submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Andrew Muench by phone at 202-566-2355, or via email at muench.andrew@epa.gov.

Sincerely,

A handwritten signature in blue ink that reads "Cathryn Britton". The signature is fluid and cursive, with the first name "Cathryn" and last name "Britton" clearly distinguishable.

Cathryn Britton
Chief, Risk Management and Implementation
Branch V
Pesticide Re-evaluation Division (7508M)
Office of Pesticide Programs

ENCLOSURE: Stamped label

EVERCIDE® O.B. RTU 28101

ACCEPTED

12/02/2025

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 1021-1787

[] indicates optional wording or language

[Ready-To-Use-Liquid]
[Fast Effective Control]
[Residual Long-Term Action]
[Rapid Knockdown]
[Kills on Contact and Keeps Killing Cockroaches up to 4 months]
[Effective Long Term Control of Adult Fleas and Brown Dog Ticks]

[Kills Deer Ticks and other Ticks that may carry and transmit Lyme disease]
[Ready to Use / No Measuring / No Mixing / No Mess / Easy To Use]
[Kills Cockroaches, Black Carpenter Ants, and Centipedes]
[Kills Black Widow Spiders and Scorpions]
[Kills Fleas and Ticks]
[Kills Fire Ants]

ACTIVE INGREDIENTS:

Prallethrin, (RS)-2-Methyl-4-oxo-3-(2-propynyl) cyclopent-2-enyl (1RS)-cis, trans-chrysanthemate	0.03%
Esfenvalerate, (S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate	0.05%
* OTHER INGREDIENTS	99.92%
	100.00%

* Contains petroleum distillates

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none">Immediately call a poison control center or doctor.Do not induce vomiting unless told to do so by a poison control center or a doctor.Do not give any liquid to the person.Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none">Hold eye open and rinse slowly and gently with water for 15-20 minutes.Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">Take off contaminated clothing.Rinse skin immediately with plenty of water for 15-20 minutes.Call a poison control center or doctor for treatment advice.
NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712	

Manufactured by

7325 Aspen Lane North
Minneapolis, MN 55428

EPA Reg. No. 1021-1787

EPA Est. No. 1021-MN-2

Net Contents: _____

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame. Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

Kills [controls] insects [on contact (residually)]

American Cockroaches [adults (nymphs)], American Dog Ticks, Asian Cockroaches [adults (nymphs)], Australian Cockroaches [adults (nymphs)], Booklice, Brown Dog Ticks, Brownbanded Cockroaches [adults (nymphs)], Cadelles, Carpenter Ants [Eastern (Western)], Carpet Beetles [Dermestids (Trogoderma)], Centipedes, Cheese Mites, Cigarette Beetles, Clothes Moths, Clover Mites, Cockroaches [adults (nymphs)], Confused Flour Beetles, Crickets [adults (nymphs)], Deer Ticks, Drugstore Beetles, Earwigs, Firebrats, Flat Grain Beetles, Fleas [adults (larvae) (preadult)], Flies, Flour Beetles, Flying Moths, Foraging Ants (Fire ants), German Cockroaches [adults (nymphs)], Gnats, Grain Mites, Grain Weevils, Gulf Coast Ticks, Lesser Grain Borers, Lone Star Ticks, Merchant Grain Beetles, Midges, Millipedes, Mosquitoes, Oriental Cockroaches [adults (nymphs)], Other Ixodid species, Palmetto Bugs, Pillbugs, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Scorpions, Silverfish, Sowbugs, Spiders, Ticks [that may carry and transmit Lyme disease], Warehouse Beetles, Waterbugs [adults (nymphs)].

For use in food and non-food areas of [including, but not limited to] [such as]:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedrooms, Bookcases, Buses, Cabins, Cafeterias, Campers, Carpets, Cat Sleeping Quarters, Chests, Closed Barns, Closed Porches, Closets, Clothes Storage, Commercial Buildings, Condominiums, Crematoriums, Day Care Centers, Dens, Dog Houses, Dormitories, Draperies, Drive-Ins, Drugstores, Factories, Floors, Food Plants, Funeral Parlors, Furniture, Garages, Garbage Cans, Gazebos, Homes, Hospitals, Hotels, Household Contents, Indoor Eating Establishments, Industrial Plants, Institutions, Jails, Kennels, Kitchens, Lanais, Living Rooms, Locker Rooms, Mausoleums, Mobile Homes, Morgues, Mortuaries, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pantries, Pet Bedding, Pet Grooming Parlors, Pet Sleeping Areas, Pet Stores, Pet Carriers, Play Houses, Play Rooms, Porches, Prisons, Railroad Cars, Recreational Vehicles, Recreational Areas, Restaurants, Rooms, Rugs, Schools, Solariums, Storage Areas, Sun Porches, Sun Rooms, Supermarkets, Taverns, Theaters, Trailers, Trains, Trucks, Utility Rooms, Verandas, Veterinary Clinics and Hospitals, Warehouses, Washrooms, and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

For both indoor and outdoor use

USE RESTRICTIONS:

- Do not allow to enter indoor or outdoor drains unless labeled for drain treatments. No permita la entrada a desagües internos o externos a menos que el etiquetado indique que está permitido el uso del producto para tratamiento de desagües.



{Note to reviewer: Pictogram must be no smaller than 1.5 cm² or 0.25 sq. in. unless size is greater than 10% of label size}

- Do not allow children or pets into the treated area until it is dry.
- Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, waterbodies, or aquatic habitat can occur.
- Do not allow the product to enter any drain during or after application.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios
- except as a spot or crack-and-crevice treatment.
- Do not apply or irrigate to the point of runoff.
- Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
- Do not apply when the wind speed is greater than 15 mph.
- Do not allow the product to enter any drain during or after application.

All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
- Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
- Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
- Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.

Remove pets and birds and cover fish aquariums before spraying.

DIRECTIONS:

Do not apply this product in occupied patient rooms or in any rooms/areas while occupied by patients, the elderly, or infirm. Do not apply in classrooms when in use. Do not apply to institutions (including libraries, sports facilities, etc.) in the immediate area where occupants are present. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where food may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Non-food/feed areas where this product can be applied include areas such as garbage rooms, lavatories, floor drains (to sewers), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

Hold container upright. Do not spray in air. Turn tip to proper setting, (broad) (fine) spray for surfaces or pin stream for cracks and crevices. Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray. Spray until surface is slightly moist but not to the point of runoff. [Do not operate in OFF position]. [After use, turn tip to OFF to avoid accidental spraying].

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product.

General: Use this spray as a spot or crack and crevice treatment to control Cockroaches, Fleas, Silverfish, Ticks, Waterbugs, and other insects listed below. Apply this product only as a coarse spray or crack and crevice treatment to localized areas where pests are found or may occur. Spray surfaces until wet but not to the point of runoff. Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft by 0.5 ft.) Treat surfaces to ensure thorough coverage but avoid runoff. To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

SPRAY DRIFT ADVISORIES

- Take precautions to minimize spray drift.

To kill Ants, Black Widow Spiders, Carpet Beetles, Cockroaches, Crickets, Scorpions, Silverfish, Sowbugs, and Spiders:

CRACK AND CREVICE SPRAY: (Use a pin stream spray). Pay special attention to areas such as behind baseboards, connection areas around drains and pipes, behind and beneath sinks, stoves, and plumbing, and other visible cracks and crevices. Spray these areas thoroughly; making certain that spray penetrates well.

CONTACT APPLICATION: (A [broad] [fine] spray pattern should be used on all surfaces). Spray at the rate of 1 pint [16 fl. oz.] per 125 sq. ft. [1 fl. oz. per 8 sq. ft.] and contact as many insects as possible with this spray, in addition to thoroughly spraying of all parts of the room suspected of harboring these pests. Pay special attention to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans and cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes and plumbing, behind bookcases, storage, and other utility installation areas, contacting insects with spray when possible. Retreat 30 days after first application.

EXPOSED STAGES OF Flour Beetles, Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetles, Confused Flour Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Sawtoothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Grain Mites, and Cheese Mites: Find and dispose of infested packaged goods. Remove all other items from pantry, shelves, and drawers and clean thoroughly. Spray into cracks, crevices, and areas where these insects tend to congregate. Place clean paper on shelves and drawers and return packages after spray has dried.

Carpet Beetles [Dermestids (Trogoderma)]: Directly spray as many insects as possible. Where possible, bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture, on floors and walls, around windowsills and baseboards, and wherever these insects are seen or suspected. Backing of carpets and rugs should be allowed to dry before re-laying on floor.

To kill Ticks and Fleas: Thoroughly spray, as a spot treatment, infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames, and localized areas of floor and floor coverings where these pests may be present. Pet's old bedding should be removed and replaced with clean, fresh bedding after treatment. DO NOT SPRAY PETS WITH THIS PRODUCT. Pets should be treated with a registered flea and tick control product prior to reentering treated areas. Also, treat your yard with a product registered for yard application.

Flies and Mosquitoes: Use only outdoors as an aid in reducing annoyance from these insects. Spray outside surfaces of window and door frames, as well as other areas where these pests may enter the home. Also spray dark corners and localized resting areas (such as under eaves) or porches, patios, and garages where these insects may congregate. Flies and mosquitoes coming to rest on treated surfaces will be killed. Retreat every two weeks. Remove all exposed food or cooking utensils. Cover all food-handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops.

Foraging Ants and Foraging Carpenter Ants: To kill foraging Ants including Carpenter Ants directly spray insects and ant trails.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

PESTICIDE STORAGE

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

Non-refillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Optional storage and disposal for containers larger than 5 gallon capacity:]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

PESTICIDE STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Do not pour or dispose down-the-drain or sewer. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING & DISPOSAL:

[For Non-refillable Containers:]

Empty the remaining contents into the application equipment or a mix tank. Fill the container $\frac{1}{4}$ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[For Refillable Containers:]

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into rinsate collection system. Repeat his rinsing procedure two more times. Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.