

05/23/2011



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Mr. Steve Ditto
McLaughlin Gormley King Company
8810 Tenth Avenue North
Minneapolis, MN 55427-4372

MAY 23 2011

Dear Mr. Ditto:

Subject: Amendment-notification to comply with pyrethroids letter dated June 4, 2009
Evercide Carpet & Surface Spray 28021
EPA Registration Number 1021-1790
Your submission dated March 17, 2010


The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following comments:

1. On page 3 in the paragraph beginning "nonfood/feed areas ..." the label includes the site "floor drains (to sewers)", therefore you must add "Do not apply directly to sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur, except as directed by this label."
2. Relocate the heading USE AS A PREMISE SPRAY and its associated paragraph from the end of the OUTDOOR APPLICATION directions to the front section of the Directions For Use so that it appears after DO NOT CONTAMINATE FOOD AREAS.
3. The heading INDOOR APPLICATION should be added directly above the paragraph beginning "Do not apply in hospital patient rooms..."

A stamped label is enclosed for your records.

If you have any questions regarding this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

Sincerely yours,


Richard Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7505P)

Enclosure



McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

[] indicates optional language

- [Ready-to-Use] [Contains Botanical Extract=Pyrethrum]
[Water Based Formula] [Kills Cockroaches and Fleas]
[Easy To Use] [Kills Ants and Spiders]
[No Mess] [Kills Flying and Crawling Insects on Contact]
[No Measuring] [Kills Deer Ticks and Other Ixodid Tick Species Which May Carry Lyme disease]
[No Mixing]
[Ready to Use Pump (Trigger) Sprayer]
[Effective long-term control]
[For Use in Homes, Apartments and Non-Food/Feed Areas of Commercial and Institutional Facilities]
(Ready to Use Insecticide & Repellent (with) easy swipe™ (applicator)).
(For Use Only on Horses, Ponies, Dogs, and for use as a Premise spray)

(Kills and Repels (More Than 70 Species Including): Biting Flies, Stable Flies, Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Gnats, No-See-Ums, Carpenter Bees, Fleas, Ticks, Chiggers, Lice and Mosquitoes including Culex species which have been known to transmit West Nile Virus.)


(Kills Insects On Contact: Cockroaches, Scorpions, Beetles, Centipedes, Millipedes, Fire Ants, Carpenter Ants, Crickets, and Spiders including, Black Widows on premises.)

(Rapid knockdown, kill and repellency (for up to 14 days))

ACTIVE INGREDIENTS:

Table with 2 columns: Ingredient Name and Percentage. Includes Permethrin (0.20%), Pyrethrins (0.10%), N-Octyl bicycloheptene dicarboximide (0.50%), and OTHER INGREDIENTS (99.20% total).

* Cis, trans isomers ratio: Min. 35% (+ or -)trans and Max. 65% (+ or -)cis
** MGK® 264 Insecticide Synergist
EVERCIDE®, MGK® - Registered trademarks of McLaughlin Gormley King Company



KEEP OUT OF REACH OF CHILDREN CAUTION

Table with 2 columns: Situation (IF SWALLOWED, IF ON SKIN OR CLOTHING) and First Aid instructions (Immediately call a poison control center or doctor, Do not induce vomiting, Do not give any liquid to the person, etc.)

Net Contents _____
Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427
EPA Reg. No. 1021-1790 EPA Est. No. 1021-MN-2

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Avoid contamination of food or feedstuffs. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. ~~Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate.~~ To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This pesticide is toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow drift when bees are actively visiting treatment area.

Kills [controls] insects [on contact] [such as]:

American Dog Ticks	American Cockroach [adults (nymphs)]	Midges
Beetles	Australian Cockroach [adults (nymphs)]	Millipedes
Booklice	Oriental Cockroach [adults (nymphs)]	Palmetto Bugs
Boxelder Bugs	Crickets [adults (nymphs)]	Pillbugs
Carpenter Ants [Eastern (Western)]	Earwigs	Sciarid Flies
Carpenter Bees	Elm Leaf Beetles	Scorpions
Carpet Beetles [Dermestids (Trogoderma)]	Firebrats	Silverfish
Centipedes	Fleas [adults (larvae) (eggs) (preadult)]	Sowbugs
Clothes Moths	Flies	Spiders
Clover Mites	Flying Moths	Ticks [that may carry and transmit Lyme disease]
Cluster Flies	Foraging Ants [Fire Ants] [Pharaoh Ants]	Brown Dog Ticks
Cockroaches [adults (nymphs)]	Gnats	Deer Ticks
Smokey Brown Cockroach [adults (nymphs)]	Ground Beetles	Lone Star Ticks
Brown-banded Cockroach [adults (nymphs)]	Gulf Coast Ticks	Other Ixodid Species
Asian Cockroach [adults (nymphs)]	Horn Flies	Waterbugs [adults (nymphs)]
German Cockroach [adults (nymphs)]	Lice	

STORED PRODUCT PESTS:

Almond Moths	Flat Grain Beetles	Merchant Grain Beetles
Angoumois Grain Moths	Flour Beetles	Red Flour Beetles
Cadelles	Grain Mites	Rice Weevils
Chocolate Moths	Grain Weevils	Saw-toothed Grain Beetles
Cigarette Beetles	Indian Meal Moths	Tobacco Moths
Confused Flour Beetles	Indian Mealworms	Warehouse Beetles
Drugstore Beetles	Lesser Grain Borers	

For use in [including, but not limited to] [such as]:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedrooms, Boats, Bookcases, Buses, Cabins, Cafeterias, Campers, Campsites, Carpets, Cat Sleeping Quarters, Chests, Closed Barns, Closed Porches, Closets, Clothes Storage, Commercial Buildings, Condominiums, Crematoriums, Day Care Centers, Decks, Dens, Dog Houses, Dormitories, Draperies, Drive-Ins, Drugstores, Factories, Floors, Food Plants, Funeral Parlors, Furniture, Garages, Garbage Cans, Gazebos, Homes, Hospitals, Hotels, Household Contents, Indoor Eating Establishments, Industrial Plants, Institutions, Jails, Kennels, Kitchens, Lanais, Living Rooms, Locker Rooms, Mausoleums, Mobile Homes, Morgues, Mortuaries, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Outdoor Eating Establishments, Pantry, Patios, Pet Bedding, Pet Grooming Shops, Pet Sleeping Areas, Pet Stores, Pet Carriers, Play Houses, Play Rooms, Porches, Prisons, Railroad Cars, Recreation Vehicles, Recreational Areas, Restaurants, Rooms, Rugs, Schools, Ships, Solariums, Sports Stadiums, Storage Areas, Sun Porches, Sun Rooms, Supermarkets, Taverns, Theaters, Trailers, Trains, Transportation Vehicles, Trucks, Utility Rooms, Verandas, Veterinary Clinics, Warehouses, Washrooms, and Zoos.

EVERCIDE® Carpet & Surface Spray 28021 contains two active ingredients that stop and kill fleas and control [kills] other listed insects. The first active ingredient is the botanical Pyrethrum [an extract of a Chrysanthemum flower], which provides effective knockdown and quick-kill of listed insects. Permethrin, the second active ingredient, provides residual activity.

EVERCIDE® Carpet & Surface Spray 28021 has a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [eggs (hatching eggs) (larvae)]. EVERCIDE® Carpet & Surface Spray 28021 can be used to control [kill] (interrupt) fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floors, cracks, crevices, and cabinets. Occasionally adult fleas may be present [observed] in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products ([such as] [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application and prior to re-entry.

EVERCIDE® Carpet & Surface Spray 28021 has a(n) [effective] formula that reaches cockroaches through cracks and crevices to kill them where they hide.

EVERCIDE® Carpet & Surface Spray 28021 is an outstanding value because it is proven to kill and repel (more than 70 species of) flying, crawling, creeping and biting pests. It is approved for use on horses, ponies, and dogs and as a premise spray.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE [EACH] USE

SHAKE WELL BEFORE USE. Hold container upright and spray as directed. [SHAKE WELL BEFORE USE – Ready to use. No mixing necessary. Hold container upright and spray as directed. EVERCIDE® Carpet & Surface Spray 28021 may be applied directly with either a soft cloth or fine mist spray.]

Do not apply this product in hospital patient rooms while occupied or in any rooms while occupied by the elderly or infirm.

Do not apply in classrooms when in use.

Do not apply to aircraft cabins.

Do not apply to institutions (including libraries, sport facilities, etc.) or in immediate areas when occupants are present.

Do not use in edible product areas of food/feed processing plants and restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms but excluding areas where foods may be prepared or held.

For use in non-food/feed areas of food/feed handling establishments such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

In the home, cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Cover or remove exposed food.

DIRECTIONS:

To operate sprayer, [turn tip to proper setting [for] (broad) (fine)] spray surfaces or pinstream [for] cracks and crevices, and pump trigger to spray as directed. [Do not operate in OFF position.] [After use, turn tip to OFF to avoid accidental spraying.]

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard. [Do not use on animals.] Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use, as liquid products may adversely affect some natural and synthetic fibers.

DO NOT CONTAMINATE FOOD AREAS.

FLEA AND TICK CONTROL:

FOR SURFACE AND CARPET SPRAY: Prior to application, thoroughly vacuum all carpeting and upholstered furniture, along baseboards, under furniture, and in closets. Put vacuum bag into a sack and dispose of in outside trash. Apply uniformly at the rate of 1 quart [32 fluid ounces] per 1,000 square feet [1 fluid ounce per 31 square feet] to rugs, carpets, draperies, and all surfaces of upholstered furniture. Treat under and around furniture if pets frequently rest in these areas. Avoid excessively wetting upholstered furniture and draperies. A fine spray applied uniformly is all that is necessary to kill fleas. To kill ticks and other labeled insects, apply directly to pests. Do not allow children or pets to walk on treated surfaces until completely dry. Do not spray on pets or humans.

FOR USE IN VEHICLES: If flea infested animals are transported in vehicles, use as directed above to control infestation.

FOR USE IN PET [DOG] AREA: Treat dog bedding and other dog resting places as these are primary hiding areas for fleas and ticks. No need to remove pet bedding after treatment. To reduce infestation, spray around sleeping area, around baseboards, window and door frames, wall cracks, local areas of floors, and other resting places until the surface is slightly moist. Also spray the entire inside surface of doghouses and kennels. Do not allow pets to use treated areas until completely dry.

For best results, to protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, ([such as] [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application and prior to re-entry.

FOR COCKROACH CONTROL:

Cockroaches [adults (nymphs)] [Smoky Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach], Waterbugs, and Palmetto Bugs:

CRACK AND CREVICE SPRAY: (Use a pinstream spray). Special attention should be paid to areas such as behind baseboards, connection areas around drains, pipes, behind and beneath sinks, stoves, around plumbing, and other visible cracks and crevices. Spray these areas thoroughly, being certain that spray penetrates well.

CONTACT APPLICATION: (A [broad] [fine] spray pattern should be used on all surfaces). Spray at the rate of 1 gallon [128 fluid ounces] per 1,000 square feet [1 fluid ounce per 8 square feet] and contact as many insects as possible with this spray in addition to thoroughly spraying all parts of the room suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, contacting as many insects with spray whenever possible.

Use EVERCIDE® Carpet & Surface Spray 28021 with an indoor cockroach fogger for particularly heavy roach infestations.

FOR CONTROL OF Crickets, Firebrats, Silverfish, Booklice, Scorpions, Spiders, Centipedes, Sowbugs, Pillbugs, Earwigs, Clover Mites, Lice and Millipedes: Contact as many insects as possible with this spray in addition to thoroughly spraying all parts of the room suspected of harboring these pests. Special attention should be paid to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans, cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, contacting insects with spray whenever possible.

EXPOSED STAGES of Flour Beetles, Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetles, Confused Flour Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Saw-toothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Grain Mites, and Indian Mealworms: Find and dispose of infested packaged goods. Remove all other items from pantry, shelves, and drawers and clean thoroughly. Spray into cracks and crevices, shelves, drawers, cabinets, and other areas where these insects tend to congregate. Place clean paper on the shelves and return packages after spray has dried.

ANTS, Foraging Fire Ants, Pharaoh Ants, Carpenter Ants [Eastern (Western)]: Treat doors, around window frames, ant trails, and other areas of entry. Spray on ants where possible.

CARPET BEETLES [Dermestids (Trogoderma)]: Directly spray as many insects as possible. Spray all surfaces of upholstered furniture. Where possible, both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, floors, walls, windowsills, baseboards, areas under furniture, and wherever these insects are seen or suspected.

CLOTHES MOTHS: Remove any infested articles from storage, brush immediately, and air for several hours in sunlight, if possible. Apply liberally to empty chests, closets, bureaus and other storage areas where these pests are suspected directing the spray into cracks, joints, and crevices. Return clean articles after spray has thoroughly dried.

OUTDOOR APPLICATION:

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only.

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

Remove all exposed food and cooking utensils. Cover all food-handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops. Caution should be taken to avoid spraying when wind conditions could create a mist to blow back to applicator. Do not apply this product in or around bodies of water. Do not spray directly on plants. Spray the surface areas and contact as many insects as possible.

ANTS, Foraging Fire Ants, Pharaoh Ants, Carpenter Ants [Eastern (Western)]: Spray ant trails, hills, and mounds and other areas of entry and infestation. Spray on ants where possible.

SPIDERS: Spray directly on spiders and webs.

SOWBUGS, Millipedes, Beetles, Ground Beetles, Elm Leaf Beetles, Box elder Bugs, Earwigs, Pillbugs, Clover Mites, Centipedes, Scorpions, Cockroaches, Crickets, Palmetto Bugs, Waterbugs: Spray surfaces and hiding places thoroughly, such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas, sheds and other areas where these pests tend to congregate.

FLIES, Gnats, Flying Moths, Midges, and other flying insects: Use only outdoors as an aid in reducing annoyance from these insects. Spray outside surfaces of window and door frames as well as other areas where these pests may enter the home. Also spray dark corners and localized resting areas such as under eaves, porches, patios, garages, garbage can areas, and other areas where these insects may congregate. Flying insects coming to rest on treated surfaces will be killed.

HORSES, PONIES AND FOALS: Do not apply to foals under 12 weeks of age. Kills and repels Stable Flies, Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Cluster Flies, Sciarid Flies, Mosquitoes including Culex species which has been known to transmit West Nile Virus, Gnats, Midges, Punkies and No-See-Ums, Carpenter Bees, Moths including Almond, Chocolate, Tobacco, Indian Meal, Angoumois Grain, and other flying moths, Fleas, Ticks including Brown Dog, Lone Star, Deer, Other Ixodid Species, American Dog, and Gulf Coast), Chiggers and Lice.

For initial treatment, apply 1-2 ounces daily for 2 to 3 days. (As infestation subsides, repeat treatment every 7-14 days or as prescribed by a veterinarian). Also re-apply every time animal is washed or exposed to heavy rain.

USE AS A WIPE ON: Brush animal to remove excess dirt and dust. Moisten but do not wet to the point of dripping a soft cloth and rub over the hair. It is best to apply by rubbing against the hair growth. Give special attention to the legs, shoulders, shanks, neck and facial areas where flies most often are seen. Only a light application is required. Avoid using an excessive amount on your horses. Do not wet skin. After application, brush thoroughly to bring out bright sheen on the coat.

USE AS A ROLL ON: Remove cap from bottle. Apply around animal's nose, eyes, ears and mouth. May also be used as a spot treatment on areas where flies gather. Avoid direct application to eyes, nose and mouth. Replace cap after use. For initial treatment apply daily for 2 to 3 days.

USE AS A SPRAY: (Remove the cap and heat seal. Insert the hose into the bottle and secure the cap onto the bottle). (Activate the sprayer by pumping the handle 3 to 4 times. Press the trigger to spray). Apply to face, legs, flanks, top line, and other body areas commonly attacked by flies. Do not wet horse's skin or exceed two ounces per application. After application, brush thoroughly to bring out a bright sheen on the coat.

DOGS: Kills and repels fleas, ticks and lice. Consult a veterinarian before using this product on debilitated, medicated, aged, pregnant or nursing animals. Do not apply to puppies under the age of 12 weeks.

Cover animal's eyes with a hand. Do not spray directly on mouth, nose and eyes. Spray head, ears and chest until damp. With fingertips, rub into face, and around mouth, nose, and eyes. Then spray from the neck to the tail, finishing legs last. For best penetration of spray to skin and on heavily coated animals, direct spray against the natural lay of the hair, spraying the ruffled hair directly behind the hand. Make sure the spray thoroughly wets ticks. (When used on miniature and toy breeds of dogs, towel dry the animal after 1/2 hour if not completely dry). Avoid contact with genitalia.

USE AS A PREMISE SPRAY: Kills insects on contact such as: Cockroaches, including Smoky Brown, Brown Banded, Asian, German, American, Australian and Oriental, Scorpions, Black Widow Spiders, Cellar Spiders, Grain Mites, Clover Mites, Beetles, (including Carpet, Flat Grain, Flour, Cigarette, Confused Flour, Drugstore, Lesser Grain Borer, Merchant Grain, Saw-toothed Grain, Warehouse, Red Flour, Ground, Elm Leaf), Rice Weevils, Centipedes, Millipedes, Fire Ants, Carpenter Ants, Foraging Ants and Pharaoh Ants, Palmetto Bugs, Water Bugs, Cadelles, Indian Meal Worms, Sowbugs, Boxelder Bugs, Earwigs, Pillbugs, Firebrat, Silverfish, Clothes Moths, Booklice, and Crickets. Cover all food handling surfaces and remove all food and cooking utensils, or wash thoroughly after treatment. Cover or remove exposed food. Spray in areas where insects congregate. Direct spray to contact insects for rapid knockdown and kill. Spray around outside of door facings and screens to render area unattractive to insects. This will help to repel insects and prevent entrance into building.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage

[Store product with spray nozzle closed.] Store in a cool, dry area, preferably one that can be locked. Always store pesticides in the original container. Store container upright. Store away from food and pet food.

Pesticide Disposal and Container Handling

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Optional Storage and Disposal instructions for residential use using refillable containers.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage

[Store product with spray nozzle closed.] Store in a cool, dry area, preferably one that can be locked. Always store pesticides in the original container. Store container upright. Store away from food and pet food.

Pesticide Disposal and Container Handling

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Optional Storage and Disposal instructions for agricultural or industrial use.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Post as a pesticide storage area. Always store pesticides in the original container. Store away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Place liquid formulations on lower shelves and dry formulations above.

Pesticide Disposal

To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

Container Handling

Nonrefillable container. Do not reuse or refill this container.

Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by incineration. Do not burn unless allowed by state and local ordinances.

Optional Storage and Disposal instructions for agricultural or industrial use using refillable containers

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Post as a pesticide storage area. Always store pesticides in the original container. Store away from food, pet food, feed, seed, fertilizers and veterinary supplies. Place liquid formulations on lower shelves and dry formulations above.

Pesticide Disposal

To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

Container Handling

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by incineration Do not burn unless allowed by state and local ordinances.