

	United States Environmental Protection Agency Washington, DC 20460	Registration Amendment Other	OPP Identifier Number
		X	
	<b>Application for Pesticide - Section I</b>		

1. Company/Product Number 1021-1795	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) MULTICIDE® Fogging Concentrate 2798	PM# 10	
5. Name and Address of Applicant (Include Zip Code) McLAUGHLIN GORMLEY KING COMPANY 8810 TENTH AVENUE NORTH MINNEAPOLIS, MN 55427  <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____ Product Name _____

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**NOTIFICATION**  
AUG 14 2006

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

Notification pursuant to PR Notice 98-10 deleting an inappropriate sentence contained in the label

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
*Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify)	
3. Location of Net Contents information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other	

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name JULIE B. SCHLEKAU	Title Registration Specialist	Telephone No. (Include Area Code) (763) 544-0341
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received  (Stamped)
2. Signature 	3. Title Registration Specialist	
4. Typed Name JULIE B. SCHLEKAU	5. Date 7/21/2006	

NOTIFICATION

AUG 14 2006

MULTICIDE® Fogging Concentrate 2798

**MGK®**

**McLAUGHLIN  
GORMLEY  
KING COMPANY**

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

[ ]denotes alternate language

A Quick Knockdown, Oil Soluble Synergized Synthetic Pyrethroid for Effective Control of Adult MOSQUITOES, GNATS, BITING AND NON-BITING MIDGES and BLACKFLIES in Outdoor Residential and Recreational Areas.

For use only by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

**ACTIVE INGREDIENTS:**

Prallethrin: (RS)-2-methyl-4-oxo-3-(2-propynyl) cyclopent-2-enyl-(1RS)-cis, trans-chrysanthemate .....	1.00%
Sumithrin®: 3-Phenoxybenzyl-(1RS, 3RS, 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl) Cyclopropanecarboxylate .....	5.00%
* Piperonyl Butoxide, Technical .....	5.00%
** OTHER INGREDIENTS .....	89.00%
	100.00%

\* Equivalent to 4.00% (butylcarbityl) (6-propylpiperonyl) ether and 1.00% related compounds

\*\* Contains petroleum distillate

Contains 0.085 pounds of Technical Prallethrin/Gallon, 0.37 pounds of Technical Sumithrin®/Gallon and 0.37 pounds of Technical Piperonyl Butoxide/Gallon.

MULTICIDE® - Registered trademark of McLaughlin Gormley King Company  
Sumithrin™ - Trademark of Sumitomo Company Ltd.

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

**PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente**

**FIRST AID**

<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>▪ Immediately call a poison control center or doctor.</li> <li>▪ Do not induce vomiting unless told to do so by a poison control center or a doctor.</li> <li>▪ Do not give <b>any</b> liquid to the person.</li> <li>▪ Do not give <b>anything</b> by mouth to an unconscious person.</li> </ul>
----------------------	--

**NOTE TO PHYSICIAN:** Contains petroleum distillate – vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Net Contents \_\_\_\_\_

Manufactured by:

**Mc LAUGHLIN GORMLEY KING COMPANY**  
8810 Tenth Avenue North  
Minneapolis, MN 55427

EPA Reg. No. 1021-1795

EPA Est. No. 1021-MN-2

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Do not apply overbodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material beyond the body of water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or wash waters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply to blooming crops or weeds when bees are visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

*g/c*

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

**IN CALIFORNIA:** This product is to be applied by County Health Department, State Department of Health Services, Mosquito and Vector Control or Mosquito Abatement District personnel only.

**PROHIBITION ON AERIAL USE:** Not for aerial application in Florida unless specifically authorized by the Bureau of Entomology, Florida Department of Agriculture and Consumer Services.

Do not allow spray treatment to drift on pastureland, cropland, poultry ranges, or water supplies.

Do not contaminate food, feed or drinking water.

Wear long sleeved shirt and long pants, socks and shoes.

MULTICIDE® Fogging Concentrate 2798 cannot be diluted in water. Dilute this product with light mineral oil if dilution is preferred.

**USE AREAS:** For use in mosquito adulticiding programs involving outdoor residential and recreational areas where adult mosquitoes are present in annoying numbers, and in vegetation surrounding parks, woodlands, swamps, marshes, overgrown areas and golf courses. For best results, apply when mosquitoes are most active and meteorological conditions are conducive to keeping the spray cloud close to the ground, such as when air temperature inversion is present. Do not apply when wind speeds exceed 10 mph. Do not treat a site with more than 0.0036 pounds of sumithrin or 0.0008 pounds of prallethrin per acre in a 7-day period. More frequent applications may be made if adult mosquitoes have reinfested the treatment area and to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort. Do not exceed 0.094 pounds of sumithrin or 0.021 pounds of prallethrin per acre in any site in a year

### SPRAY DROPLET SIZE DETERMINATION:

**Ground-based Application:** Spray equipment must be adjusted so that the volume median diameter (VMD) is between 8 and 30 microns ( $D_v 0.5 < 30 \mu m$ ) and that 90% of the spray is contained in droplets smaller than 50 microns ( $D_v 0.9 < 50 \mu m$ ). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

**Aerial Application:** Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns ( $D_v 0.5 < 60 \mu m$ ) and that 90% of the spray is contained in droplets smaller than 100 microns ( $d_v 0.9 < 100 \mu m$ ). The effects of flight speed and, for non-rotary atomizers, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant, or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

**GROUND U.L.V. APPLICATION:** To control Mosquitoes and other listed insects, apply MULTICIDE® Fogging Concentrate 2798 at a flow rate of 2.5 to 7.5 fluid ounces per minute at an average vehicle speed of 10 mph using a swath width of 300 feet for acreage calculations (see chart below). Under normal residential conditions a flow rate of 4.5 fluid ounces per minute is recommended. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.0003 to 0.0008 pounds of Prallethrin and 0.0012 to 0.0036 pounds of Sumithrin® and Piperonyl Butoxide per acre. Vary flow rate according to vegetation density and mosquito population. Use higher flow rate in heavy vegetation or when populations are high. For proper application, mount the applicator so the nozzle is at least 4 ½ feet above ground level and directed out the back of the vehicle. Failure to follow the above directions may result in reduced effectiveness. MULTICIDE® Fogging Concentrate 2798 may also be diluted with a suitable solvent such as mineral oil and applied by GROUND U.L.V. equipment so long as 1.24 fluid ounces per acre of MULTICIDE® Fogging Concentrate 2798 is not exceeded. Refer to the table on following page for flow rate calculations for diluted end-use formulations of MULTICIDE® Fogging Concentrate 2798.

Use the following tables to calculate application rates:

Pounds a.i./Acre			MFC 2798
Prallethrin	Sumithrin®	PBO	Fl. oz./Acre
0.0008	0.0036	0.0036	1.24
0.0005	0.0022	0.0022	0.75
0.0004	0.0018	0.0018	0.62
0.0003	0.0012	0.0012	0.41

Flow Rates in fluid oz./minute at truck speeds of:			
5 MPH	10 MPH	15 MPH	20 MPH
3.8	7.5	11.3	15.0
2.3	4.5	6.8	9.1
1.9	3.8	5.6	7.5
1.2	2.5	3.7	5.0


MULTICIDE® Fogging Concentrate 2798 may be applied undiluted with a non-thermal ULV portable "backpack" or hand-held spray unit capable of delivering droplets in the 8 to 30 micron range. Apply at a walking speed of 2 mph, ensuring that maximum application rates are not exceeded.

**AERIAL APPLICATION:** Aerial application shall be made when ground wind speed is 10 mph or less and when thermal activity is low. Applications shall be made when surface temperature exceeds 50°F. Application shall be made at an altitude of 50 to 300 feet. If a temperature inversion is present, application shall be made at an application height that is below the upper level of the inversion. Flow rate and swath width shall be set so as to achieve 0.41 to 1.24 fluid ounces of MULTICIDE® Fogging Concentrate 2798 per acre. Appropriate spray systems include rotary atomizers, flat fan, high pressure, and high pressure impaction nozzles characterized and oriented to achieve the droplet characteristics above.

MULTICIDE® Fogging Concentrate 2798 may also be diluted with a suitable solvent such as mineral oil and applied by aerial U.L.V. equipment so long as 1.24 fluid ounces per acre of MULTICIDE® Fogging Concentrate 2798 is not exceeded. Refer to the table on following page for flow rate calculations for diluted end-use formulations of MULTICIDE® Fogging Concentrate 2798.

M/L

MULTICIDE® Fogging Concentrate 2798 (Prallethrin + Sumithrin + PBO) Formulation Dilution Table



Undiluted MULTICIDE® Fogging Concentrate 2798

Dosage Description	Pounds a.i. /Acre			% Conc. *	MFC 2798 Oz./Acre	Flow Rates in fluid oz./minute at truck speeds of:			
	Prallethrin	Sumithrin	PBO			5 MPH	10 MPH	15 MPH	20 MPH
High Population	0.0008	0.0036	0.0036	5.0	1.24	3.8	7.5	11.3	15.0
Recommended	0.0005	0.0022	0.0022	5.0	0.75	2.3	4.5	6.8	9.1
Light Population	0.0004	0.0018	0.0018	5.0	0.62	1.9	3.8	5.6	7.5
	0.0003	0.0012	0.0012	5.0	0.41	1.2	2.5	3.7	5.0

Dilution Calculations

Dosage Description	Pounds a.i. /Acre			% Conc. *	Fluid oz. finished spray/Acre	Flow Rates in fluid oz./minute at truck speeds of:			
	Prallethrin	Sumithrin	PBO			5 MPH	10 MPH	15 MPH	20 MPH
High Population	0.0008	0.0036	0.0036	4.0	1.55	4.7	9.4	14.1	18.8
Recommended	0.0005	0.0022	0.0022	4.0	0.94	2.8	5.7	8.5	11.4
Light Population	0.0004	0.0018	0.0018	4.0	0.78	2.3	4.7	7.0	9.4
	0.0003	0.0012	0.0012	4.0	0.52	1.6	3.2	4.7	6.3

Dosage Description	Pounds a.i. /Acre			% Conc. *	Fluid oz. Finished spray/Acre	Flow Rates in fluid oz./minute at truck speeds of:			
	Prallethrin	Sumithrin	PBO			5 MPH	10 MPH	15 MPH	20 MPH
High Population	0.0008	0.0036	0.0036	3.0	2.07	6.3	12.5	18.8	25.1
Recommended	0.0005	0.0022	0.0022	3.0	1.25	3.8	7.6	11.4	15.2
Light Population	0.0004	0.0018	0.0018	3.0	1.04	3.1	6.3	9.4	12.5
	0.0003	0.0012	0.0012	3.0	0.69	2.1	4.2	6.3	8.4

Dosage Description	Pounds a.i. /Acre			% Conc. *	Fluid oz. Finished spray/Acre	Flow Rates in fluid oz./minute at truck speeds of:			
	Prallethrin	Sumithrin	PBO			5 MPH	10 MPH	15 MPH	20 MPH
High Population	0.0008	0.0036	0.0036	2.0	3.10	9.4	18.8	28.2	-
Recommended	0.0005	0.0022	0.0022	2.0	1.88	5.7	11.4	17.0	22.7
Light Population	0.0004	0.0018	0.0018	2.0	1.55	4.7	9.4	14.1	18.8
	0.0003	0.0012	0.0012	2.0	1.03	3.1	6.2	9.4	12.5

Dosage Description	Pounds a.i. /Acre			% Conc. *	Fluid oz. Finished spray/Acre	Flow Rates in fluid oz./minute at truck speeds of:			
	Prallethrin	Sumithrin	PBO			5 MPH	10 MPH	15 MPH	20 MPH
High Population	0.0008	0.0036	0.0036	1.0	6.20	18.8	-	-	-
Recommended	0.0005	0.0022	0.0022	1.0	3.80	11.5	23.0	-	-
Light Population	0.0004	0.0018	0.0018	1.0	3.10	9.4	18.8	28.2	-
	0.0003	0.0012	0.0012	1.0	2.07	6.3	12.5	18.8	25.1

*Handwritten signature/initials*

- \*Based on Sumithrin Concentration

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) . Then offer for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill, or by other procedures approved by state and local authorities.

576

6/6

# MGK<sup>®</sup>

McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A.  
763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

July 21, 2006

Document Processing Desk (NOTIF)  
Insecticide-Rodenticide Branch  
Office of Pesticide Programs (H7504P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

Subject: Notification per PR Notice 98-10  
MULTICIDE<sup>®</sup> Fogging Concentrate 2798  
EPA Reg. No. 1021-1795

**NOTIFICATION**

**AUG 14 2006**

Dear Sir/Madam:

Enclosed you will find a Notification wherein we have deleted a sentence that was inadvertently included in the label text but should not have been. This sentence is inappropriate for this product type and the use directions on the label. We have deleted the sentence "Remove pets, birds and cover fish aquariums before spraying." That sentence is appropriate for an indoor fogging concentrate but inappropriate for an outdoor mosquito adulticide product.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need further information, please feel free to give us a call.

Sincerely,



Julie B. Schlekau  
Registration Specialist  
[julie.schlekau@mgk.com](mailto:julie.schlekau@mgk.com)  
763-544-6437 - Fax  
800-645-6466 - Telephone

Enclosures

**Quality Products Since 1902**