

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

Mr. Jeffrey Nelson McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427-4372 APR 1 8 2012

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Mr. Nelson:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated April 3, 2012 for the following product(s):

Multicide® Fogging Concentrate 2798 Reg. No. 1021-1795

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Richard J. Gebken Product Manager Insecticide Branch

Registration Division (7504P)

2017

Please read instructions before com	pleting form						60. Approval expires 05-31-98
		nited States			Regratio		OPP Identifier Number
SEPA		Protection Agency		Amendment			
	Washir	gton, DC 20460		X	Other		
		Application	n for Pestici		n I		
1. Company/Product Numb	per		2. EPA Product Manage		ger 3. Propo		Classification
1021-1795			Richard G	ebken		_	
4. Company/Product (Nam			PM#			✓ None	Restricted
Multicide® Fogging Con				10			
5. Name and Address of AphicLAUGHLIN GORM			The state of the s				ion 3(c)(3)(b)(i), my
8810 TENTH AVENU			product is sin	nliar or identic	al in compositi	on and labelin	g to:
MINNEAPOLIS, MN 5			EPA Reg. N	lo			
Will Will Co. In Co. I will co			L. A. Rog. 1			100000	
			Product Na	me			
Check if this	is a new address		a Charles				
	2000年 1900年		Section - I				
Amendment	- Explain below.				Final printed	labels in respo	onse to
A BELLEVIE . IN					Agency letter	dated	
Resubmissio	n in response to Agency le	etter dated			"Me Too" App	olication.	
Notification - Explanation: Use addition	Explain below.				Other - Expla	in below.	
			Section - II				
1. Material This Product Wi	Il Be Packaged In:						
Child-Resistant Packaging	Unit Packaging		Water Soluble	Packaging		2. Type of C	ontainer
☐ Yes*	☐ Yes			Yes		✓ Metal	
✓ No	✓ No		<b>V</b>	No		Plastic	
	If "Yes"	No. per	If "Yes"		No. per	Glass	
*Certification must	Unit Packaging wgt.	container	Package wgt.		container	Paper	On:£ \
be submitted 3. Location of Net Contents	information	4. Size(s) Reta	ail Container		5. Location of		Specify)
Label	Container	2 oz to	all Container		J. Location of	On Label	Jiis
V Labor		275 Gal. To	ote				accompanying product
6. Manner in Which Label is	Affixed to Product	7		7	Other		and the second s
		Paper glued					
		Stenciled					
	5.大学上的一定"发现		Section - IV	Name and Address of the Owner, where the			
1. Contact Point (Complete	items directly below for ide	entification of indi	vidual to be con	tacted, if nec	essary, to proc	ess this applic	eation.)
Name		Title					o. (Include Area Code)
Jeffrey Nelson		Regulatory	Affairs Spec	ialist		(763) 593.	3440
	nts I have made on this for nowingly false or misleadir	ng statement may				e.	6. Date Application Recoived (Stamped)
2. Signature		3. Title Regulatory	3. Title Regulatory Affairs Specialist			(() () () () () () () () () () () () ()	((((
4. Typed Name Jeffrey Nelson		5. Date 4/3/2012				× , C , E C	cccco



April 03, 2012

Document Processing Desk (NOTIF)
U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs (H7504C)
Room S-4900, One Potomac Yard
2777 South Crystal Dr.
Arlington, VA 22202-4501

Via Courier

Subject:

Multicide® Fogging Concentrate 2798

EPA Reg. No. 1021-1795

Notification Per PR-Notice 98-10

Dear Sir or Madam:

By Notification we are adding a warranty statement:

[NOTICE: To the extent provided by law, Seller makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.]

Enclosed, please find the following documents to support this application:

Application for Notification (EPA Form 8570-1) One color, highlighted copy of the label One monochrome copy of the label

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulation at 40 CFR 152.46, and no other change have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Jeffrey Nelson

Regulatory Affairs Specialist

jeff.nelson@mgk.com

800-645-6466 - Telephone

763-544-6437 - FAX

**Enclosures** 

c: Diana Hedlund, MGK

8810 Tenth Avenue North Minneapolis, MN 55427 TOLL FREE 800.645.6466 TEL 763.544.0341 FAX 763.544.6437 WWW.MGK.COM

cccc

4097

# **MULTICIDE® Fogging Concentrate 2798**

[]denotes alternate language

[A Quick Knockdown, Oil Soluble Synergized Synthetic Pyrethroid for Effective Control of Adult M OSQUITOES, GNATS, BITING AND NON-BITING MIDGES and BLACKFLIES in Outdoor Residential and Recreational Areas]

For use only by federal, s tate, tribal or loc al government officials responsible for public health or vector control, or by p ersons certified in the appropriate category or otherwise authorized by the s tate or tribal lead pes ticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

**ACTIVE INGREDIENTS:** 

\* Equivalent to 4.00% (butylcarbityl) (6-propylpiperonyl) eth er and 1.00% related compounds

\*\* Contains petroleum distillate

Contains 0.075 pounds of Prallethrin/Gallon, 0.37 5 pounds of Sumithrin®/Gallon and 0.37 5 pounds of Technical Piperonyl Butox ide/Gallon.

MULTICIDE®

Registered tradem ark of McLaughlin Gorm ley King Company

Sumithrin™ - Trademark of Sumitomo Company Ltd.

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente

PROPERTY OF THE PARTY OF THE PA	FIRST AID
IF SWALLOWED:	Immediately call a poison control center or doctor.
	<ul> <li>Do not induce vomiting unless told to do s o by a poison control center or a doc tor.</li> </ul>
	Do not give any liquid to the pers on.
	Do not give anything by m outh to an unc onscious person.
NOTE TO PHYSICIAN:	Conta ins petroleum distillates – vomiting may cause aspiration pneum onia.
Have the product contain	er or label w ith you when calling a pois on control center or doctor, or going for treatm ent. For information regarding m edical
emergencies or pesticide	e incidents, call 1-888-740-8712.

Manufactured by:



8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021 -1795

EPA Est. No. 1021-MN-2

Net Contents

# 500

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chew ing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic organisms, including fish and aquatic invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, com mercial fish ponds, sw amps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material beyond the body of water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or wash waters.

BEE WARNING: This product is highly toxic to bees exposed to direct treatm ent on blooming crops or weeds. Do not apply to or allow drift onto blooming crops or weeds when bees are visiting the treatm ent area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flam e.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirem ents exist.

IN CALIFORNIA: This product is to be applied by County Health Department, State Department of Health Services, Mosquito and Vector Control or Mosquito Abatement District personnel only.

PROHIBITION ON AERIAL USE: Not for aerial application in Florida unless specifically authorized by the Bureau of Entomology, Florida Department of Agriculture and Consumer Services.

Do not contaminate food, feed or drinking water. Do not s pray this product on or allow it to drift onto pas tureland, rangeland, cropland, poultry ranges or potable water supplies. In treatment of corrals, feed lots, swine lots and zoos, cover any exposed drinking water, drinking water fountains and animal feed before application.

Wear long sleeved shirt and long pants, socks and shoes.

MULTICIDE® Fogging Conc entrate 2798 c annot be diluted in w ater. Dilute this product with light m ineral oil if dilution is preferred.

USE AREAS: For use in mosquito adulticiding programs involving outdoor residential and recreational areas where adult mosquitoes are present in annoying numbers, and in vegetation surrounding parks, woodlands, swamps, marshes, overgrown areas and golf courses. For best results, apply when mosquitoes are most active and meteorological conditions are conducive to keeping the spray cloud close to the ground. Application in calm air conditions is to be avoided. Apply only when ground wind speed is greater than 1 mph. Air temperature should be greater than 50° F when conducting all types of applications. Do not treat a site with more than 0.0036 pounds of sumithrin, 0.0036 pounds of piperonyl butoxide, or 0.00072 pounds of prallethrin per acre in a 7-day period. More frequent applications may be made if adult mosquitoes have reinfested the treatment area and to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort. Do not ex ceed 0.094 pounds of sumithrin. 0.094 pounds of piperonyl butox ide, or 0.019 pounds of prallethrin per ac re in any site in a year

#### SPRAY DROPLET SIZE DETERMINATION:

Ground-based Application: Spray equipment must be adjusted so that the volume median diameter (VMD) is between 8 and 30 microns (Dv 0.5 < 30 um) and that 90% of the spray is contained in droplets smaller than 50 microns (Dv 0.9 < 50 um). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial Application: Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns (Dv 0.5 < 60 um) and that 90% of the spray is contained in droplets smaller than 115 microns (Dv0.9 < 115 um). The effects of flight speed and, for non-rotary atomizers, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant, or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

GROUND U.L.V. APPLICATION: To control Mosquitoes and other listed insects, apply-MULTICIDE® Fogging Concentrate 2798 at a flow rate of 2.5 to 7.4 fluid ounces per minute at an average vehicle speed of 10 mph using a swath width of 300 feet for acreage calculations (see chart below). Under normal residential conditions a flow rate of 4.6 fluid ounces per minute is recommended. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.00024 to 0.00072 pounds of Prallethrin and 0.0012 to 0.0036 pounds of Sumithrin® and Piperonyl Butoxide per acre. Vary flow rate according to vegetation density and mosquito population. Use higher flow rate in heavy vegetation or when populations are high. For proper application, mount the applicator so the nozzle is at least 4 ½ feet above ground level and directed out the back of the vehicle. Failure to follow the above directions may result in reduced effectiveness. MULTICIDE® Fogging Concentrate 2798 may also be diluted with a suitable solvent such as mineral oil and applied by GROUND U.L.V. equipment so long as 1.23 fluid ounces per acre of MULTICIDE® Fogging Concentrate 2798 is not exceeded. Refer to the table on following page for flow rate calculations for diluted end -use formulations of MULTICIDE® Fogging Concentrate 2798.

Use the following tables to calculate application rates:

	MFC 2798		
Prallethrin	Sumithrin <sup>®</sup>	PBO	Fl. oz./Acre
0.00072	0.0036	0.0036	1.23
0.00044	0.0022	0.0022	0.75
0.00036	0.0018	0.0018	0.61
0.00024	0.0012	0.0012	0.41

Flow Rate	s in fluid oz ./m	inute at truck	speeds of:
5 MPH	10 MPH	15 MPH	20 MPH
3.7	7.4	11.2	14.9
2.3	4.6	6.8	9.1
1.9	3.7	5.6	7.4
1.2	2.5	3.7	5.0

MULTICIDE® Fogging Concentrate 2798 may also be applied undiluted with non-thermal, portable, motorized backpack equipment adjusted to deliver ULV particles of 50 to 100 microns VMD. Use 0.41 to 1.23 fl.oz. of the undiluted spray per acre (equal to 0.0012 to 0.0036 lb. sumithrin/acre) as a 50 ft (15.2 m) swath while walking at a speed of 2 m ph (3.2 kph).

MULTICIDE® Fogging Conc entrate 2798 m ay be applied for urban ULV m osquito control. For control of resting or flying adult m osquitoes, biting flies and biting midges in areas such as utility tunnels, sewers, storm drains and catch basins, pipe chases, underground bas ements, underground pas sages, parking decks, crawl spaces or uninhabited buildings. MULTICIDE® Fogging Conc entrate 2798 m ay be applied us ing mechanical foggers, hand-held or truck mounted ULV equipment, non-thermal foggers or other spray equipment suitable for this application. Apply MULTICIDE® Fogging Conc entrate 2798 at rates up to but not exceeding 0.0036 pounds sumithrin, 0.0036 pounds of piperonyl butox ide, or 0.00072 pounds of prallethrin per acre in a 7-day period (not to exceed 0.094 pounds Sumithrin, 0.094 pounds of piperonyl butox ide, or 0.019 pounds of prallethrin per acre in any site in any year).

**AERIAL APPLICATION:** Application shall be made when ground wind speed is equal to or greater than 1 m ph. Applications shall be made when surface temperature exceeds 50°F. Application shall be made at 75 feet to 300 feet for rotary airc raft and 100 to 300 feet for fix ed-wing aircraft. -Flow rate and swath width shall be set so as to achieve 0.41 to 1.23 fluid ounces of MULTICIDE® Fogging Concentrate 2798 per ac re. Appropriate s pray systems include rotary atomizers, flat fan, high pres sure, and high pres sure impaction nozzles characterized and oriented to ac hieve the droplet c haracteristics above.

MULTICIDE® Fogging Concentrate 2798 may also be diluted with a suitable solvent such as mineral oil and applied by aerial U.L.V. equipment so long as 1.23 fluid ounces per acre of MULTICIDE® Fogging Concentrate 2798 is not exceeded. Refer to the table on following page for flow rate calculations for diluted enduse formulations of MULTICIDE® Fogging Concentrate 2798.

#### **Dilution Calculations**

For a 4% Sumithrin product, dilute 1 gallon M ULTICIDE® Fogging Conc entrate 2798 with 0.25 gallon oil. Finis hed spray contains 0.3 lbs Sumithrin & PBO and 0.06 pounds Prallethrin per gallon.

Dosage Description	Pounds a.i. /Acre			Fluid oz.	Flow Rates in fluid oz./m inute at truck speeds of:				
	Prallethri n	Sumithrin	РВО	finished spray/ Acre	5 MPH	10 MPH	15 MPH	20 MPH	
High Population	0.00072	0.0036	0.0036	1.54	4.7	9.3	14.0	18.6	
Recommended	0.00044	0.0022	0.0022	0.94	2.8	5.7	8.5	11.4	
Light Population	0.00036	0.0018	0.0018	0.77	2.3	4.7	7.0	9.3	
	0.00024	0.0012	0.0012	0.51	1.6	3.1	4.7	6.2	

For a 2.5% Sumithrin product, dilute 1 gallon M ULTICIDE® Fogging Concentrate 2798 with 1 gallon oil. Finis hed spray contains 0.1875 lbs Sumithrin & PBO and 0.038 pounds Prallethrin per gallon

Dosage Description	Pounds a.i. /Acre			Fluid oz.	Flow Rates in fluid oz./m inute at truck speeds of:				
	Prallethri n	Sumithrin	РВО	Finished spray/Acre	5 MPH	10 MPH	15 MPH	20 MPH	
High Population	0.00072	0.0036	0.0036	2.46	7.4	14.9	22.3	29.8	
Recommended	0.00044	0.0022	0.0022	1.50	4.6	9.1	13.7	18.2	
Links Douglation	0.00036	0.0018	0.0018	1.23	3.7	7.4	11.2	14.9	
Light Population	0.00024	0.0012	0.0012	0.82	2.5	5.0	7.4	9.9	

For a 2% Sumithrin product, dilute 1 gallon M ULTICIDE® Fogging Conc entrate 2798 with 1.5 gallons oil. Finis hed spray contains 0.15 lbs Sumithrin & PBO and 0.03 pounds Prallethrin per gallon

Dosage Description	Pounds a.i. /Acre			Fluid oz.	Flow Rates in fluid oz./m inute at truck speeds of:			
	Prallethri n	Sumithrin	РВО	Finished spray/Acre	5 MPH	10 MPH	15 MPH	20 MPH
High Population	0.00072	0.0036	0.0036	3.07	9.3	18.6	27.9	37.2
Recommended	0.00044	0.0022	0.0022	1.88	5.7	11.4	17.1	22.8
Links Demulation	0.00036	0.0018	0.0018	1.54	4.7	9.3	14.0	18.6
Light Population	0.00024	0.0012	0.0012	1.02	3.1	6.2	9.3	12.4

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by s torage and dis posal.

#### PESTICIDE STORAGE:

Store in a cool, dry place. Keep container closed.

#### PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on site or at an approved w aste disposal facility.

#### CONTAINER DISPOSAL [For nonrefillable c ontainers]:

Nonrefillable container. Do not re use or refill this container.

#### [For containers of 5 gallons or less:]

Triple rins e container (or equivalent) prom ptly after em ptying. Triple rins e as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 s econds after the flow begins to drip. Fill the c ontainer ¼ full with mineral oil and rec ap. Shake for 10 s econds. Pour rins ate into application equipment or a rins e tank or store rins ate for later us e or disposal. Drain for 10 s econds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available or rec onditioning if appropriate, or punc ture and dispose of in a sanitary land fill, or by other proc edures approved by state and loc all authorities.

#### [For containers over 5 gallons:]

[Triple rins e as follows: Empty the remaining contents into the applic ation equipment or a mix tank. Fill the container ¼ full with mineral oil. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 s econds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rins ate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.] Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

#### CONTAINER DISPOSAL [For refillable c ontainers]:

Refillable container. Refill this container with pesticide only. Do not reus e this container for any other purpos e. Cleaning before refilling is the responsibility of the refiller. To c lean the container before final dis posal, empty the remaining contents from this container into applic ation equipment or mix tank. Fill the container about 10 perc ent full with water. Agitate vigorous ly or recirculate water with the pump for 2 minutes. Pour or pump rinsate into rinsate collection system. Repeat his rinsing procedure two more times. Offer for recycling if available or rec onditioning if appropriate, or p uncture and dispose of in a sanitary landfill, or by other proc edures approved by state and local authorities.

[NOTICE: To the extent provided by law, Seller makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.]