

1021-1807

8-24-2006

1/5

Please read instructions before completing form

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
Amendment  
Other    
OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number 1021-1807	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) MULTICIDE® Fogging Concentrate 2807	PM# 10	
5. Name and Address of Applicant (Include Zip Code) McLAUGHLIN GORMLEY KING COMPANY 8810 TENTH AVENUE NORTH MINNEAPOLIS, MN 55427  <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____ Product Name _____	

**Section - II**

Amendment - Explain below.  Final printed labels in response to Agency letter dated \_\_\_\_\_

Resubmission in response to Agency letter dated \_\_\_\_\_  "Me Too" Application.

Notification - Explain below.  Other - Explain below.

**NOTIFICATION**  
AUG 24 2006

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
  
Notification pursuant to PR Notice 98-10 deleting an inappropriate sentence contained in the label

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
*Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Glass
					<input type="checkbox"/> Paper
					<input type="checkbox"/> Other (Specify)
3. Location of Net Contents information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name JULIE B. SCHLEKAU	Title Registration Specialist	Telephone No. (Include Area Code) (765) 544-0341
---------------------------	----------------------------------	---

6. Date Application Received  
  
(Stamped)

2. Signature 	3. Title Registration Specialist
4. Typed Name JULIE B. SCHLEKAU	5. Date 8/11/2006

Certification  
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.



**McLAUGHLIN  
GORMLEY  
KING COMPANY**

**MULTICIDE® Fogging Concentrate 2807**

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

[ ]denotes alternate language

A water based formulation.

For use only by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

**ACTIVE INGREDIENTS:**

Sumithrin®: 3-Phenoxybenzyl-(1RS, 3RS, 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl) Cyclopropanecarboxylate .....	10.00%
* Piperonyl Butoxide, Technical.....	10.00%
OTHER INGREDIENTS.....	80.00%
	100.00%

\* Equivalent to 8.00% (butylcarbityl) (6-propylpiperonyl) ether and 2.00% related compounds  
Contains 0.74 pounds of Technical SUMITHRIN®/Gallon and 0.74 pounds Technical Piperonyl Butoxide/Gallon.

MULTICIDE® - Registered trademark of McLaughlin Gormley King Company  
Sumithrin™ - Trademark of Sumitomo Company Ltd.

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**  
**PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente**

**FIRST AID**

<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>▪ Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>▪ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>▪ Call a poison control center or doctor for treatment advice.</li> </ul>
--------------------	---

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Net Contents \_\_\_\_\_

Manufactured by:  
**Mc LAUGHLIN GORMLEY KING COMPANY**  
8810 Tenth Avenue North  
Minneapolis, MN 55427

EPA Reg. No. 1021-1807

EPA Est. No. 1021-MN-2

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic organisms, including fish and aquatic invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or washwaters.

This product is toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply to blooming crops or weeds when bees are visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

IN CALIFORNIA: This product is to be applied by County Health Department, State Department of Health Services, Mosquito and Vector Control or Mosquito Abatement District personnel only.

**NOTIFICATION**

**AUG 24 2006**

2/5

**PROHIBITION ON AERIAL USE:** Not for aerial application in Florida unless specifically authorized by the Bureau of Entomology, Florida Department of Agriculture and Consumer Services.

Do not apply to or allow spray treatment to drift over food crops, forage crops, rice or livestock.

Wear long sleeved shirt and long pants, socks and shoes.

MULTICIDE® Fogging Concentrate 2807 cannot be mixed with oil. Use only clean water.

**SHAKE OR AGITATE THOROUGHLY BEFORE DILUTING.** Diluted product must be thoroughly agitated before use. Avoid storing excess formulation in equipment.

**USE AREAS:** For use in mosquito adulticiding programs involving outdoor residential and recreational areas where adult mosquitoes are present in annoying numbers, and in vegetation surrounding parks, woodlands, swamps, marshes, overgrown areas and golf courses. For best results, apply when mosquitoes are most active and meteorological conditions are conducive to keeping the spray cloud close to the ground, such as when air temperature inversion is present. Do not apply when wind speeds exceed 10 mph.

Do not treat a site with more than 0.0036 pounds of sumithrin per acre in a twenty-four hour period. Do not exceed 1.0 pounds of Sumithrin® per acre in any site in any year. More frequent applications may be made to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

**SPRAY DROPLET SIZE DETERMINATION:**

**Ground-Based Application:** Spray equipment must be adjusted so that the volume median diameter (VMD) is 8 to 30 microns ( $8 \leq D_v 0.5 \leq 30 \mu m$ ) and that 90% of the spray is contained in droplets smaller than 50 microns ( $D_v 0.9 < 50 \mu m$ ). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

**Aerial Application:** Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns ( $D_v 0.5 < 60 \mu m$ ) and that 90% of the spray is contained in droplets smaller than 100 microns ( $D_v 0.9 < 100 \mu m$ ). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

**GROUND U.L.V. APPLICATION:** Apply MULTICIDE® Fogging Concentrate 2807 undiluted at a flow rate of 1.3 to 3.8 fluid ounces per minute at an average vehicle speed of 10 mph using a swath width of 150 feet for acreage calculations (see chart below). Under normal residential conditions a flow rate of 2.5 fluid ounces per minute is recommended. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.0012 to 0.0036 pounds of Sumithrin® and Piperonyl butoxide per acre. Vary flow rate according to vegetation density and mosquito population. Use high flow rate in heavy vegetation or when populations are high. For proper application, mount the applicator so the nozzles is at least 4 ½ feet above ground level and directed out the back of the vehicle. Failure to follow the above directions may result in reduced effectiveness.

MULTICIDE® Fogging Concentrate 2807 may also be diluted with water and applied so as not to exceed the maximum pounds of active ingredient per acre as shown in the tables below. If an alternative dilution rate is used, adjust the flow rate accordingly, provided the droplet size and spectrum remains within label specifications.

Rates to use MULTICIDE® Fogging Concentrate 2807 Undiluted for Mosquito Control:

Pounds a.i./Acre		MFC 2807
Sumithrin®	P3C	Fl. oz./Acre
0.0036	0.0036	0.62
0.0024	0.0024	0.42
0.0012	0.0012	0.21

Flow Rates in fluid oz./minute at truck speeds of:			
5 MPH	10 MPH	15 MPH	20 MPH
1.9	3.8	5.7	7.6
1.3	2.5	3.8	5.1
0.6	1.3	1.9	2.5

Rates to use diluted (1 to 1 dilution ratio) MULTICIDE® Fogging Concentrate 2807

Pounds a.i./Acre		Finished Spray
Sumithrin®	PBO	Fl. oz./Acre
0.0036	0.0036	1.20
0.0024	0.0024	0.83
0.0012	0.0012	0.42

Flow Rates in fluid oz./minute at truck speeds of:			
5 MPH	10 MPH	15 MPH	20 MPH
3.8	7.5	11.3	15.1
2.5	5.0	7.5	10.0
1.3	2.5	3.8	5.0

Rates to use diluted (1 to 2 dilution ratio) MULTICIDE® Fogging Concentrate 2807 for Mosquito Control

Pounds a.i./Acre		Finished Spray
Sumithrin®	PBO	Fl. oz./Acre
0.0036	0.0036	1.92
0.0024	0.0024	1.28
0.0012	0.0012	0.64

Flow Rates in fluid oz./minute at truck speeds of:			
5 MPH	10 MPH	15 MPH	20 MPH
5.8	11.6	17.5	23.3
3.9	7.8	11.6	15.5
1.9	3.9	5.8	7.8

MULTICIDE® Fogging Concentrate 2807 may be applied undiluted with a non-thermal ULV portable "backpack" or hand-held spray unit capable of delivering droplets in the 5 to 25 micron range. Apply at a walking speed of 2 mph, ensuring that maximum application rates are not exceeded.

3/5

**AERIAL APPLICATION:** MULTICIDE® Fogging Concentrate 2807 may be applied at rates of 0.21 to 0.62 fluid ounces MULTICIDE® Fogging Concentrate 2807 per acre by fixed wing or rotary aircraft equipped with suitable ULV application equipment. MULTICIDE® Fogging Concentrate 2807 may also be diluted with water and applied by aerial ULV equipment so long as 0.62 fluid ounces per acre of MULTICIDE® Fogging Concentrate 2807 is not exceeded. Aerial application should be made at an altitude between 100 and 300 feet. If a temperature

inversion is present, application shall be made at an application height that is below the upper level of the inversion. This product should be applied when ground wind speeds are between 1 and 10 MPH. Do not apply when ground wind speeds exceed 10 MPH.

Reference the dilution charts on this label. If an alternative dilution rate is used, adjust the flow rate accordingly, provided the droplet size and spectrum remains within label specifications.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a cool, dry place. Keep container closed.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill, or by other procedures approved by state and local authorities.

4/5

5/5

# MGK<sup>®</sup>

**McLAUGHLIN GORMLEY KING COMPANY**  
8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A.  
763-544-0341 • 800-645-6466 • Fax 763-544-6437 • [www.mgk.com](http://www.mgk.com)

August 11, 2006

Document Processing Desk (NOTIF)  
Insecticide-Rodenticide Branch  
Office of Pesticide Programs (H7504P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

Subject: Notification per PR Notice 98-10  
MULTICIDE® Fogging Concentrate 2807  
EPA Reg. No. 1021-1807

Dear Sir/Madam:

Enclosed you will find a Notification wherein we have deleted a sentence that was inadvertently included in the label text but should not have been. This sentence is inappropriate for this product type and the use directions on the label. We have deleted the sentence "Remove pets, birds and cover fish aquariums before spraying." That sentence is appropriate for an indoor fogging concentrate but inappropriate for an outdoor mosquito adulticide product.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need further information, please feel free to give us a call.

Sincerely,



Julie B. Schlekau  
Registration Specialist  
[julie.schlekau@mgk.com](mailto:julie.schlekau@mgk.com)  
763-544-6437 – Fax  
800-645-6466 - Telephone

Enclosures

**Quality Products Since 1902**