

1021-1807

05/25/2007

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms. Julie Schlekau
Registration Specialist
McLaughlin Gormley King Company
8810 Tenth Avenue North
Minneapolis, MN 55427

MAY 25 2007

Dear Ms. Schlekau,

Subject: Agency Initiated Action – PR Notice 2005-1 Product Labeling
Multicide Fogging Concentrate 2807
EPA Reg. No. 1021-1807
Application dated April 30, 2007

The labeling referred to above, submitted in connection with registration under the Federal, Insecticide, Fungicide and Rodenticide Act, is acceptable provided you make the following changes before releasing product bearing the amended labeling for shipment.

1. Page 1. Environmental Hazards.
 - a. Revise the bee warning section to read:

“BEE WARNING: This product is toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply to *or allow drift onto* blooming crops or weeds when bees are visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

2. Page 3
 - a. Aerial Application: Under the directions for making aerial applications, make the following changes:
 - I. Change “Application shall be made when ground wind speed is 1 to 10 mph.” to “Application shall be made when ground wind speed is equal to or greater than 1 mph but not greater than 10 mph.”
 - II. Change “Application shall be made at an altitude of 50 to 300 feet.” to

“Application shall be made at 75 feet to 300 feet for rotary aircraft and 100 to 300 feet for fixed-wing aircraft.”


III. Change: “If a temperature inversion is present, application shall be made at an application height that is below the upper level of the inversion.” to “If a temperature inversion is present, application shall be made at an application height that is below the upper level of the inversion provided the application is made at an altitude no less than 75 feet for rotary aircraft and 100 feet for fixed-wing aircraft.”

b. Storage and Disposal. Change “Storage” to “Pesticide Storage”.

Please note that the availability of EPA’s reregistration eligibility document (RED) for piperonyl butoxide was published in the FR on July 26, 2006 (Vol. 71, No. 143 pg. 42385). Additional data or labeling changes may be required for products containing piperonyl butoxide.

A stamped copy of each label is enclosed for your records. Please submit 2 copies of the final printed labels within 30 days of receipt of this letter and before releasing the product for shipment. If you any questions, please do not hesitate to contact Kevin Sweeney at (703) 305-5063. Thank you for your patience and cooperation in this matter.

Sincerely,


for Richard Gebken, PM 10
Registration Division 7505P
Insecticides Branch

Enclosure



McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

MULTICIDE® Fogging Concentrate 2807

ACCEPTED with COMMENTS In EPA Letter Dated MAY 25 2007 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1021-1807

[]denotes alternate language

[A water based formulation]

For use only by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

ACTIVE INGREDIENTS:

Table with 2 columns: Ingredient name and percentage. Includes Sumithrin and Piperonyl Butoxide.

* Equivalent to 8.00% (butylcarbityl) (6-propylpiperonyl) ether and 2.00% related compounds Contains 0.74 pounds of Technical SUMITHRIN®/Gallon and 0.74 pounds Technical Piperonyl Butoxide/Gallon.

MULTICIDE® - Registered trademark of McLaughlin Gormley King Company Sumithrin™ - Trademark of Sumitomo Company Ltd.

CAUTION

KEEP OUT OF REACH OF CHILDREN

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente

FIRST AID

Table with 2 columns: IF IN EYES and instructions for first aid.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Net Contents _____

Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1807

EPA Est. No. 1021-MN-2

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and aquatic invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates.

This product is toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply to blooming crops or weeds when bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

IN CALIFORNIA: This product is to be applied by County Health Department, State Department of Health Services, Mosquito and Vector Control or Mosquito Abatement District personnel only.

3/5

PROHIBITION ON AERIAL USE: Not for aerial application in Florida unless specifically authorized by the Bureau of Entomology, Florida Department of Agriculture and Consumer Services.

Do not contaminate food, feed or drinking water. Do not spray this product on or allow it to drift onto pastureland, rangeland, cropland, poultry ranges or potable water supplies. In treatment of corrals, feed lots, swine lots and zoos, cover any exposed drinking water, drinking water fountains and animal feed before application.

Wear long sleeved shirt and long pants, socks and shoes.

MULTICIDE® Fogging Concentrate 2807 cannot be mixed with oil. Use only clean water.

SHAKE OR AGITATE THOROUGHLY BEFORE DILUTING. Diluted product must be thoroughly agitated before use. Avoid storing excess formulation in equipment.

USE AREAS: For use in mosquito adulticiding programs involving outdoor residential and recreational areas where adult mosquitoes are present in annoying numbers, and in vegetation surrounding parks, woodlands, swamps, marshes, overgrown areas and golf courses. For best results, apply when mosquitoes are most active and meteorological conditions are conducive to keeping the spray cloud close to the ground. Application in calm air conditions is to be avoided. Apply only when ground wind speed is greater than 1 mph. Air temperature should be greater than 50°F when conducting all types of applications.

Do not treat a site with more than 0.0036 pounds of sumithrin per acre in a twenty-four hour period. Do not exceed 1.0 pounds of Sumithrin® per acre in any site in any year. More frequent applications may be made to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

SPRAY DROPLET SIZE DETERMINATION:

Ground-Based Application: Spray equipment must be adjusted so that the volume median diameter (VMD) is 8 to 30 microns ($8 \leq D_v 0.5 \leq 30 \mu m$) and that 90% of the spray is contained in droplets smaller than 50 microns ($D_v 0.9 < 50 \mu m$). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial Application: Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns ($D_v 0.5 < 60 \mu m$) and that 90% of the spray is contained in droplets smaller than 100 microns ($D_v 0.9 < 100 \mu m$). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

GROUND U.L.V. APPLICATION: Apply MULTICIDE® Fogging Concentrate 2807 undiluted at a flow rate of 1.3 to 3.8 fluid ounces per minute at an average vehicle speed of 10 mph using a swath width of 300 feet for acreage calculations (see chart below). Under normal residential conditions a flow rate of 2.5 fluid ounces per minute is recommended. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.0012 to 0.0036 pounds of Sumithrin® and Piperonyl butoxide per acre. Vary flow rate according to vegetation density and mosquito population. Use high flow rate in heavy vegetation or when populations are high.

For proper application, mount the applicator so the nozzles is at least 4 ½ feet above ground level and directed out the back of the vehicle. Failure to follow the above directions may result in reduced effectiveness.

MULTICIDE® Fogging Concentrate 2807 may also be diluted with water and applied so as not to exceed the maximum pounds of active ingredient per acre as shown in the tables below. If an alternative dilution rate is used, adjust the flow rate accordingly, provided the droplet size and spectrum remains within label specifications.

Rates to use MULTICIDE® Fogging Concentrate 2807 Undiluted for Mosquito Control:

Pounds a.i./Acre		MFC 2807
Sumithrin®	PBO	Fl. oz./Acre
0.0036	0.0036	0.62
0.0024	0.0024	0.42
0.0012	0.0012	0.21

Flow Rates in fluid oz./minute at truck speeds of:			
5 MPH	10 MPH	15 MPH	20 MPH
1.9	3.8	5.7	7.6
1.3	2.5	3.8	5.1
0.6	1.3	1.9	2.5

Rates to use diluted (1 to 1 dilution ratio) MULTICIDE® Fogging Concentrate 2807

Pounds a.i./Acre		Finished Spray
Sumithrin®	PBO	Fl. oz./Acre
0.0036	0.0036	1.20
0.0024	0.0024	0.83
0.0012	0.0012	0.42

Flow Rates in fluid oz./minute at truck speeds of:			
5 MPH	10 MPH	15 MPH	20 MPH
3.8	7.5	11.3	15.1
2.5	5.0	7.5	10.0
1.3	2.5	3.8	5.0

Rates to use diluted (1 to 2 dilution ratio) MULTICIDE® Fogging Concentrate 2807 for Mosquito Control

Pounds a.i./Acre		Finished Spray
Sumithrin®	PBO	Fl. oz./Acre
0.0036	0.0036	1.92
0.0024	0.0024	1.28
0.0012	0.0012	0.64

Flow Rates in fluid oz./minute at truck speeds of:			
5 MPH	10 MPH	15 MPH	20 MPH
5.8	11.6	17.5	23.3
3.9	7.8	11.6	15.5
1.9	3.9	5.8	7.8

4/5

MULTICIDE® Fogging Concentrate 2807 may be applied undiluted with a non-thermal ULV portable "backpack" or hand-held spray unit capable of delivering droplets in the 5 to 25 micron range. Apply at a walking speed of 2 mph, ensuring that maximum application rates are not exceeded.

AERIAL APPLICATION: MULTICIDE® Fogging Concentrate 2807 may be applied at rates of 0.21 to 0.62 fluid ounces MULTICIDE® Fogging Concentrate 2807 per acre by fixed wing or rotary aircraft equipped with suitable ULV application equipment. MULTICIDE® Fogging Concentrate 2807 may also be diluted with water and applied by aerial ULV equipment so long

as 0.62 fluid ounces per acre of MULTICIDE® Fogging Concentrate 2807 is not exceeded. Aerial application should be made at an altitude between 100 and 300 feet. If a temperature inversion is present, application shall be made at an application height that is below the upper level of the inversion. This product should be applied when ground wind speeds are between 1 and 10 MPH. Do not apply when ground wind speeds exceed 10 MPH.

Reference the dilution charts on this label. If an alternative dilution rate is used, adjust the flow rate accordingly, provided the droplet size and spectrum remains within label specifications.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) . Then offer for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill, or by other procedures approved by state and local authorities.

5/5