

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

. Jeffrey Nelson McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427-4372

APR 18 2012

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Mr. Nelson:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated April 3, 2012 for the following product(s):

Multicide® Fogging Concentrate 2807

Reg. No. 1021-1807

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Richard J. Gebken
Product Manager
Insecticide Branch

Registration Division (7504P)

Please read instructions before	The second second	United States			Regio ati	on	OPP Identifier Number
SEPA		ital Protection A	•	X	Amendme Other	ent	
THE CONTRACT OF THE PARTY OF TH	vvasii		n for Pestic				
1. Company/Product Nu	mber	Application		luct Manager		3. Proposed	d Classification
1021-1807			Richard G			C. T. Topoco.	a Gladomoation
4. Company/Product (Na	ame)		PM#			✓ None	Restricted
Multicide® Fogging C					10		
	f Applicant (Include Zip Cod		6. Expedite	d Review. In	accordance wi	th FIFRA Sec	tion 3(c)(3)(b)(i), my
	RMLEY KING COMPA	NY	product is si	milar or ident	ical in composit		
8810 TENTH AVEN			EDA D			NOTIFIC	ATION
MINNEAPOLIS, MI	N 55427		EPA Reg.	NO.		APR 1	8 2042
			Product Na	ime		0-60 84 8	2012
Check if to	his is a new address		I TOGGOT THE		A THE STATE OF		
			Section -	II	general and less		
Amendme	ent - Explain below.				Final printed	labels in resp	oonse to
					Agency lette		
Resubmis	sion in response to Agency	letter dated			"Me Too" Ap	plication.	
✓ Notificatio				Г] 04 5		
— Hotimoutio	n - Explain below. ional page(s) if necessary.	(For section Land	Section II)		Other - Expla	ain below.	
			Section - I				
. Material This Product	Will Be Packaged In:		Section - I	"			
Child-Resistant Packagii			Water Solub	le Packaging		2. Type of 0	Container
Yes*	Yes			Yes		✓ Metal	
✓ No	✓ No		~	No		☐ Plasti	С
	If "Yes"	No. per	If "Yes"		No. per	Glass	
Certification must	Unit Packaging wgt.	container	Package wgt		container	Paper	
be submitted 3. Location of Net Conte	nts information	4 Size(s) Re	tail Container		5 Location o	of Label Direct	(Specify)
Label	Container	2 oz to	tali Containei		J. Location o	On Label	10113
		275 Gal. T	ote				accompanying product
6. Manner in Which Labe	el is Affixed to Product	Lithograph		1	Other		
	A STATE OF THE STA	Paper glued					
		Stenciled	<u> </u>				
0-1-10-10-1	to the second second second	dankitinaki	Section - I			46.	
. Contact Point (Comple	ete items directly below for it	Title	iividuai to be co	ntacted, if ne	cessary, to proc		lo. (Include Area Code)
Jeffrey Nelson			Affairs Spec	cialist		(763) 593	
	nents I have made on this for y knowingly false or mislead		ments thereto a			te.	6. Date Application Received
both under applicable	law.					387/48/21/8	(Stamped)
2. Signature		3. Title Regulatory	Affairs Spec	cialist		C	((()) (())
I. Typed Name		5. Date	2			erere.	C CC
leffrey Nelson		4/3/201	4			OVERE	



April 03, 2012

Document Processing Desk (NOTIF)
U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs (H7504C)
Room S-4900, One Potomac Yard
2777 South Crystal Dr.
Arlington, VA 22202-4501

Via Courier

Subject:

Multicide® Fogging Concentrate 2807 EPA Reg. No. 1021-1807 Notification Per PR-Notice 98-10

Dear Sir or Madam:

By Notification we are adding a warranty statement:

[NOTICE: To the extent provided by law, Seller makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.]

Enclosed, please find the following documents to support this application:

Application for Notification (EPA Form 8570-1) One color, highlighted copy of the label One monochrome copy of the label

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulation at 40 CFR 152.46, and no other change have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Jeffrey Nelson

Regulatory Affairs Specialist jeff.nelson@mgk.com 800-645-6466 – Telephone

763-544-6437 - FAX

Enclosures

c: Diana Hedlund, MGK

8810 Tenth Avenue North Minneapolis, MN 55427 TOLL FREE 800.645.6466 TEL 763.544.0341 FAX 763.544.6437 WWW.MGK.COM

MULTICIDE® Fogging Concentrate 2807

For Use in Mosquito Adulticiding Programs

[]denotes alternate language

NOTIFICATION

[A water based formulation]

APR 1 8 2012

ACTIVE INGREDIENTS:

Sumithrin®: 3-Phenoxybenzyl-(1RS, 3RS, 1RS, 3SR) -2,2-dimethyl-3-(2-

* (butylcarbityl) (6-propylpiperonyl) ether and related c ompounds Contains 0.847 pounds of Technical SUMITHRIN®/Gallon and 0.847 pounds Piperonyl Butoxide (PBO)/Gallon.

MULTICIDE® -Sumithrin™ -

Registered tradem ark of McLaughlin Gorm ley King Company

Trademark of Sumitomo Company Ltd.

CAUTION

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente

	FIRST AID .
IF IN EYES:	 Hold eye open and rins e slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the firs t 5 minutes, then continue rinsing eye. Call a pois on control center or doctor for treatment advice.
Have the produc	t container or label with you when calling a pois on control center or doctor, or going for treatment. For information

Manufactured by



8810 Tenth Avenue North Minneapolis, MN 55427

Net Contents

EPA Reg. No. 1021 -1807

regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

EPA Est. No. 1021-MN-2

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Avoid c ontact with eyes or clothing. W ash thoroughly with soap and water after handling and before eating, drink ing, chewing gum, or using tobacco.

PERSONAL PROTECTIVE EQUIPM ENT (PPE)

Mixers, loaders, applicators, and other handlers must wear the following:

- long-sleeve shirt,
- long pants,
- shoes and socks.

See engineering c ontrols for additional requirem ents.

USER SAFETY REQUIREM ENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reus eithem.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating drink ing chewing gum, using tobacco, or using the toilet. Us ers should remove clothing /PPE im mediately if pes ticide gets inside. Then wash thoroughly and put on c lean clothing. Us ers should remove PPE im mediately after handling this product. Wash the outside of the gloves before removing. As soon as possible, was thoroughly and c hange into c lean clothing.

ENGINEERING CONTROLS:

Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (W PS) for agricultural pesticides [40 CFR 170.240(d)(6)].

Human flagging is prohibited. Flagging to s upport aerial applic ation is limited to use of the Global Pos itioning System (GPS) or mechanical flaggers.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and aquatic invertebrates. Runoff from treated areas or deposition or spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rins ate or wash waters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to bloom ing crops or weeds while bees are actively visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes, or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

For use by federal, state, tribal, or loc all government officials responsible for public health or vector control, or by persons certified in the appropriate c ategory or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

IN CALIFORNIA: This product is to be applied by County Health Department, State Department of Health Services, Mosquito and Vector Control or Mosquito Abatement District personnel only.

IN FLORIDA: Do not apply by airc raft unless approved by the Florida Departm ent of Agric ulture and Consumer Services.

Do not treat a site with more than 0.0036 lbs of Sumithrin® and Piperonyl Butoxide (PBO) per acre in a twenty-four [24-] hour period. Do not ex ceed 0.1 lb of Sumithrin® or PBO per acre in any site in one year. More frequent treatments may be made to prevent or control a threat to public and/or anim all health determined by a state, tribal, or loc all health or vector control agency on



the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural dis aster recovery effort.

NOTE: When rotating products with other insecticides containing PBO, do not exceed 2 lbs PBO per acre per year.

Not for use in outdoor residential misting systems.

MULTICIDE® Fogging Conc entrate 2807 c annot be mixed with oil. Us e only clean water.

SHAKE OR AGITATE THOROUGHLY BEFORE DILUTING. Diluted produc t must be thoroughly agitated before us e. Avoid storing excess formulation in equipm ent.

USE INFORMATION For use in mosquito adultic iding program s involving outdoor res idential and rec reational areas where adult mosquitoes are present in annoying num bers, and in vegetation s urrounding park s, woodlands, swamps, marshes, overgrown areas and golf c ourses. MULTICIDE Fogging Conc entrate 2807 m ay be applied over agric ultural areas for the control of adult mosquitoes within or adjac ent to these areas.

For best results, apply when mosquitoes are most active and meteorological conditions are conducive to keeping the spray cloud close to the ground. Application in calm air conditions is to be avoided. Apply only when wind speed is greater than or equal to 1 mph. Air temperature should be greater than 50° F when conducting all types of applications.

SPRAY DROPLET SIZE DETERMINATION:

Ground-Based, wide area mosquito abatement application: Spray equipment must be adjusted so that the volume median diameter (VMD) is less than 30 microns (Dv 0.5 < 30 um) and that 90% of the spray is contained in droplets smaller than 50 microns (Dv 0.9 < 50 um). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial wide area mosquito abatement application: Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns (Dv 0.5 < 60 um) and that 90% of the spray is contained in droplets smaller than 80 microns (Dv 0.9 < 80um). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

GROUND U.L.V. APPLICATION

Apply MULTICIDE® Fogging Concentrate 2807 undiluted at a flow rate of 1.1 to 3.3 fluid ounces per minute at an average vehicle speed of 10 mph using a swath width of 300 feet for acreage calculations (see chart below). Under normal residential conditions a flow rate of 2.2 fluid ounces per minute is recommended. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.0012 to 0.0036 pounds of Sumithrin® and Piperonyl butoxide per acre. Vary flow rate according to vegetation density and mosquito population. Us e high flow rate in heavy vegetation or w hen populations are high.

MULTICIDE® Fogging Concentrate 2807 may also be diluted with water and applied so as not to exceed the 0.0036 lbs of each a.i., Sumithrin® and PBO per acre as shown in the dilutions tables on this label. If an alternative dilution rate is used, adjust the flow rate accordingly, provided the droplet s ize and spectrum remains within label specifications.

Rates to use MULTICIDE® Fogging Conc entrate 2807 Undiluted for M osquito Control:

Pounds a.i./A cre		MFC 2807	
Sumithrin [®]	РВО	Fl. oz./Acre	
0.0036	0.0036	0.54	
0.0024	0.0024	0.36	
0.0012	0.0012	0.18	

Flow Rates in fluid oz ./minute at truck speeds of:			
5 MPH	10 MPH	15 MPH	20 MPH
1.6	3.3	4.9	6.6
1.1	2.2	3.3	4.4
0.5	1.1	1.6	2.2

Rates to use diluted (1 to 1 dilution ratio) M ULTICIDE® Fogging Conc entrate 2807 (Finished spray is a 5% by weight Sumithrin, and contains 0.424 lbs of each a.i., Sumithrin and PBO per gallon)

Pounds a.i./A cre		Finished Spray
Sumithrin®	PBO	Fl. oz./Acre
0.0036	0.0036	1.09
0.0024	0.0024	0.73
0.0012	0.0012	0.36

Flow Rates in fluid oz ./minute at truck speeds of:			
5 MPH	10 MPH	15 MPH	20 MPH
3.3	6.6	9.9	13.2
2.2	4.4	6.6	8.8
1.1	2.2	3.3	4.4

Rates to use diluted (1 to 2 dilution ratio) MULTICIDE® Fogging Concentrate 2807 (Finished spray is a 3.3% by weight Sumithrin, and contains 0.282 lbs of each a.i., Sumithrin and piperonyl butox ide per gallon)

Pounds a.i./A cre		Finished Spra	
Sumithrin®	Sumithrin® PBO		
0.0036	0.0036	1.63	
0.0024	0.0024	1.09	
0.0012	0.0012	0.54	

Flow Rates in fluid oz ./minute at truck speeds of:			
5 MPH	10 MPH	15 MPH	20 MPH
4.9	9.9	14.8	19.8
3.3	6.6	9.9	13.2
1.6	3.3	4.9	6.6

MULTICIDE® Fogging Concentrate 2807 may also be applied with non-thermal, portable, motorized backpack equipment adjusted to deliver ULV particles of less than 100 microns VMD. Use 0.18 to 0.54 fl.oz. of the undiluted spray per acre (equal to 0.0012 to 0.0036 lb.ai./acre) as a 50 ft (15.2 m) swath while walking at a speed of 2 mph (3.2 kph). Dilute only with water if dilution is preferred. Do not exceed 0.54 fl. oz. of the undiluted spray per acre. Do NOT use portable backpack equipment for application in enclosed spaces.

AERIAL APPLICATION

MULTICIDE® Fogging Concentrate 2807 may be applied at rates of 0.18 to 0.54 fluid ounces MULTICIDE® Fogging Concentrate 2807 per acre by fixed wing or rotary aircraft equipped with suitable ULV application equipment. MULTICIDE® Fogging Concentrate 2807 may also be diluted with water and applied by aerial ULV equipment so long as 0.54 fluid ounces per acre of MULTICIDE® Fogging Concentrate 2807 is not exceeded.

RELEASE HEIGHT FOR AERIAL: Fixed wind: Apply using a nozzle height of no less than 100 feet above the ground or canopy. Rotary wing: Apply using a nozzle height of no less than 75 feet above the ground or c anopy.

Reference the dilution c harts on this label. If an alternative dilution rate is used, adjust the flow rate accordingly, provided the droplet size and spectrum remains within label specifications.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by s torage and dis posal.

PESTICIDE STORAGE:

Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Nonrefillable container. Do not reus e or refill this container.

Triple rins e container (or equivalent) prom ptly after emptying. Triple rins e as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 s econds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 s econds. Pour rins ate into application equipment or a rins e tank or store rins ate for later us e or disposal. Drain for 10 s econds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available for rec onditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other proc edures approved by state and local authorities.

[Or for containers over 5 gallons:]

[Triple rins e as follows: Empty the remaining contents into the applic ation equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten c losures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 s econds. Stand the container on its end and tip it back and forth s everal times. Turn the container over onto its other end and tip it back and forth s everal times. Empty the rins ate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.]

[Refillable Containers:]

Refillable container. Refill this container with pesticide only. Do not reus e this container for any other purpos e. Cleaning before refilling is the responsibility of the refill er. To clean the container before final dis posal, empty the remaining contents from this container into applic ation equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into rins ate collection system. Repeat his rinsing procedure two more times. Offer for recycling if available or rec onditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other proc edures approved by state and local authorities.

[NOTICE: To the extent provided by law, Seller makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.]