McLAUGHLI GORMLEY KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

"Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols."

f 1 Indicates alternate or optional wording.

Non-Flammable

Deep Reaching [Penetrating] Fog

Non-Staining

Kills Ants. Bed bugs. Cockroaches, Confused Flour Beetles, Crickets, Firebrats, Fleas, Flies, Mosquitoes, Pill Bugs, Rice Weevils, Saw-toothed Grain Beetles, Silverfish, Small Flying Moths, Ticks and Yellow Mealworms.

[Kills Fleas, Cockroaches, Ants, Flies, Mosquitoes, Ticks, and similar insects.] Also kills Brown Dog Ticks. Deer Ticks and other Ixodid species that carry or may transmit Lyme disease.

[Now Kills 18 Types of Household Bugs.]

For Use in Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Garages, Homes, Kennels, Pet Grooming Parlors, Pet Sleeping Areas, Verandas, Veterinaries, and the Non-Food/Feed areas of Drive-ins, Drugstores, Factories, Food Plants, Hospitals, Hotels, Institutions, Kitchens, Motels, Nursing Homes, Office Buildings, Railroad Cars, Rest Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Trucks, Warehouses, and Zoos, [Industrial] [Institutional]

One Unit Treats up to 6,000 [5,000] [4,000][3,000] Cubic Feet.

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
N-Octyl bicycloheptene dicarboximide	0.400%
Permethrin [**(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-	
dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate)	0.400%
Related compounds	0.035%
OTHER INGREDIENTS	99.115%
· ·	100.000%

- MGK® 264, Insecticide Synergist
- Cis-trans isomers ratio: Min. 35% (+ or -) cis Max. 65% (+ or -) trans EVERCIDE, MGK® - Registered trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN **CAUTION**

FIRST AID	
IF SWALLOWED:	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give any liquid to the person.
	Do not give anything by mouth to an unconscious person.
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
	 Call a poison control center or doctor for treatment advice.
IF ON SKIN OR	Take off contaminated clothing.
CLOTHING:	 Rinse skin immediately with plenty of water for 15-20 minutes.
	 Call a poison control center or doctor for treatment advice.
	or label with you when calling a poison control center or doctor or ormation regarding medical emergencies or pesticide incidents, call nter at 1-888-740-8712.

Net Contents Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1809

EPA Est. No. 1021-MN-2

ACCEPTED

SEP 3 n 2004

Under the Federal Insociotica Fundicide, and Rodenticide Act. as amended, for the pesticide registered under Bed. No. 1021-180

 \mathcal{W}

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC AIL LIS

CAUTION

Harmful if absorbed through skin. Causes moderate eve irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and other aquatic organisms. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

Do not apply directly to food. Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Non-food areas are areas such as garbage rooms, layatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms. garages, moo closets and storage (after canning or bottling).

Avoid contamination of food or feedstuffs.

Remove pets and birds and cover fish aquariums before spraying.

DO NOT use mu lan one fooder per room. DO NOT use in small, enclosed spaces such as closets, cabinets of under counters or tables. Do not use in a room 5 ft. X 5 ft. or smaller: instead allow fog to enter from other rooms.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 [5,000] [4,000] [3,000] cubic feet of unobstructed area. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fooger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

OR

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. [Break off and remove tab on side of sprayer]. Tilt sprayer away from face (container sprays straight up). Press down firmly on sprayer pad until it snaps into place.

To Kill Fleas and Ticks: Destroy pet's old bedding and replace. Use product as directed above. Treat dogs and cats with registered tick control product prior to re-entry.

STORAGE AND DISPOSAL

STORAGE: Contents under pressure. Store in a cool dry area away from heat or open flame to prevent bursting of container.

DISPOSAL:

Do Not Puncture or Incinerate!

If emoty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency or 1-800-CLEANUP for disposal

instructions.



