



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

April 3, 2019

Steven Ditto
U.S. Regulatory Affairs Manager
McLaughlin Gormley King Co. D/B/A MGK
8810 Tenth Ave. North
Minneapolis, MN 55427-4319

Subject: Notification per PRN 98-10 – Adding reference statement to the master label,
updating Storage & Disposal statements
Product Name: PYROCIDE FALCON 7452
EPA Registration Number: 1021-1810
Application Date: February 15, 2019
Decision Number: 549485

Dear Mr. Ditto:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, you may contact Helen Hull-Sanders at 703-347-0243 or via email at hull-sanders.helen@epa.gov.

A handwritten signature in black ink that reads "Helen Full-Sanders, Ph.D." The signature is written in a cursive style with a large, looped initial 'H'.

For Elizabeth Fertich
Product Manager 04
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

04/03/2019

PYROCID[®] Falcon 7452

[ABN: Shockwave[®] Fogging Concentrate]

[] indicates optional wording

- [Provides flushing action and quick knockdown plus residual activity for indoor use as a ULV, space, area or contact spray]
- [Contains [NYLAR[®]] [NYGUARD[®]] insect growth regulator similar to the naturally occurring insect growth hormones that interfere with insect growth and development]
- [Controls numerous pests in and around structures]
- [Recommended for commercial and industrial use]
- [Continuous protection against stored product pests for 3 months]
- [Effectively breaks certain listed cockroaches life cycles]
- [Keeps working on listed cockroaches for 180 days (26 weeks) [6 months]]
- [Works to break the life cycle of listed insects]

For use indoors and outdoors as a ULV, space, area, contact spray or thermal fog for listed insects in areas specified on the label.
For use in and around the home and food and non-food areas of food processing plants and food service establishments.

ACTIVE INGREDIENTS:

Pyrethrins	1.00%
* Piperonyl butoxide, Technical	2.00%
** N-Octyl bicycloheptene dicarboximide.....	2.87%
Esfenvalerate (CAS #66230-04-4)	0.20%
2-[1-methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.10%
***OTHER INGREDIENTS:	93.83%
	100.00%

* Equivalent to 1.6% (butylcarbityl) (6-propylpiperonyl) ether and 0.4% related compounds

** MGK[®] 264[®], Insecticide Synergist

*** Contains petroleum distillates

PYROCID[®], Shockwave[®], MGK[®], 264[®] - Registered trademarks of McLaughlin Gormley King Company

[See inside booklet for \[First Aid,\] \[Precautionary Statements,\] \[Directions for Use and Storage and Disposal.\]](#)

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> ▪ Immediately call a poison control center or doctor. ▪ Do not give any liquid to the person. ▪ Do not induce vomiting unless told to do so by a poison control center or a doctor. ▪ Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> ▪ Hold eye open and rinse slowly and gently with water for 15-20 minutes. ▪ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. ▪ Call a poison control center for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> ▪ Take off contaminated clothing. ▪ Rinse skin immediately with plenty of water for 15-20 minutes. ▪ Call a poison control center or doctor for treatment advice.
NOTE TO PHYSICIAN: This product contains petroleum distillate and may pose an aspiration pneumonia hazard.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Manufactured by

 8810 Tenth Avenue North
 Minneapolis, MN 55427

EPA Reg. No. 1021-1810

EPA Est. No. 1021-MN-2

Net Contents: _____

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II. Avoid contamination of food or feedstuffs.

Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other wildlife. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

In Hospitals: Patients should be removed from room prior to treatment. Rooms should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

Do not use in nurseries or rooms where infants, ill, or aged persons are present.

GENERAL: PYROCIDE® Falcon 7452 is designed for use undiluted in mechanical sprayers, which gives particles of aerosol size. It can be diluted with refined kerosenes, which meet Food Additive Regulation as defined by CFR Title 21, 172.884, and applied in fogging equipment that give larger than aerosol particle size. It can also be diluted with the oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

Do not apply directly to food. Do not allow spray to contact stored food or food contact surfaces. Do not apply as a space spray while food processing is underway. Cover or wash all food processing surfaces and equipment with an effective cleaning compound followed by a potable water rinse. In the home, cover all food processing surfaces, dishes and utensils before treatments or thoroughly wash before use following treatment.

INDOOR AREAS for use in and around:

Animal Areas & Quarters, Animal Control Centers, Animal Shelters, Apartments, Arcades, Attics, Auditoriums, Bakeries, Bars, Basements, Bathrooms, Beverage Plants, Boats, Bottling Plants, Breweries, Brewery Warehouses, Buildings, Buses, Cabinets, Cabins, Cafeterias, Campers, Canneries, Churches, Circus Tents, City Missions, Closets, Clubhouses, Commercial Buildings, Communication Centers, Concession Stands, Condominiums, Court Houses, Crawl Spaces, Crematoriums, Day Care Centers, Delicatessens, Department Stores, Diners, Dog Houses, Drugstores, Dumpsters, Dwellings, Egg Processing Plants, Factories, False Ceilings, Freight Containers, Fruit Packing Sheds, Funeral Parlors, Garages, Garbage Bins, Garbage Cans, Garbage Compactors, Garbage Trucks, Gas Stations, Grain Elevators, Grain Harvesting & Handling Equipment, Grain Mills, Granaries, Grocery Stores, Grocery Warehouses, Homes, Horse Stables & Barns, Horse Trailers, Hospices, Hospitals, Hotels, Indoor Eating Establishments, Industrial Installations, Institutional Dining Areas, Institutions, Jails, Kennels, Laboratories, Laundromats, Lavatories, Libraries, Liquor Stores, Locker Rooms, Marinas, Mausoleums, Meat Packing Plants, Mess Halls, Mini-Storages, Mobile Canteens, Mobile Homes, Morgues, Mortuaries, Motels, Movie Theaters, Museums, Nursing Homes, Office Buildings, Other Public Buildings, Parking Garages, Pool Halls, Poultry Houses, Prisons, Public Storage, Railroad Cars, Recreational Vehicles, Research Animal Quarters, Restaurants, Retail Stores, Rice Mills, Schools, Ship Holds, Ships, Smoke Shops, Sports Stadiums, Stables, Storage Bins (areas), Stored Food in Multi-walled Paper or Cloth Bags, Stores, Supermarkets, Taverns, Textile Mills & Warehouses, Theaters, Tobacco Factories, Tobacco Warehouses, Tool Sheds, Trains, Transportation Equipment, Truck Trailers, Trucks, Tunnels, Utilities, Utility Rooms, Vending Machines, Veterinary Hospitals, Wall & Equipment Voids, Warehouses, Washrooms, Wholesale Stores, Wine Cellars, Wineries and Zoos.

FOR THE CONTROL OF INSECTS including, but not limited to [such as]:

Almond Moths, Angoumois Grain Moths, Ants, Black Flies, Boxelder Bugs, Brown Dog Ticks, Cadelles, Carpet Beetles, Carrion Beetles, Cereal Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Clothes Moths, Clover Mites, Cockroaches, Coffee Bean Weevils, Confused Flour Beetles, Crickets, Dark Mealworms, Darkling Beetles, Deer Flies, Dermestid Beetles, Drain Flies, Driedfruit Beetles, Drugstore Beetles, Earwigs, Face Flies, Firebrats, Flat Grain Beetles, Fleas, Flies, Flying Moths, Fruit Flies, Fungus Gnats, Gnats, Grain Mites, Granary Weevils, Hide Beetles, Horn Flies, Hornets, Horse flies, Indian Meal Moths, Khapra Beetles, Lesser Grain Beetles, Lesser Grain Borers, Lesser House Flies, Litter Beetles, Mediterranean Flour Moths, Merchant Grain Beetles, Midges, Miller Moths, Millipedes, Mosquitoes, Mosquitoes that may carry and transmit West Nile virus, Palmetto Bugs, Pillbugs, Red Flour Beetles, Rice Flour Beetles, Rice Weevils, Rusty Grain Beetles, Sawtoothed Grain Beetles, Silverfish, Skipper Flies, Small Flying Moths, Sowbugs, Spider Beetles, Spiders, Stable Flies, Ticks, Ticks that may carry and transmit Lyme disease, Tobacco Moths, Warehouse Beetles, Wasps, Waterbugs, Yellow Mealworms, Yellowjackets.

FOR INDOOR USES

SPACE SPRAY APPLICATIONS ARE ONLY FOR USE IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

FOR USE IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS:

A food handling establishment is an area or place other than a private residence in which food is held, processed, prepared and/or served.

Do not apply while the food area is in operation.
 Remove or cover exposed food and food handling surfaces.
 Do not allow spray to contact stored food.
 Close room and shut off all air conditioning or ventilating equipment.

Do not allow adults, children, or pets to enter the treated area for at least 15 minutes, until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
 Only protected handlers may be in the area during application.
 Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and/or mists have dispersed.

Remove or cover exposed food and drinking water before application.
 Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.
 Do not apply more than 1 time per day.

As Undiluted Space Spray Application:

For application in food areas of food handling establishments:

Pest	Application Rates	Remarks
To kill exposed accessible stages of: Flies (including Fruit Flies), Mosquitoes, Small Flying Moths, Fleas, Gnats, Wasps, Hornets, Clover Mites, Cheese Mites, Cheese Skippers, Boxelder Bugs, Earwigs, Ants and the following common Stored Product Pests: Granary Weevils, Rice Weevils, Confused Flour Beetles, Sawtoothed Grain Beetles, Spider Beetles, Cigarette Beetles, Drugstore Beetles, Angoumois Grain Moths, Mediterranean Flour Moths, Indian Meal Moths, Tobacco Moths, Yellow Mealworms, Dark Mealworms, Grain Mites, Cadelles and Red Flour Beetles	Apply at the rate of 0.5 fl. oz. undiluted PYROCIDE Falcon 7452 per 1,000 cu. ft. of space (0.52 ml/m ³).	Direct spray toward upper corners of room and ceiling. Leave room closed for ½ hour and ventilate thoroughly before re-entry. Do not apply this undiluted spray in facilities operating under Federally Inspected Facilities.
To kill: Cockroaches, Silverfish, Earwigs, Ants, Spiders	Apply at the rate of 0.5 fl. oz. undiluted PYROCIDE Falcon 7452 per 1,000 cu. ft. (0.52 ml/m ³) of space.	Direct the spray first into all cracks and crevices, behind all equipment, cupboards, obstructions or dark harborage areas, walls, floors, underneath sinks, behind pipes and in all places that harbor insects to provide maximum penetration and impingement on the insects. Contact as many insects as possible. Then treat as a space spray. Vacate treated area and leave the room closed for ½ hour. Ventilate thoroughly before re-entry.

NOTE: If there is a need to treat such areas as conduits, motor housings, junction and switch boxes or other electrical equipment, turn off electrical equipment prior to application. After application, allow time for oil to dissipate before starting motors or placing switches in the "ON" position.

For application in treatment of stored food areas: For areas with foods stored in multi-walled bags, cloth bags or other packaging stored in such areas as listed for the control of accessible adult stages:

Pest	Application Rates	Remarks
Almond Moths, Angoumois Grain Moths, Ants, Cadelles, Cereal Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Crickets, Dark Mealworms, Drugstore Beetles, Earwigs, Firebrats, Flies, Fruit Flies, Fungus Gnats, Grain Mites, Granary Weevils, Hide Beetles, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Spiders, Spider Beetles, Yellow Mealworms, Driedfruit Beetles, Warehouse Beetles, Rusty Grain Beetles, Lesser Grain Beetles, Coffee Bean Weevils, Khapra Beetle and other listed pests	Disperse first by directing spray into cracks and crevices, corners, pallets and around stacks of packaged goods hitting as many insects as possible and then apply as a space spray at a dosage of 1.5 fl. oz. per 1,000 cu. ft. (1.6 ml/m ³) of room space.	Repeat application as necessary for insect control. Do not remain in treated area and ventilate before re-entry. Infested stored products should be destroyed, fumigated or treated by other effective methods using an approved product intended for this purpose.

For application in other stored food and tobacco facilities: As a space treatment around bags or other packaging and pallets containing stored peanuts, nuts, beans (including cocoa), seeds, copra, and tobacco. Do not apply directly to any exposed foodstuff or exposed tobacco.

Pest	Application Rates	Remarks
For the control of accessible stages of Almond Moths, Angoumois Grain Moths, Ants, Cadelles, Cereal Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Crickets, Dark Mealworms, Drugstore Beetles, Earwigs, Firebrats, Flies, Fruit Flies, Fungus Gnats, Grain Mites, Granary Weevils, Hide Beetles, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Spiders, Spider Beetles, Yellow Mealworms, Driedfruit Beetles, Warehouse Beetles, Rusty Grain Beetles, Lesser Grain Beetles, Coffee Bean Weevils, Khapra Beetles and other listed insects	Apply as a space spray at the rate of 1.5 fl. oz. per 1,000 cu. ft. (1.5 g/m ³) of space by directing the spray toward the ceiling and upper corners of the area and behind any obstructions.	Apply to the surface of stored or bagged products. Also spray walls, floors and other surfaces, storage and handling areas thoroughly, being especially careful to treat cracks, crevices and similar hiding places.
To kill Cockroaches	Using an appropriate ULV spraying device, inject the aerosol spray directly into cracks and crevices.	Spray directly into cracks and crevices to completely fill wall, equipment, and other small structural void areas. Leave room ventilation or air conditioning equipment on during application. Except in hospitals, as noted above, the room can be re-entered immediately after applications are complete.

As Diluted Space Spray Application:

For application in food areas of food handling establishments:

Pest	Application Rates	Remarks
To control accessible stages of Almond Moths, Angoumois Grain Moths, Ants, Cadelles, Cereal Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Crickets, Dark Mealworms, Drugstore Beetles, Earwigs, Firebrats, Flies, Fruit Flies, Fungus Gnats, Grain Mites, Granary Weevils, Hide Beetles, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Spiders, Spider Beetles, Yellow Mealworms, Driedfruit Beetles, Warehouse Beetles, Rusty Grain Beetles, Lesser Grain Beetles, Coffee Bean Weevils and Khapra Beetles	Dilute PYROCIDE Falcon 7452 with a white mineral oil conforming to Regulation 21 CFR 121.2589(b) or an odorless light petroleum hydrocarbon conforming to 121.1182 at the rate of 1 (one) part concentrate to 9 (nine) parts oil and mix well. Apply at the rate of 5.0 fl. oz. per 1,000 cu. ft. (5.2 ml/m ³) of space, filling the room with mist. Use in mechanical fogging, thermal fogging or spraying equipment. Close room and shut off all air conditioning or ventilating equipment.	Remove or cover exposed food and cover food handling surfaces in edible product areas of food handling establishments. Food contact surfaces should be thoroughly washed with an effective cleaning compound and rinsed with potable water after use of the product. [Do not apply directly to food. Do not allow spray to contact stored food or food contact surfaces. Do not apply as a space spray while food processing is underway. Cover or wash all food processing surfaces and equipment with an effective cleaning compound followed by a potable water rinse. In the home, cover all food processing surfaces, dishes and utensils before treatments or thoroughly wash before use following treatment.]. Vacate treated area and ventilate before re-entry.

Treatment of Areas Containing Stored Dried Fruit Products: For areas with foods stored in multi-walled bags, cloth bags or other packaging stored in such areas as listed for the control of accessible adult stages:

Pest	Application Rates	Remarks
For control of Confused Flour Beetles, Driedfruit Beetles, Indian Meal Moths, and Sawtoothed Grain Beetles	Dilute concentrate with oil at the rate of 1 part PYROCIDE Falcon 7452 plus 29 parts oil or 4.5 fl. oz. per gallon (36 ml/L) and mix well. Disperse this product as a fine mist in the air above the trays and shelves. Do not apply to fruit directly. Use 0.5 fl. oz. per 1,000 cu. ft. (0.52 ml/m ³) of space.	Remove and destroy infested products. Repeat application at this dosage in any given month. Leave the room closed for one hour. Do not remain in treated areas and ventilate the area before re-entry. Sweep up and destroy fallen insects.

Other stored food and tobacco facilities: For areas with foods or tobacco stored in multi-wall bags or cloth bags in flour mills, grain elevators, granaries, storage rooms, warehouses:

Pest	Application Rates	Remarks
For control of Angoumois Grain Moths, Cadelles, Cheese Mites, Cheese Skippers, Cigarette Beetles, Confused Flour Beetles, Dark Mealworms, Grain Mites, Granary Weevils, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Yellow Mealworms	Dilute concentrate with oil at the rate of 1 part PYROCIDE Falcon 7452 plus 29 parts oil or 4.5 fl. oz. per gallon (36 ml/L) and mix well. Disperse this product first by directing spray into corners, under pallets, and around stacks of packaged foods hitting as many insects as possible and then treat as a space spray. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose. Use a dosage of 0.5 fl. oz. per 1,000 cu. ft. (0.52 ml/m ³) of space.	Remove and destroy infested products. Do not remain in treated areas and ventilate area before re-entry. This application will kill accessible, exposed stages of those stored product pests listed above. Sweep up and destroy fallen insects.

For federally inspected meat and poultry plants:

Pest	Application Rates	Remarks
For control of exposed or accessible stages of ants, earwigs, flies, fruit flies, gnats, mosquitoes, silverfish, small flying moths, spiders and waterbugs	Dilute one part PYROCIDE Falcon 7452 with 3 parts base oil (refined kerosene) and use with a ULV spraying device at the rate of one fl. oz. per 1,000 cu. ft. (1.0 ml/m ³) of room space.	Apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Before spraying, exposed food products and packaging materials must be covered or removed. After spraying, equipment and utensils must be washed with an effective cleaning compound and rinsed with potable water prior to use. Use as a space or general surface spray only when plant is not in operation. [Do not apply directly to food. Do not allow spray to contact stored food or food contact surfaces. Do not apply as a space spray while food processing is underway. Cover or wash all food processing surfaces and equipment with an effective cleaning compound followed by a potable water rinse. In the home, cover all food processing surfaces, dishes and utensils before treatments or thoroughly wash before use following treatment.]
To kill litter beetles (Such as Darkling, Hide, and Carrion Beetles)	Dilute 1 part PYROCIDE Falcon 7452 with 5 parts of a suitable oil. Using a power or proportioner-type sprayer, apply a uniform spray at pressures of 80 to 100 pounds per square inch to walls, posts, cage framing (birds grown in cages only). Application should also be made into cracks and crevices in and around insulation. One gallon of diluted spray covers 1,000 sq. ft. (40 ml/m ²).	PYROCIDE Falcon 7452 can be applied to litter, such as poultry houses infested with litter beetles. Remove animals prior to treatment. Treat surfaces after animals are removed. Treat walls and floors and all areas where beetles frequently occur. Do not contaminate food/feed or water. Reapply after each growout or sanitation procedure. Indoor control can be enhanced by making perimeter treatments around the outside of building foundations to prevent immigrating adult beetles. Apply PYROCIDE Falcon 7452 in a uniform band at least 1 foot up (0.3 m) and 1 to 4 feet (0.3 to 1.2 m) out from foundation. Maintaining a year-round treatment program will prevent background populations from reaching problem levels.

For applications in zoos:

Pest	Application Rates	Remarks
To kill flies, gnats, mosquitoes, small flying moths	As a space spray diluted for use in conventional mechanical fogging equipment, dilute 1 part PYROCIDE Falcon 7452 plus 29 parts oil (refined kerosene) and mix well. Apply at a rate of 2 fl. oz. per 1,000 cu. ft. (2.08 ml/m ³) of space above the animals.	Direct spray towards the upper portions of the enclosure, filling the room with mist. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment when reinfestation occurs. Do not contaminate animal foods, feeds or water by application or drift.

FOR APPLICATIONS IN RESIDENTIAL / COMMERCIAL SETTINGS, INCLUDING NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

A food handling establishment is an area or place other than a private residence in which food is held, processed, prepared, and/or served. Non-food areas of food handling establishments include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

Applications within residential and non-residential buildings include homes, apartment buildings, kennels, and non-food areas of industrial and commercial buildings such as hospitals, hotels, warehouses, truck trailers, railroad cars, theaters, office buildings, schools, and other sites as listed.

Do not apply this product as a space spray in any residential or commercial settings, as listed above. Space sprays are ONLY allowed in food areas of food handling establishments.

Do not allow adults, children, or pets to enter the treated area at least 15 minutes, until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift.

Only protected handlers may be in the area during application.

Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and/or mists have dispersed.

As Diluted Surface Spray Application:

Pest	Application Rates	Remarks
To control accessible stages of: Ants, Drugstore Beetles, Earwigs, Cockroaches, Silverfish, Beetles, Boxelder Bugs, Clover Mites, Crickets and other listed insects	Dilute in a range of 1 part PYROCIDE Falcon 7452 plus 2.25 parts suitable diluent to 1 part concentrate plus 29 parts suitable diluent, mix well and apply as a coarse wetting spray using approximately 1 gallon of spray mixture per 750 sq. ft. (54 ml/m ²) of surface.	May be used only when the facility is not in operation provided exposed food is covered or removed from the area being treated prior to application. To ensure maximum control of listed crawling insects, spray thoroughly into all cracks, molding, crevices, walls, floors and other surfaces, storage and handling areas. Particular attention should be paid to areas where moisture collects, such as drains, sinks and water pipes, around the base of heavy machinery and equipment, contacting as many insects as possible. For ants: spray directly into nests, along trails, and directly on all ants observed.

For applications in transit protection: truck beds, boxcars, ship holds, and other listed transit equipment before loading.

Pest	Application Rates	Remarks
To control accessible stages of listed insects	Dilute concentrate with oil in a range of 1 part PYROCIDE Falcon 7452 plus 2.25 parts oil to 1 part concentrate plus 29 parts oil and mix well. Apply diluted spray at the rate of 1 gallon per 1,000 sq. ft. (40 ml/m ²).	Spray thoroughly treat walls and floors. Spray each layer of cartons or containers lightly as stacked.

FOR OUTDOOR USES:

- Do not water the treated area to the point of runoff.
- Do not make applications during the rain.
- Do not allow adults, children, or pets to enter the treated area for at least 15 minutes, until sprays have dried.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Only protected handlers may be in the area during application.
- Do not apply to any fruit or nut bearing trees, shrubs, vines, or plants.
- Do not apply this as a spray or broadcast application to turf other than small spot treatments around structures.
- Do not use this product for area-wide mosquito adulticiding applications.

All outdoor applications are limited to building surfaces and spot treatments on structures.

As Diluted Surface Spray Application:

Pest	Application Rates	Remarks
To control ants, cockroaches, crickets, flies and other flying insects, mosquitoes, sowbugs, spiders, and ticks	Dilute concentrate in a range of 1 part PYROCIDE Falcon 7452 plus 2.25 parts oil to 1 part concentrate plus 29 parts oil and mix well. Use at the rate of 1 gallon diluted spray per 1,000 sq. ft. (40 ml/m ²).	To treat outside surfaces of buildings where these pests have been seen or found. Do not treat surfaces that may be stained.

NOTE: When using oil as the diluent, an odorless light petroleum hydrocarbon as defined by CFR Title 21, 172.884 should be used for all food area and food-related applications. Additionally, when diluted and used according to label directions, this spray will meet specifications for use under USDA meat, poultry, shell egg grading, and egg products inspection programs.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE:

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

PESTICIDE DISPOSAL:

To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

CONTAINER HANDLING:

Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill.

Triple rinse as follows [for containers of 5 gallons (18.9 L) or less]: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Triple rinse as follows [for containers greater than 5 gallons (18.9 L)]: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

[Or for refillable containers]

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into rinsate collection system. Repeat this rinsing procedure two more times. Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[For totes/55 gal containers]

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.