المور	TED STATES	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C)	EPA Reg. Number: 1021-1816	Date of Issuance 9 2005
- Company - Comp		401 "M" St., S.W. Washington, D.C. 20460	Term of Issuance: Conditional	
	PROTECT	NOTICE OF PESTICIDE:	Name of Pesticide Pro	
_x_ Registration (under FIFRA, as amended) Reregistration		Evercide Esfenvalerate 0.025%		
Name a	nd Address o	f Registrant (include ZIP Code):		·
	~	Gormley King Company		
		Avenue North , MN 55427-4319		
Note: C by the F	Changes in la	beling differing in substance from that accepted in connection w Division prior to use of the label in commerce. In any correspon		
		rmation furnished by the registrant, the above named pesticide is de and Rodenticide Act.	s hereby registered/reregis	tered under the Federal
and the with the	e environmer e Act. The a	way to be construed as an endorsement or recommendation of nt, the Administrator, on his motion, may at any time suspend or cceptance of any name in connection with the registration of a pi t to exclusive use of the name or to its use if it has been covered	cancel the registration of a roduct under this Act is no	pesticide in accordance
	his produ	act is <u>conditionally</u> registered in accordance v	with FIFRA sec. 3	(c)(7)(A), provided
that y		t and/an aits all data required for registration	lanagistration of a	
that y	Submi under I submit	t and/or cite all data required for registration/ FIFRA sec. 3(c)(5) when the Agency require such data; and submit acceptable responses t under FIFRA section 4.	s all registrants of	our product similar products to
-	Submi under I submit produc	FIFRA sec. 3(c)(5) when the Agency require such data; and submit acceptable responses	s all registrants of	our product similar products to
1.	Submi under I submit produc Make	FIFRA sec. 3(c)(5) when the Agency require such data; and submit acceptable responses t under FIFRA section 4.	s all registrants of required for reregi	our product similar products to stration of you
1.	Submi under l submit produc <b>Make</b> a) b)	FIFRA sec. 3(c)(5) when the Agency require such data; and submit acceptable responses at under FIFRA section 4. the following labeling changes:	s all registrants of required for reregi d "EPA Reg. No. 1 sidential use and for . Therefore under use at a rate of c. and ending	our product similar products to stration of you 021-1816" or use in the non- Indoors delete the To Kill (14) days in all

1/6

George T. LaRocca, Product Manager (13), IB/RD (7505C) EPA Form 8570-6

Where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared of held. In the home, cover all food handling surfaces and cover or remove all food and cooking utensils, or wash thoroughly after treatment. Cover or remove exposed food/feed.

Can be used in non-food/non-feed areas of food handling establishments such as garbage rooms, lavatories, floor drains (to sewers), entries, vestibules and hallways, offices, locker rooms, machine rooms, basements, boiler rooms, garages, utility rooms, mop closets and storage rooms (after canning or bottling).

In schools, preschools and nurseries, do not apply when classrooms are occupied nor when children are present."

- c) Move "Remove pets and birds and cover fish aquariums before spraying" to the *Directions for Use* section.
- d) Revise the Environmental Hazards statement to read as follows:

"This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters."

- e) Either delete "Repeat as needed" from OUTDOORS or clarify reapplication limitation based upon residual claims.
- f) Following the site hospitals add (non-occupied patient rooms).
- g) Under General delete the last sentence, "Do not treat establishments where livestock .....etc." Since it is covered under item 2(b) above.
- h) Under bedbugs add "Cover mattresses before use. Allow all areas to thoroughly dry before use."
- i) Under OUTDOORS, Ants, Ticks, replace "(including ticks which transmit Lyme disease)" with "(including ticks which may transmit Lyme disease)".

2

3. The toxicology profile for Evercide Esfenvalerate 0.025% RTU CS is as follows:

Acute oral toxicityIIIAcute dermal toxicityIIIAcute inhalation toxicityIVPrimary eye irritationIIIPrimary skin irritationIVDermal SensitizationNeg.

This product is not an EC or mixed with a petroleum solvents, therefore in the *If Swallowed*, First Aid statement replace "Do not give any liquid to the person" with "Have person sip a glass of water if able to swallow".

- 4. Submit an one year storage stability study for the proposed product under warehouse conditions along with a corrosion characteristics study. We recommended that observation be made at 0, 3, 6, 9 and 12 months intervals in the storage stability study.
- 5. Please submit two (2) copies of your final printed label for before your release the product for shipment. Please refer to the A-79 enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact BeWanda Alexander of my team at (703) 305-7460.

3


#### Evercide esfen 0.025 RTU CS-604

## MCLAUGHLIN GORMLEY KING COMPANY

### EVERCIDE® Esfenvalerate 0.025% RTU CS

## 8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

#### TELEPHONE (763) 544-0341



KEEP OUT OF REACH OF CHILDREN

# CAUTION

	FIRST AID
IF SWALLOWED:	Immediately call a poison control center or doctor.
	<ul> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> </ul>
	Do not give any liquid to the person.
	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.</li> </ul>
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF ON SKIN OR	Take off contaminated clothing.
CLOTHING:	Rinse skin immediately with plenty of water for 15 – 20 minutes.
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
Have the product contai	iner or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the international Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

## CAUTION

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Remove pets and birds and cover fish aquariums before spraying.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

#### DIRECTIONS FOR USE

#### It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

EVERCIDE® Estenvalerate 0.025% RTU CS is an effective formulation that kills crawling insects fast. It stays on treated surfaces and provides residual insect killing power for up to three months.

#### READ ENTIRE LABEL BEFORE USE

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food handling surfaces.

PRECAUTIONS: People and pets should not be allowed in treated areas until spray has dried. Do not use this product on pets.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

#### Sprayer Instructions:

How to prime and care for your sprayer:

- 1. After vigorously shaking product, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
- Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10 15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
- 3. To store, turn nozzle to "off" position and store with sprayer above level of liquid in container to prevent leakage.

SHAKE WELL BEFORE USE

Typical Areas That May Require Insecticide Treatment:

#### INDOORS:

Spray areas where Cockroaches, Palmetto Bugs, Ants, Clover Mites, Crickets, Firebrats, Water Bugs, Silverfish, and Spiders are found or normally reside, including dark corners of rooms and closets; cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, stoves, refrigerators, and cabinets; and around plumbing and other utility installations. For Ants, apply to ant trails; around doors and windows; and wherever Ants may find entrance. For control of Carpet Beetles, thoroughly spray along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets, on shelving, and wherever else insects are seen or suspected. For control of Fleas and Brown Dog Ticks, thoroughly spray pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, window, and door frames, and localized areas of floors and floor coverings where Fleas and Ticks may be present. Pet bedding should be replaced with clean, fresh bedding after treating the area. *Do not treat pets with this product.* To control the source of flea infestations, pets should be treated with a product registered for application to animals.

Note: Check carpet manufacturer's warranty and care and maintenance information before using product on your specific brand of carpeting.

AS A SURFACE SPRAY: Use at a rate of one (1) gallon of spray per 1,000 square feet.

To Kill Accessible Stages of Granary Insects: Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Saw-toothed Grain Beetles, Cadelles, Meal Moth Larvae and Adults, Cigarette Beetles, Drug Store Beetles, and Granary Weevils; Apply as a coarse wet spray to surfaces where these pests are normally found, such as floors, baseboards, around walls, benches and pieces of equipment. Pay particular attention to cracks, crevices, and similar protected locations in floors and walls. Spray thoroughly around and into floor drains, non-food conveyors, and other areas where granary insects may be found. Do not apply when food processing facility is in operation or foods are exposed. Do not apply this spray to surfaces or utensils that may come into contact with food since excessive residues in food may result.

Do Not Exceed More Than One (1) Application Every Fourteen (14) Days.

To Kill Ants, Cockroaches, Crickets, Earwigs, Millipedes, Psocids, Silverfish, Sowbugs, Spiders, and Waterbugs: Apply this spray with a sprayer that produces coarse wetting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and in all places where these insects shelter. Contact as many insects as possible with direct spray. Do not exceed more than one (1) application every seven (7) days in restaurants and similar food service establishments or more than one (1) application every fourteen (14) days in all types of food handling establishments.

FOR PREMISE PESTS: Use at the rate of one (1) gallon of spray per 1,000 square feet.

Application Within Residential and Non-Residential Buildings Including Homes, Apartment Buildings, Kennels, and Non-Food Areas of Industrial, Institutional, and Commercial Buildings such as Hospitals, Hotels, Warehouses, Truck Trailers, Railroad Cars, Theatres, Office Buildings, and Schools.

GENERAL: Apply as a coarse wet spray to thoroughly treat hiding places, such as cracks and crevices, moist areas around pipes, under refrigerators, and along baseboards to control pests listed below. Use at the rate of one (1) gallon of spray mixture per 1,000 square feet. Spray directly on insects when possible. Do not permit humans or pets to contact treated surfaces until the spray has dried. Do not treat establishments where livestock feed is present.

#### To Kill Ants, Cockroaches, Crickets, Earwigs, Millipedes, Psocids, Silverfish, Sowbugs, Spiders, and Waterbugs:

Spray areas where these pests are found or may hide, including dark corners of rooms and closets; cracks and crevices in walls; along baseboards and door and window frames; behind and beneath sinks, stoves, refrigerators and cabinets; and around garbage cans, plumbing and other utility installations. Pests driven out of hiding places should be sprayed directly. For Ants, apply to ant trails, around doors and windows, and wherever these pests may find entrance.

To Kill Brown Dog Ticks and Fleas: For Control of Brown Dog Ticks, thoroughly apply as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. For control of Fleas, thoroughly apply a fine particle broadcast spray to infested rugs, carpets, and pet resting areas. Prior to treatment, aquariums and fish bowls should be covered and birds, such as canaries, removed from the area. Do not permit humans or nets to contact treated surfaces until the spray has dried. Old bedding should be removed and replaced with clean, fresh bedding after treatment. Do lot Spray Pets With This Product. Treat dogs and cats with a product registered for use on animals. Also, treat your yard with a product registered for yard application.

<u>To Kill Bedbugs</u>: Apply as a spot treatment to cracks and crevices, and around baseboards, floorboards, headboards, and walls. First, thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor pests. On mattresses, concentrate on tufts, folds, and seams.

To Kill Carpenter Ants: Use a coarse spray, around doors, doorframes, windows, and other areas where these ants enter the premises or hide. Spray into cracks and crevices through openings or small, newly drilled holes into wall voids where these ants or their nests are present.

Typical Areas That May Require Insecticide Treatment:

#### OUTDOORS:

GENERAL: Use EVERCIDE® Esfenvalerate 0.025% RTU CS to control Ants, Cockroaches, Crickets, Sowbugs, Spiders, and Ticks on contact. Apply to outside surfaces of buildings, porches, patios, garages, grasses, and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Avoid soaking young or flowering plants.

<u>Flies and Mosquitoes</u>: For outdoor use only as an aid in controlling these insects. Spray outside surfaces of screens, doors, window frames, or wherever insects may enter the room. Also spray surfaces around light fixtures, on porches, in garages, and other places where insects alight or congregate. Repeat as needed.

Ants, Ticks (including ticks which transmit Lyme disease), Crickets, Fleas, and Earwigs: For treatment of infestation of these insects in areas where there are weeds or bushy non-crop areas, spray infested areas thoroughly. When treating for Ticks, give special attention to areas frequented by pets. For Ants, thoroughly wet hills and runways.

Building Perimeter Treatment: To help prevent infestations of buildings by Ants, Crickets, Spiders, and Sowbugs (Pillbugs), treat a 12 – 18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 – 3 feet where these pests are active and may find entrance.

Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, and their kennel or bedding area should also be treated with a registered flea control product in conjunction with this application.

	STORAGE AND DISPOSAL
Do not contamin	ate water, food, or feed by storage or disposal.
STORAGE: Sto	re in a warm, dry place. Keep container closed.
DISPOSAL: If empty:	Do not reuse this container. Place in trash or offer for recycling if available.
If partly filled:	Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Net Contents \_\_\_\_\_ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-

EPA Est. No. 1021-MN-2