11/12/2014



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

## OFFICE OF CHEMICAL SAFETY

AND POLLUTION PREVENTION

# NOV 1 2 2014

Mr. Jeffrey Nelson Regulatory Affairs Specialist McLaughlin Gormley King Company 8810 Tenth Ave. North Minneapolis, MN 55427

Subject:

Label Notification per PRN 98-10 – Addition the term "listed" within the label where appropriate and adding marketing claims that were previously accepted for the residential section of the label and errantly omitted on the commercial section Product Name: Evercide® Horse & Dog Spray 28022 EPA Registration Number: 1021-1817 Application Date: September 17, 2014 Decision Number: 495824

Dear Mr. Nelson:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records. If you have questions, please call Owen Beeder at 703-308-8899 or via e-email at <u>Beeder Owen@epa.gov.</u>

Sincerely,

Richard Gebken Product Manager 10 Insecticide Branch Registration Division (7505P)

# **EVERCIDE® Horse & Dog Spray 28022**

[COMMERCIAL SECTION OF LABEL]

[] indicates optional language [Ready to Use Insecticide & Repellent] [For Use Only on Horses, Ponies, Dogs, and as a Premise spray] [For Use Only on Horses and Ponies] [Kills and Repels (More Than 70 Listed Species Including): Biting Flies, Stable Flies, Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Gnats, No-See-Ums, Carpenter Bees, Fleas, Ticks, Chiggers, Lice and Mosquitoes including Culex species which may transmit West Nile Virus] [Kills [listed] Insects On Contact: Cockroaches, Scorpions, Beetles, Centipedes, Millipedes, Fire Ants, Carpenter Ants, Crickets, and Spiders including, Black Widows on premises] [Rapid knockdown, kill and repellency (for up to 14 days)] [Also approved for use on dogs and use as a premise spray] [Kills (Over 70 Listed Species of) Flying and Crawling Insects on Contact] [Stays active for up to 14 days] [Kills fleas and ticks on dogs] [Effective long-term control (for up to 14 days)] [Sweat and Water Resistant (Proof) (Formula)] [Sweat (and Water) Protection]

[Weatherproof formula binds to the hair shaft to repel and protect (from listed insects, sweat, rain, dust and dirt for up to 14 days)] [Weatherproof formula repels and protects (from bugs, sweat, rain, dust and dirt) (for up to 14 days)]

[Protection for pastured horses (for up to 14 days)] [Works Rain or Shine]

[Now with citrus scent] [Citrus scented] [With Citrus scent] [Fresh citrus scent]

[With Citronella scent] [Citronella scented] [Refreshing Citronella scent]

Optional Claims for odor neutralizer option

[Contains an odor neutralizer [eliminator] [remover]]

[Odor Neutralizing [Eliminating] [Removing] Technology [Formula]]

[Neutralizes [Eliminates] [Removes] pet odors [including urine]] [Neutralizes [Eliminates] [Removes] pet odors and leaves a clean, fresh scent]

NOTIFICATION

NOV 1 2 2014

[[Contains] Pet [Urine] Odor Eliminator [Remover]] [Removes Pet [Urine] Odor] [[Leaves a] Clean, Fresh Scent]

\* Cis, trans isomers ratio: Min. 35% (+ or -)trans and Max. 65% (+ or -)cis \*\* MGK<sup>®</sup> 264 Insecticide Synergist

EVERCIDE®, MGK® - Registered trademarks of McLaughlin Gormley King Company

# KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
IF ON SKIN OR CLOTHING:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
Have the product container or lab medical emergencies or pesticide	el with you when calling a poison control center or doctor, or going for treatment. For information regarding incidents, call 1-888-740-8712.



8810 Tenth Avenue North

Minneapolis, MN 55427

EPA Reg. No. 1021-1817

EPA Est. No. 1021-MN-2

Net Contents: \_\_\_\_

[Net Contents expression for Bag-On-Valve packaging]

Net Contents: \_\_\_\_\_ Fluid Ounces (\_\_mL)

Net Contents: \_\_\_\_\_ Pounds (\_\_grams)

cccc

ιιιι

*cici* 

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# CAUTION

Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any water proof material. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Do not apply to puppies or foals under 12 weeks of age. Consult a veterinarian before applying this product on medicated, debilitated, aged, pregnant, or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur bathe the animal with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

## ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

## PHYSICAL AND CHEMICAL HAZARDS

# Do not apply this product around electrical equipment due to the possibility of shock hazard.

EVERCIDE<sup>®</sup> Horse & Dog Spray 28022 is an outstanding value because it is proven to kill and repel [listed] (more than 70 listed species of) flying, crawling, creeping and biting pests. It is approved for use on horses, ponies, and dogs and as a premise spray.

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

## READ ALL DIRECTIONS COMPLETELY BEFORE USE

## PRECAUTIONS AND RESTRICTIONS:

• For indoor use only.

- Except when applying to dogs, horses, ponies or foals, do not allow children, adults, or pets to enter until sprays have dried.
- Do not apply directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Not for broadcast use on indoor residential surfaces.
- Do not contaminate food or feedstuff.

SHAKE WELL BEFORE USE – Ready to use. No mixing necessary. Hold container upright and spray as directed. EVERCIDE® Horse & Dog Spray 28022 may be applied directly with either a soft cloth or fine mist spray.

Except when applying to dogs, horses, ponies or foals, do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

#### DIRECTIONS:

To operate sprayer, [turn tip to proper setting [for] (broad) (fine)] spray surfaces or pin stream [for] cracks and crevices, and pump trigger to spray as directed. [Do not operate in OFF position.] [After use, turn tip to OFF to avoid accidental spraying.]

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard.

HORSES, PONIES AND FOALS: Kills and repels Stable Flies, Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Cluster, Flies, Sciarid Flies, Mosquitoes including Culex species which may transmit West Nile Virus, Gnats, Midges, Punkies and No-See-Ums, Carpenter Bees, Moths including Almond, Chocolate, Tobacco, Indian Meal, Angoumois Grain, and other flying moths, Fleas, Ticks including Brown Düg, Lone Star, Deer, Other Ixodid Species, American Dog, and Gulf Coast), Chiggers and Lice.

For initial treatment, apply 1-2 ounces daily for 2 to 3 days. (As infestation subsides, repeat treatment every 7-14 days or as prescribed by a veterinarian.) Also re-apply every time animal is washed or exposed to heavy rain.

USE AS A WIPE ON: Brush animal to remove excess dirt and dust. Moisten but do not wet to the point of dripping a soft cloth and rub over the hair. It is best to apply by rubbing against the hair growth. Give special attention to the legs, shoulders, shanks, neck and facial areas where flies most often are seen. Only a light application is required. Avoid using an excessive amount on your horses. Do not wet skin. After application, brush thoroughly to bring out bright sheen on the coat.

USE AS A ROLL ON: Remove cap from bottle. Apply around animal's nose, eyes, ears and mouth. May also be used as a spot treatment on areas where flies gather. Avoid direct application to eyes, nose and mouth. Replace cap after use. For initial treatment apply daily for 2 to 3 days.

. .

<u>USE AS A SPRAY</u>: (Remove the cap and heat seal. Insert the hose into the bottle and secure the cap onto the bottle.) (Activate the sprayer by pumping the handle 3 to 4 times. Press the trigger to spray.) Apply to face, legs, flanks, top line, and other body areas commonly attacked by flies. Do not wet horse's skin or exceed two ounces per application. After application, brush thoroughly to bring out a bright sheen on the coat.

DOGS: Kills and repels fleas, ticks and lice. Do not apply more than nine (9) fluid ounces when applying to dogs. Repeat treatment.

Cover animal's eyes with a hand. Do not spray directly on mouth, nose and eyes. Spray head, ears and chest until damp. With fingertips, rub into face, and around mouth, nose, and eyes. Then spray from the neck to the tail, finishing legs last. For best penetration of spray to skin and on heavily coated animals, direct spray against the natural lay of the hair, spraying the ruffled hair directly behind the hand. Make sure the spray thoroughly wets ticks. (When used on miniature and toy breeds of dogs, towel dry the animal after ½ hour if not completely dry.) Avoid contact with genitalia. Repeat treatment, if necessary in 14 days.

<u>USE AS A PREMISE SPRAY</u> (Barns, Stables, Farm Building, Buildings housing animals, Homes: Kills <u>listed</u> insects on contact such as: Cockroaches, including Smoky Brown, Brown Banded, Asian, German, American, Australian and Oriental Cockroaches, Scorpions, Black Widow Spiders, Cellar Spiders, Grain Mites, Clover Mites, Beetles, (including Carpet, Flat Grain, Flour, Cigarette, Confused Flour, Drugstore, Lesser Grain Borer, Merchant Grain, Saw-toothed Grain, Warehouse, Red Flour, Ground, Elm Leaf), Rice Weevils, Centipedes, Millipedes, Fire Ants, Carpenter Ants, Foraging Ants and Pharaoh Ants, Palmetto Bugs, Water Bugs, Cadelles, Indian Meal Worms, Sowbugs, Box Elder Bugs, Earwigs, Pillbugs, Firebrat, Silverfish, Clothes Moths, Booklice, and Crickets.

In the home, remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use.

Spray in areas where insects congregate. Direct spray to contact insects for rapid knockdown and kill. Spray around outside of door facings and screens to render area unattractive to insects. This will help to repel insects and prevent entrance into building.

STORAGE AND DISPOSAL				
Do not contaminate water, food or feed by storage and disposal.				
Pesticide Storage [Store product with spray nozzle closed.] Store in a cool, dry area, preferably one that can be locked. Always store pest container. Store container upright. Store away from food and pet food. Pesticide Disposal and Container Handling Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor				
Optional Storage and Disposal instructions for refillable containers.				
STORAGE AND DISPOSAL				
Do not contaminate water, food or feed by storage and disposal.				
Pesticide Storage [Store product with spray nozzle closed.] Store in a cool, dry area, preferably one that can be locked. Always store pes container. Store container upright. Store away from food and pet food. Pesticide Disposal and Container Handling Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. If empty: Place in trash or offer for recycling if available. If partly filled:				
Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor	drain.			
Optional Storage and Disposal instructions for bag on valve packaging.	( <u> </u>			
STORAGE AND DISPOSAL				
Do not contaminate water, food or feed by storage and disposal.				
Pesticide Storage				
[Store product with spray nozzle closed.] Store in a cool, dry area, preferably one that can be locked. Always store pes container. Store container upright. Store away from food and pet food. <b>Pesticide Disposal and Container Handling</b> Nonrefillable container. Do not reuse or refill this container. Contents under pressure. Do not puncture or incinerate. If empty:	ticidès in the original color c ccolor c ccolor c ccolor c ccolor			
Place in trash or offer for recycling if available. If partly filled:	( ( ( )			
Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor.	drain			

# EVERCIDE® Horse & Dog Spray 28022

# [RESIDENTIAL SECTION]

[] indicates optional language [Protection for pastured horses (for up to 14 days)] [Ready to Use Insecticide & Repellent] [Works Rain or Shine] [For Use Only on Horses, Ponies, Dogs, and as a Premise spray] [Now with citrus scent] [Citrus scented] [With Citrus scent] [Fresh [For Use Only on Horses and Ponies] citrus scent] [Kills and Repels (More Than 70 Listed Species Including): Biting [Kills [More than 70 listed species, including:] [Flies], [Gnats,] [Fleas,] [Ticks,] [Lice,] [Chiggers,] [and] [Mosquitoes]] Flies, Stable Flies, Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Gnats, No-See-Ums, Carpenter Bees, Fleas, [Kills [and repels] listed insects on contact] Ticks, Chiggers, Lice and Mosquitoes including Culex species [Rapid knockdown] which may transmit West Nile Virus] [For use on [Dogs] [and] [Puppies] over 12 Weeks of age][Kills [Kills Insects On Contact: Cockroaches, Scorpions, Beetles, [and repels] flies, fleas, and ticks on dogs] Centipedes, Millipedes, Fire Ants, Carpenter Ants, Crickets, and [Kills [and repels] flies, fleas, and ticks on dogs for up to 14 days] Spiders including, Black Widows on premises] [Kills [and repels] flies] [Rapid knockdown, kill and repellency (for up to 14 days)] [With Citronella scent] [Citronella scented] [Refreshing Citronella [Also approved for use on dogs and use as a premise spray] scent] [Kills (Over 70 Listed Species of) Flying and Crawling Insects on Contact] Optional Claims for odor neutralizer option [Stays active for up to 14 days] [Contains an odor neutralizer [eliminator] [remover]] [Kills fleas and ticks on dogs] [Odor Neutralizing [Eliminating] [Removing] Technology [Effective long-term control (for up to 14 days)] [Formula]] [Sweat and Water Resistant (Proof) (Formula)] [Neutralizes [Eliminates] [Removes] pet odors [including urine]] [Sweat (and Water) Protection] [Neutralizes [Eliminates] [Removes] pet odors and leaves a clean, Weatherproof formula binds to the hair shaft to repel and protect fresh scentl [[Contains] Pet [Urine] Odor Eliminator [Remover]] (from listed insects, sweat, rain, dust and dirt for up to 14 days)] [Weatherproof formula repels and protects (from bugs, sweat, [Removes Pet [Urine] Odor] rain, dust and dirt) (for up to 14 days)] [[Leaves a] Clean, Fresh Scent] ACTIVE INGREDIENTS: \* Permethrin 0 000

Femileumn	0.20%
Pyrethrins	0.10%
** N-Octyl bicycloheptene dicarboximide	0.48%
OTHER INGREDIENTS	99.22%
	100 00%

\*Cis, trans isomers ratio: Min. 35% (+ or -)trans and Max. 65% (+ or -)cis \*\*MGK<sup>®</sup> 264 Insecticide Synergist

EVERCIDE®, MGK® - Registered trademarks of McLaughlin Gormley King Company

# KEEP OUT OF REACH OF CHILDREN CAUTION

	FIF	RST AID	···· <u>······</u> ··························
IF ON SKIN OR CLOTHING:		ning. I plenty of water for 15-20 minutes. or doctor for treatment advice.	
	label with you when calling a poison co ide incidents, call 1-888-740-8712.	ontrol center or doctor, or going for treatment	For information regarding
Manufactured by Manufactured by 8810 Tenth Avenue North Minneapolis, MN 55427			
	EPA Reg. No. 1021-1817	EPA Est. No. 1021-MN-2	i i i c
[Net Contents expression for B	Net Conte lag-On-Valve packaging]	nts:	
		Fluid Ounces (mL) Pounds (grams)	( ((() ,

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# CAUTION

Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Do not apply to puppies or foals under 12 weeks of age. Consult a veterinarian before applying this product on medicated, debilitated, aged, pregnant, or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur bathe the animal with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

## **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

## PHYSICAL AND CHEMICAL HAZARDS

Do not apply this product around electrical equipment due to the possibility of shock hazard.

EVERCIDE<sup>®</sup> Horse & Dog Spray 28022 is an outstanding value because it is proven to kill and repel [listed] (more than 70 listed species of) flying, crawling, creeping and biting pests. It is approved for use on horses, ponies, and dogs and as a premise spray.

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### READ ALL DIRECTIONS COMPLETELY BEFORE USE

# PRECAUTIONS AND RESTRICTIONS:

- For indoor use only.
- Except when applying to dogs, horses, ponies or foals, do not allow children, adults, or pets to enter until sprays have dried.
- Do not apply directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Not for broadcast use on indoor residential surfaces.
- Do not contaminate food or feedstuff.

SHAKE WELL BEFORE USE – Ready to use. No mixing necessary. Hold container upright and spray as directed. EVERCIDE<sup>®</sup> Horse & Dog Spray 28022 may be applied directly with either a soft cloth or fine mist spray.

Except when applying to dogs, horses, ponies or foals, do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

#### DIRECTIONS:

To operate sprayer, [turn tip to proper setting [for] (broad) (fine)] spray surfaces or pin stream [for] cracks and crevices, and pump trigger to spray as directed. [Do not operate in OFF position.] [After use, turn tip to OFF to avoid accidental spraying.]

For best results, follow directions for specific use areas. Do not use this product in or on electrical equipment due to possibility of shock hazard.

HORSES, PONIES AND FOALS: Kills and repels Stable Flies, Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Cluster Flies, Sciarid Flies, Mosquitoes including Culex species which may transmit West Nile Virus, Gnats, Midges, Punkies and No-See-Ums, Carpenter Bees, Moths including Almond, Chocolate, Tobacco, Indian Meal, Angoumois Grain, and other flying moths, Fleas, Ticks including Brown Dog, Lone Star, Deer, Other Ixodid Species, American Dog, and Gulf Coast), Chiggers and Lice.

For initial treatment, apply 1-2 ounces daily for 2 to 3 days. (As infestation subsides, repeat treatment every 7-14 days or as prescribed by a constraint veterinarian.) Also re-apply every time animal is washed or exposed to heavy rain.

USE AS A WIPE ON: Brush animal to remove excess dirt and dust. Moisten but do not wet to the point of dripping a soft cloth and rub over the hair. It is best to apply by rubbing against the hair growth. Give special attention to the legs, shoulders, shanks, neck and facial areas where flies most often are seen. Only a light application is required. Avoid using an excessive amount on your horses. Do not wet skin. After application, brush thoroughly to bring out bright sheen on the coat.

USE AS A ROLL ON: Remove cap from bottle. Apply around animal's nose, eyes, ears and mouth. May also be used as a spot treatment on areas where flies gather. Avoid direct application to eyes, nose and mouth. Replace cap after use. For initial treatment apply dely for 2 to 3 days.

<u>USE AS A SPRAY</u>: (Remove the cap and heat seal. Insert the hose into the bottle and secure the cap onto the bottle.) (Activate the sprayer by pumping the handle 3 to 4 times. Press the trigger to spray.) Apply to face, legs, flanks, top line, and other body areas commonly attacked by flies. Do not wet horse's skin or exceed two ounces per application. After application, brush thoroughly to bring out a bright sheen on the coat.

DOGS: Kills and repels fleas, ticks and lice. Do not apply more than nine (9) fluid ounces when applying to dogs.

Cover animal's eyes with a hand. Do not spray directly on mouth, nose and eyes. Spray head, ears and chest until damp. With fingertips, rub into face, and around mouth, nose, and eyes. Then spray from the neck to the tail, finishing legs last. For best penetration of spray to skin and on heavily coated animals, direct spray against the natural lay of the hair, spraying the ruffled hair directly behind the hand. Make sure the spray thoroughly wets ticks. (When used on miniature and toy breeds of dogs, towel dry the animal after ½ hour if not completely dry.) Avoid contact with genitalia. Repeat treatment, if necessary in 14 days.

#### Optional Directions for Use on Dogs:

[FOR USE ON DOGS: Kills and repels flies, fleas, ticks and lice. Do not apply more than nine (9) fluid ounces when applying to dogs. Do not use on cats or kittens.

Hold the container upright. Spray at a distance of 8 to 12 inches. Spray over entire hair coat making sure the coat is thoroughly wetted to the skin. As you spray, fluff the hair so the spray will penetrate to the skin. Make sure spray wets ticks thoroughly. Spray against the lay of the hair, roughing the hair on long-haired dogs. Weight of dog, length of hair and density of coat will determine amount of spray to be applied to wet the skin. Do not spray into eyes, face or genitalia. For best results in controlling ticks, spray directly on the tick. Allow dog to air dry or blow dry. Do not towel dry. This product is formulated to leave the hair coat soft and manageable for grooming. For initial treatment, apply 1-2 ounces. Do not reapply more often than once every 14 days.]

<u>USE AS A PREMISE SPRAY (Homes)</u>: Kills <u>listed</u> insects on contact such as: Cockroaches, including Smoky Brown, Brown Banded, Asian, German, American, Australian and Oriental Cockroaches, Scorpions, Black Widow Spiders, Cellar Spiders, Grain Mites, Clover Mites, Beetles, (including Carpet, Flat Grain, Flour, Cigarette, Confused Flour, Drugstore, Lesser Grain Borer, Merchant Grain, Saw-toothed Grain, Warehouse, Red Flour, Ground, Elm Leaf), Rice Weevils, Centipedes, Millipedes, Fire Ants, Carpenter Ants, Foraging Ants and Pharaoh Ants, Palmetto Búgs, Water Bugs, Cadelles, Indian Meal Worms, Sowbugs, Box Elder Bugs, Earwigs, Pillbugs, Firebrat, Silverfish, Clothes Moths, Booklice, and Crickets.

In the home, remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use.

Spray in areas where insects congregate. Direct spray to contact insects for rapid knockdown and kill. Spray around outside of door facings and screens to render area unattractive to insects. This will help to repel insects and prevent entrance into building.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

#### Pesticide Storage

[Store product with spray nozzle closed.] Store in a cool, dry area, preferably one that can be locked. Always store pesticides in the original container. Store container upright. Store away from food and pet food.

#### Pesticide Disposal and Container Handling

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available. If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### Optional Storage and Disposal instructions for refillable containers.

STORAGE AND DISPOSAL		1
	ιιει	
Do not contaminate water, food or feed by storage and disposal.		
	· ε ει	
Pesticide Storage		
[Store product with spray nozzle closed.] Store in a cool, dry area, preferably one that can be locked. Always store	pesticides in the original	
container. Store container upright. Store away from food and pet food.		
Pesticide Disposal and Container Handling		e de la
Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.		( ) ( )
If empty:		CCCC.
Place in trash or offer for recycling if available.	ί ί	. CCC
If partly filled:		
Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outc	Joor drain.	

ccc

Optional Storage and Disposal instructions for bag on valve packaging.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

**Pesticide Storage** 

[Store product with spray nozzle closed.] Store in a cool, dry area, preferably one that can be locked. Always store pesticides in the original container. Store container upright. Store away from food and pet food. Pesticide Disposal and Container Handling

Nonrefillable container. Do not reuse or refill this container. Contents under pressure. Do not puncture or incinerate.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

.....

... .... 66 ι i с

. .

icii . . . . e c è c