

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Avenue, N.W. Washington, D.C. 20460

NOTICE	OF	PESTICIDE	•

X Registration
Reregistration

EPA	Reg.
Numb	er:
1021	_1961

Date of Issuance: 0CT | 9 2007

Term of Issuance: Conditional

Name of Pesticide Product: Evercide RTU Spray (F-27785)

(Under FIFRA as amended)

Name and Address of Registrant (include ZIP Code):
McLaughlin Gormley King Company
8810 Tenth Avenue North
Minneapolis, MN 55427-4372

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration: the Division prior to use of the label in commerce. The any correspondence on this product always reference the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is **conditionally** registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:

- 1. You will submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. You will make the following label changes before you release the product for shipment:
- a. Revise the EPA Registration Number to read "EPA Registration Number 1021-1861."
- b. Under Directions for Use add "Use protective gloves or mitts when applying product." following the sentence "This product is not for use on humans.".

Signature of	Approving Official:		Date:
•		•	

EPA Reg. No. 1021-1861

- c. Based on the toxicity profile for this type of formulation you do not need to list "If Swallowed" first aid nor the statement "Harmful if swallowed". However if you retain these statements change "Do not give any liquids to the person" to "Have person sip a glass of water if able to swallow.".
- d. On the front panel change "Waterproof formula" to "Water resistant formula".
- e. Under "To control Fleas and Ticks (Adult and Larvae)[on dog premises]: add "Fresh bedding should be placed in animal quarters after treatment. Allow to dry thoroughly before allowing pets to contact treated areas.".
- f. The word "new" may be used on the labeling for a period of six months following initial marketing of this product.

ACUTE TOXICITY REVIEW

STUDY	MRID	CATEGORY	CLASSIFICATION
Acute Oral Acute Dermal Acute Inhalation Eye Irritation Dermal Irritation Dermal Sensitization	45440301 45440302 45440303 45440304 45440305 45440306	IV III IV IV IV Negative	Cited Cited Cited Cited Cited Cited

- 3. You must generate studies corresponding to guidelines 830.6317 (one year storage stability) and 830.6320 (corrosion characteristics). The results must be submitted to the Agency along with and electronic format also.
- 4. Please note that a notice of availability of EPA's registration eligibility document (RED) for product containing Permethrin was published in the FR on June 28, 2006 (Vol71 No. 124 page 36788). Additional data and/or labeling changes may be required for products containing Permethrin.
- 5. Please submit two (2) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Linda A. DeLuise of my team at (703) 305-5428.



McLAUGHLIN GORMLEY KING COMPANY EVERCIDE® RTU Spray (F-27785)

ACCRPTED

WILL COMMENTS

TO EPA LONG.

and Rodonticks

ler KPA R

8810 Tenth Avenue N./ Minneapolis, Minnesota 55427-4319 U.S.A.

Telephone (763) 544-0341

OCT 19 2007

[] indicates optional wording

[New Sweat and Rain Resistant Formula Sweat and Rain Resistant Formula

Waterproof Formula

Protects horses and ponies from attacks from Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horse and Gnats

Controls Named Livestock Insects

For use on Dogs and on Premises to Control Fleas and Ticks

Controls Fleas and Ticks on Dogs for 14 Days

Controls Pests for up to Four Weeks

Kills Lice and Their Eggs

For use on Bedding, Furniture and Other Inanimate Objects Infested with Lice

Not for Use on Humans

Ready-To-Use spray or wipe for use on horses & ponies; dogs and their premises.]

ACTIVE INGREDIENT:

0.25% 99.75%

100.00% rans

* Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

FIRST AID		
IF ON SKIN OR CLOTHING:	Take off contaminated clothing.	
	 Rinse skin immediately with plenty of water for 15-20 minutes. 	
	 Call a poison control center or doctor for treatment advice. 	
IF SWALLOWED:	Immediately call a poison control center or doctor.	
	 Do not induce vomiting unless told to do so by a poison control center or doctor. 	
l •	Do not give any liquid to the person	
	Do not give anything by mouth to an unconscious person.	
Have the product container or labe	with you when calling a poison control center or doctor, or going for treatment. For information	
regarding medical emergencies or pesticide incidents, call 1-888-740-8712.		

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CALITION

Hharmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product around electrical equipment due to possible shock hazard

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Vacate room after treatment and ventilate before reoccupying. Avoid contamination of feed and foodstuffs. Remove birds and cover fish aquariums before spraying. This product is not for use on humans.

SHAKE WELL BEFORE USING

Hold container upright and spray from a distance of 12 to 15 inches.

Sprayer Instructions: How to prime and care for your sprayer:

- After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
- Turn sprayer nozzle one-half turn counter-clockwise. Hold sprayer below the level of the container and prime by pumping trigger 10-15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
- To store, turn nozzle to "off" position and store with sprayer above level of liquid in container to prevent leakage.

Protects Horses and Ponies from attacks of Horse Flies, Stable Flies, Face Flies, Deer Flies, House Flies, Hom Flies, Mosquitoes, and Gnats. Do not use on foals under 3 months of age.

To Protect Horses and Ponies from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, HorneFlies, Mosquito cand Gnats. Spray on each side being careful to spray back withers and forelegs thoroughly. To protect for Fage Flies spray the face and head but do not spray into eyes. Repeat treatment when flies are troublesome. Wipe-On: Remove excess dust and dirt. Spray product on clean cloth and wipe animal, being careful to treat back, withers, and forelegs. To protect from face flies, apply to face and head-but avoid contact with eyes.

To Treat Livestock: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Files, Horse Flies, Coper Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats. Spray on each side of animal being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

For Swine: Do not ship animals for slaughter within 5 days of last treatment.

To control Blood Sucking Lice: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control Poultry Lice, spray roosts, walls and nests or cages thoroughly, followed by spraying over the birds with a fine mist.

For control of Bedbugs and Mites in poultry houses, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

FOR PETS: USE ONLY ON DOGS, HORSES, AND PONIES

DO NOT USE ON PUPPIES UNDER TWELVE WEEKS

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing animals.

To control Fleas, Ticks and Lice on dogs: Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to ensure penetrating the coat. Dampen the fur up to the head. Do not spray directly in/on eyes, mouth, or genitalia of pets. Repeat application weekly if necessary to control infestations.

To control Fleas and Ticks (Adults and Larvae) [on dog premises]: Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor, and floor covering with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

To kill Lice and Louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, and then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use. Do not treat blankets, sheets, pillows, pillow cases or mattress covers.

cccc

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area. Do not transport or store below 32°F.

CONTAINER DISPOSAL:
If empty: Do not reuse this container. Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

> **Net Contents** Manufactured by:
> Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-XXXX

EPA Est. No. 1021-MN-2