1021-1861

11 02 2011



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. Steven K. Ditto McLaughlin Gormley King Company 8810 Tenth Ave North Minneapolis, MN 55427-4319 NOV 0 2 2011

Subject: Amended Reregistration Label Product Name: Evercide RTU Spray (F-27785) EPA Registration Number: 1021-1861 EPA Decision Numbers: 413904

Dear Mr Ditto:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the Permethrin RED, and has concluded that your submission is acceptable.

NOTE: This product is <u>not</u> being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>non-refillable</u> containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated February 22, 2007

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Samantha Hulkower at 703-603-0683 or hulkower.samantha@epa.gov.

Sincerely,

Richard J. Gebken Product Manager (10) Insecticide Branch Registration Division (7504P)

2

Enclosures: Label stamped "Accepted," dated Acute Toxicity Review, dated January 3, 2011 Product Chemistry Review, dated May 26, 2011

EVERCIDE® RTU Spray (F-27785) IRESIDENTIAL SECTION OF LABELL

[] indicates optional wording

[New Sweat and Rain Resistant Formula Sweat and Rain Resistant Formula Water Resistant Formula Protects horses and ponies from attacks from State For use on Dogs and on Premises to Control Fleas Controls Fleas and Ticks on Dogs for 14 Days Controls Pests for up to Four Weeks Kills Lice and Their Eggs For use on Bedding, Furniture and Other Inanimate Ready-To-Use spray or wipe for use on horses & p	e Objects Infested with Lice	
Not for Use on Humans		
ACTIVE INGREDIENT: * Permethrin [* (3-phenoxyphenyl)methyl(±)-o 2,2-dimethyloyclopropanecarboxylate] OTHER INGREDIENTS * Cis,trans ratio: Min. 35% (±) cis and max 64 EVERCIDE® - Registered trademark of McLaughli	0.25% Fungicide, and 99.75% as amended, registered ut EPA Reg. No	
ł	KEEP OUT OF REACH OF CHILDREN	
	CAUTION PRECAUCIÓN	
	nde la etiqueta, busque a alguien para que se la explique a usted en detalle.	
(If you do	not understand the label, find someone to explain it to you in detail).	
	FIRST AID	
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	
Have the product container or label with you when or pesticide incidents, call 1-888-740-8712.	calling a poison control center or doctor, or going for treatment. For information regarding medical emerge	encies
EPA Reg. N	NET CONTENTS Manufactured by: Manufactured by: Manufactured by: Manufactured by: Manufactured by: Manufactured by: Mon 2 Joll Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Est. No. 1021 - 1861 EPA Est. No. 1021 - 1861	
	PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS	
	CAUTION	
Harmful if absorbed through skin. Avoid contac chewing gum, or using tobacco. Remove and v	t with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinki wash contaminated clothing before reuse.	ng,

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product around electrical equipment due to possible shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE.

PRECAUTIONS AND RESTRICTIONS:

Vacate room after treatment and ventilate before reoccupying. Avoid contamination of feed and foodstuffs. Remove birds and cover fish aquariums before spraying. This product is not for use on humans. Use protective gloves or mitts when applying product.

Except when applying to dogs, do not allow adults, children, or pets to enter until sprays have dried.

Do not make applications during the rain.

Not for use in outdoor residential misting systems.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

SHAKE WELL BEFORE USING

Hold container upright and spray from a distance of 12 to 15 inches.

Sprayer Instructions: How to prime and care for your sprayer:

- 1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
- 2. Turn sprayer nozzle one-half turn counter-clockwise. Hold sprayer below the level of the container and prime by pumping trigger 10-15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
- 3. To store, turn nozzle to "off" position and store with sprayer above level of liquid in container to prevent leakage.

Protects Horses and Ponies from attacks of Horse Flies, Stable Flies, Face Flies, Deer Flies, House Flies, Horn Flies, Mosquitoes, and Gnats. Do not use on foals under 3 months of age.

To Protect Horses and Ponies from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats. Spray on each side being careful to spray back withers and forelegs thoroughly. To protect for Face Flies spray the face and head but do not spray into eyes. Repeat treatment when flies are troublesome. **Wipe-On:** Remove excess dust and dirt. Spray product on clean cloth and wipe animal, being careful to treat back, withers, and forelegs. To protect from face flies, apply to face and head but avoid contact with eyes.

FOR PETS: USE ONLY ON DOGS, HORSES, AND PONIES DO NOT USE ON PUPPIES UNDER TWELVE WEEKS

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing animals.

To control Fleas, Ticks and Lice on dogs: Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to ensure penetrating the coat. Dampen the fur up to the head. Do not spray directly in/on eyes, mouth, or genitalia of pets. Repeat application weekly if necessary to control infestations.

To control Fleas and Ticks (Adults and Larvae) [on dog premises]: Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor, and floor covering with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use. Fresh bedding should be placed in animal quarters after treatment. Allow to dry thoroughly before allowing pets to contact treated areas.

To kill Lice and Louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, and then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use. Do not treat blankets, sheets, pillows, pillow cases or mattress covers.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Do not transport or store below 32°F. Always store pesticides in the original container. Store away from food or pet food.

Pesticide Disposal and Container Handling

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available. If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EVERCIDE® RTU Spray (F-27785) LAGRICULTURAL SECTION OF LABELI

[] indicates optional wording						
[New Sweat and Rain Resistant Formula Sweat and Rain Resistant Formula Water Resistant Formula Protects horses and ponies from attacks from Stable Controls Named Livestock Insects Controls Pests for up to Four Weeks Kills Lice and Their Eggs Ready-To-Use spray or wipe for use on horses & po			louse Flies, Horn Flies, Mosquitoes, and Gnats			
Not for Use on Humans	nies, dogs and then p	remises.j				
ACTIVE INGREDIENT: * Permethrin [* (3-phenoxyphenyl)methyl(±)-cis 2,2-dimethylcyclopropanecarboxylate] OTHER INGREDIENTS		0.25%				
* Cis,trans ratio: Min. 35% (±) cis and max 65% (±) trans EVERCIDE® - Registered trademark of McLaughlin Gormley King Company						
K	EEP OUT OF	REACH OF	CHILDREN			
C	AUTION	PRECA	UCIÓN			
Si usted no entiend	le la etiqueta, busqu	e a alguien para que s	se la explique a usted en detalle. explain it to you in detail).			
		FIRST AID				
IF ON SKIN OR CLOTHING:		ediately with plenty of v	water for 15-20 minutes.			
Have the product container or label with you when c or pesticide incidents, call 1-888-740-8712.		ontrol center or doctor f center or doctor, or go	for treatment advice. ing for treatment. For information regarding medical emergencies			
	NET CO	ONTENTS				
		Nanufactured by:				
		MGK				
	8810	Tenth Avenue North				
EPA Reg. No		neapolis, MN 55427	EPA Est. No. 1021-MN-2			
EFA Reg. No		and a start the				
		TIONARY STATEMEN				
	C	AUTION				
Harmful if absorbed through skin. Avoid contact chewing gum, or using tobacco. Remove and wa	with skin, eyes or cloth sh contaminated cloth	hing. Wash thoroughly	with soap and water after handling and before eating, drinking,			
All applicator, and other handlers must wear: - Long-sleeve shirt and long pants, - Shoes plus socks,						
- Chemical-resistant gloves made of waterproof material. USER SAFETY REQUIREMENTS						
Follow manufacturer's instructions for cleaning/m PPE separately from other laundry. Discard cloth concentrate. Do not reuse them.	aintaining PPE. If no s	such instructions for wa	shables exist, use detergent and hot water. Keep and wash been drenched or heavily contaminated with this product's			
Users should wash hands before eating, drinkin Users should remove clothing/PPE immediately Users should remove PPE immediately after ha and change into clean clothing.	g, chewing gum, using if pesticide gets insid ndling this product. W	e. Then wash thorough ash the outside of glov	toilet. hly and put on clean clothing. res before removing. As soon as possible, wash thoroughly			
into storm drains, drainage ditches, gutters or sur	sms, including fish an face waters. Applying pesticide off the treat	this product in calm we tment area. Do not app	tect the environment, do not allow pesticide to enter or run off eather when rain is not predicted for the next 24 hours will help ly directly to water, or to areas where surface water is present			

56

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product around electrical equipment due to possible shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE.

PRECAUTIONS AND RESTRICTIONS:

This product is not for use on humans.

Avoid contamination of feed and foodstuffs.

Except when applying to livestock, do not enter or allow others to enter treated area until sprays have dried.

Except when applying to livestock, do not apply this product in a way that will contact workers or other persons, either directly or through drift.

Except when applying to livestock, only protected handlers may be in the area during application.

Do not breathe dust, vapors, or spray mist.

Do not make applications during the rain.

Not for use in outdoor residential misting systems.

When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Not for broadcast use.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

SHAKE WELL BEFORE USING

Hold container upright and spray from a distance of 12 to 15 inches.

Sprayer Instructions: How to prime and care for your sprayer:

- 1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
- 2. Turn sprayer nozzle one-half turn counter-clockwise. Hold sprayer below the level of the container and prime by pumping trigger 10-15 times until
- product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
- 3. To store, turn nozzle to "off" position and store with sprayer above level of liquid in container to prevent leakage.

Protects Horses and Ponies from attacks of Horse Flies, Stable Flies, Face Flies, Deer Flies, House Flies, Horn Flies, Mosquitoes, and Gnats. Do not use on foals under 3 months of age.

To Protect Horses and Ponies from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats. Spray on each side being careful to spray back withers and forelegs thoroughly. To protect for Face Flies spray the face and head but do not spray into eyes. Repeat treatment when flies are troublesome. **Wipe-On:** Remove excess dust and dirt. Spray product on clean cloth and wipe animal, being careful to treat back, withers, and forelegs. To protect from face flies, apply to face and head but avoid contact with eyes.

To Treat Livestock: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats. Spray on each side of animal being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

For Swine: Do not ship animals for slaughter within 5 days of last treatment.

To control Blood Sucking Lice: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control Poultry Lice, spray roosts, walls and nests or cages thoroughly, followed by spraying over the birds with a fine mist.

For control of Bedbugs and Mites in poultry houses, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Do not transport or store below 32°F. Always store pesticides in the original container. Store away from food or pet food.

Pesticide Disposal and Container Handling

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available. If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.