102 - 1861

7/15/2014



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

July 15, 2014

Mr. Steven K. Ditto McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427-4372

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Mr. Ditto:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated June 20, 2014 for the following product(s):

Evercide[®] RTU Spray (F27785) Reg. No. 1021-1861

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Lada A On Le

Richard J. Gebken Product Manager Insecticide Branch Registration Division (7504P)

Please read instructions before com	pleting form			• •	Form Approved.	OMB No. 2070-0	1060. Approval expires 05-31-98 Z
ed States					Regi(ti	on	OPP Identifier Number
SEPA Environmental Washingt		Protection A	gency 「		Amename	ent	
		ton, DC 20460		X Other			
	Applic	ation for Pes	sticide Regis	tration -	Section I		
. Company/Product Numb)er	······································	2. EPA Produc			3. Proposed	I Classification
021-1861			Richard Gebken				
. Company/Product (Nam	e)		PM#			✓ None	Restricted
EVERCIDE® RTU Sp	ray (F-27785)		10				
. Name and Address of A	pplicant (Include Zip Code)	6. Expedited	Review. In	accordance w	ith FIFRA Se	ction 3(c)(3)(b)(i), my
ACLAUGHLIN GORMLE	EY KING COMPANY D/	B/A MGK	product is simi	lar or identic	cal in composi		
810 TENTH AVENUE	NORTH					NOTIFI	CATION
MINNEAPOLIS, MN 554	1 27		EPA Reg. No.				
						JUL 1	5 2014
			Product Nam	ie ·	p		
Check if this	is a new address						
			Section - II				
Amendment	- Explain below.				Final printed	labels in res	conse to
				_	Agency lette		
Resubmissio	n in response to Agency le	etter dated			"Me Too" Application.		
				_			,
	Explain below. nal page(s) if necessary. (l				Other - Expla	ain below.	
			Section - III				
. Material This Product W	ill Be Packaged In:		Section - III				
Child-Resistant Packaging	······································		Water Soluble	Packaging		2. Type of	Container
☐ Yes*	☐ Yes			es (es		Metal	
<pre>✓ No</pre>	⊡ No			No		Plasti	
	If "Yes"	No. per	If "Yes"	_	No. per	Glass	•
Certification must	Unit Packaging wgt.	container	Package wgt.		container	Pape	r
e submitted		1			1	Other	(Specify)
3. Location of Net Contents	s information	4. Size(s) Reta	ail Container		5. Location of	of Label Direc	
🗸 Label 🗌	Container	4 oz 24 o	4 oz 24 oz.		On Label		
					On Labeling accompanying product		
δ. Manner in Which Label i	s Affixed to Product	Lithograph			Other		
	· 🗸	Paper glued					
		Stenciled					<i><i>сссс</i></i>
			Section - IV				ζειας
. Contact Point (Complete	e items directly below for id	lentification of in	dividual to be co	ntacted, if n	ecessary, to p		
Name		Title				1 ·	No. (Include Area Code)
Steven K. Ditto		U.S. Regula	U.S. Regulatory Affairs Manager			(763) 544	-0341
		Certification					6. Date Application
•	nts I have made on this for					-	Received ແມ່ນ
Lacknowledge that any I	knowingly false or misleadi	ing statement ma	ay be punishable	e by fine or i	mprisonment	or	6 6, CCC
Tacknowledge that any i							
both under applicable la	N						(Stamped)
both under applicable la	W	3. Title					
both under applicable la	<u>w.</u>		atory Affairs N	Manager	<u></u>		; (Stamped)
both under applicable la 2. Signature	w.	U.S. Regula	atory Affairs N	Manager			
• •	w.			Manager	,		

,

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.



June 20, 2014

<u>Via Courier</u>

Document Processing Desk (NOTIF) U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs (H7504P) Room S-4900, One Potomac Yard 2777 South Crystal Dr. Arlington, VA 22202-4501

Subject: EVERCIDE® RTU Spray (F-27785) EPA Reg. No. 1021-1861 Notifications PR-Notice 98-10

Dear Sir or Madam:

By notification we are adding marketing claims to the principle display panel of our master label. The added claims are related to pests and sites that have already been accepted on the label and are a variation of existing claims.

Enclosed are 2 copies of the label. One copy has changes highlighted.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact me at (763) 593-3417 or by email at steve.ditto@mgk.com.

Sincerely,

Steven K. Ditto US Regulatory Affairs Manager

Enclosure

8810 Tenth Avenue North Minneapolis, MN 55427 TOLL FREE 800.645.6466 TEL 763.544.0341 FAX 763.544.6437 WWW.MGK.COM

Inset Control Solutions

C C E C

eeeče

ιςἶε

EVERCIDE® RTU Spray (F-27785)

[RESIDENTIAL SECTION OF LABEL]

[] indicates optional wording [New Sweat and Rain Resistant Formula Sweat and Rain Resistant Formula Water Resistant Formula Protects horses and ponies from attacks from Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats Kills Flies, Gnats, and Mosquitoes. For use on Dogs and on Premises to Control [Kill] Fleas and Ticks Controls [Kills] Fleas and Ticks on Dogs for 14 Days Controls [Kills] Pests for up to Four Weeks Kills Lice and Their Eggs For use on Bedding, Furniture and Other Inanimate Objects Infested with Lice Ready-To-Use spray or wipe for use on horses & ponies; dogs and their premises] Not for Use on Humans NOTIFICATION ACTIVE INGREDIENT: JUL 1 5 2014 * Permethrin [* (3-phenoxyphenyl)methyl(±)-cis,trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate] 0.25% OTHER INGREDIENTS..... 99.75% 100.00%

* Cis,trans ratio: Min. 35% (±) cis and max 65% (±) trans

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN **PRECAUCIÓN**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail).

	FIRST AID
IF ON SKIN OR CLOTHING:	Take off contaminated clothing.
	 Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
Have the product container or I	abel with you when calling a poison control center or doctor, or going for treatment. For information regarding medical
emergencies or pesticide incide	ents, call 1-888-740-8712.

Manufactured by:



8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1861

EPA Est. No. 1021-MN-2

Net Contents _____

PRECAUTIONARY STATEMENTS	
HAZARDS TO HUMANS AND DOMESTIC ANIMALS	((((
CAUTION	
Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after I	handling and before eating. 📜 🤅
drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.	
ENVIRONMENTAL HAZARDS This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do n runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is r hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Do not apply directly to surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposin	not predicted for the next 24 ' ') o water, ؤرزو مزوعه where
rinsate.	(((((() (()
This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product crops or weeds while bees are actively visiting the treatment area.	or allow it to drift to blooming

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product around electrical equipment due to possible shock hazard.

ιις c

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE.

PRECAUTIONS AND RESTRICTIONS:

Vacate room after treatment and ventilate before reoccupying. Avoid contamination of feed and foodstuffs. Remove birds and cover fish aquariums before spraying. This product is not for use on humans. Use protective gloves or mitts when applying product.

Except when applying to dogs, do not allow adults, children, or pets to enter until sprays have dried.

Do not make applications during the rain.

Not for use in outdoor residential misting systems.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

SHAKE WELL BEFORE USING

Hold container upright and spray from a distance of 12 to 15 inches.

Sprayer Instructions: How to prime and care for your sprayer:

- 1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
- 2. Turn sprayer nozzle one-half turn counter-clockwise. Hold sprayer below the level of the container and prime by pumping trigger 10-15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
- 3. To store, turn nozzle to "off" position and store with sprayer above level of liquid in container to prevent leakage.

Protects Horses and Ponies from attacks of Horse Flies, Stable Flies, Face Flies, Deer Flies, House Flies, Horn Flies, Mosquitoes, and Gnats. Do not use on foals under 3 months of age.

To protect Horses and Ponies from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats. Spray on each side being careful to spray back withers and forelegs thoroughly. To protect from Face Flies spray the face and head but do not spray into eyes. Repeat treatment when flies are troublesome. **Wipe-On:** Remove excess dust and dirt. Spray product on clean cloth and wipe animal, being careful to treat back, withers, and forelegs. To protect from face flies, apply to face and head but avoid contact with eyes.

FOR PETS: USE ONLY ON DOGS, HORSES, AND PONIES DO NOT USE ON PUPPIES UNDER TWELVE WEEKS

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing animals.

To control [kill] Fleas, Ticks and Lice on dogs: Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to ensure penetrating the coat. Dampen the fur up to the head. Do not spray directly in/on eyes, mouth, or genitalia of pets. Repeat application weekly if necessary to control infestations.

To control [kill] Fleas and Ticks (Adults and Larvae) [on dog premises]: Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor, and floor covering with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use. Fresh bedding should be placed in animal quarters after treatment. Allow to dry thoroughly before allowing pets to contact treated areas.

To kill Lice and Louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, and then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use. Do not treat blankets, sheets, pillows, pillow cases or mattress covers.

STORAGE AND DISPOSAL	
Do not contaminate water, food or feed by storage and disposal.	
Pesticide Storage Store in a cool, dry area. Do not transport or store below 32°F. Always store pesticides in the original container. Store	away from food or pet food {
Pesticide Disposal and Container Handling	ι ι ιιιίτ
Nonrefillable container. Do not reuse or refill this container.	Ĺ
If empty:	
Place in trash or offer for recycling if available.	i i i i i
If partly filled:	
Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor	drain.

EVERCIDE® RTU Spray (F-27785)

[AGRICULTURAL SECTION OF LABEL]

[] indicates optional wording

(New Sweat and Rain Resistant Formula Sweat and Rain Resistant Formula Water Resistant Formula Protects horses and ponies from attacks from Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats Protects livestock from flies, gnats and mosquitoes Protects livestock from [Stable Flies], [Horse Flies], [Deer Flies], [Face Flies], [House Flies], [Horn Flies], [Gnats], and [Mosquitoes] Keeps livestock protected from Flies, Gnats, and Mosquitoes. Protects [cattle], [dairy cattle], [goats],[sheep],[hogs],and horses] from flies, gnats and mosquitoes. Kills Flies, Gnats, and Mosquitoes. For use around barns and premise. For use around barns. Controls Named Livestock Insects Controls [Kills] Pests for up to Four Weeks Kills Lice and Their Eggs Ready-To-Use spray or wipe for use on horses & ponies; dogs and their premises.] Not for Use on Humans ACTIVE INGREDIENT: * Permethrin {* (3-phenoxyphenyl)methyl(±)-cis,trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate]..... 0.25% OTHER INGREDIENTS..... 99.75% 100.00%

* Cis,trans ratio: Min. 35% (±) cis and max 65% (±) trans

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDRENCAUTIONPRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail).

[FIRST AID
IF ON SKIN OR CLOTHING:	Take off contaminated clothing.
	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
Have the product container or la	abel with you when calling a poison control center or doctor, or going for treatment. For information regarding medical
emergencies or pesticide incide	nts, call 1-888-740-8712.





8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1861

EPA Est. No. 1021-MN-2

Net Contents

....

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUPMENT (PPE)

All applicators, and other handlers must wear:

Long-sleeved shirt and long pants,

Shoes plus socks,

Chemical-resistant gloves made of waterproof material. .

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product around electrical equipment due to possible shock hazard.

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE.

PRECAUTIONS AND RESTRICTIONS:

This product is not for use on humans.

Avoid contamination of feed and foodstuffs.

Except when applying to livestock, do not enter or allow others to enter treated area until sprays have dried.

Except when applying to livestock, do not apply this product in a way that will contact workers or other persons, either directly or through drift. Except when applying to livestock, only protected handlers may be in the area during application.

Do not breathe dust, vapors, or spray mist. Do not make applications during the rain.

Not for use in outdoor residential misting systems.

When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking. : : Not for broadcast use.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application. < f.

SHAKE WELL BEFORE USING

Hold container upright and spray from a distance of 12 to 15 inches.

Sprayer instructions: How to prime and care for your sprayer:

- After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely, c 1.
- Turn sprayer nozzle one-half turn counter-clockwise. Hold sprayer below the level of the container and prime by pumping trigger 10-15 times 2
- until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
- To store, turn nozzle to "off" position and store with sprayer above level of liquid in container to prevent leakage. З.

Protects Horses and Ponies from attacks of Horse Flies, Stable Flies, Face Flies, Deer Flies, House Flies, Horn Flies, Mosquitoes, and Gnats. Do not use on foals under 3 months of age.

To protect Horses and Ponies from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats. Spray on each side being careful to spray back withers and forelegs thoroughly. To protect from Face Flies spray the face and head but do not spray into eyes. Repeat treatment when flies are troublesome. Wipe-On: Remove excess dust and dirt. Spray product on clean cloth and wipe animal, being careful to treat back, withers, and forelegs. To protect from face flies, apply to face and head but avoid contact with eves.

reère

CCCCC

....

To treat Livestock: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horne Flies, Mosquitoes, and Gnats. Spray on each side of animal being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

For Swine: Do not ship animals for slaughter within 5 days of last treatment.

To control Blood Sucking Lice: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control Poultry Lice, spray roosts, walls and nests or cages thoroughly, followed by spraying over the birds with a fine mist.

For control of Bed Bugs and Mites in poultry houses, spray crevices of roost poles, cracks in walls, and cracks in nests where the Bed Bugs and Mites hide.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Do not transport or store below 32°F. Always store pesticides in the original container. Store away from food or pet food.

Pesticide Disposal and Container Handling

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

ις.... (

ιιις είτις