



**U.S. ENVIRONMENTAL PROTECTION AGENCY**  
 Office of Pesticide Programs  
 Registration Division (7505C)  
 1200 Pennsylvania Ave., N.W.  
 Washington, D.C. 20460

**EPA Reg. Number:**  
  
**1021-1872**

**Date of Issuance:**  
  
**OCT 16 2008**

**NOTICE OF PESTICIDE:**  
 Registration  
 Reregistration  
 (under FIFRA, as amended)

**Term of Issuance:**  
**Conditional**

**Name of Pesticide Product:**  
**MGK - 2905**

**Name and Address of Registrant (include ZIP Code):**

**McLaughlin Gormley King Company**  
**8810 Tenth Avenue North**  
**Minneapolis, MN 55427-4319**

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

(continued on page 2)

**Signature of Approving Official:**

See page #5.

**Richard J. Gebken, Product Manager (10)**  
**Insecticide Branch, Registration Division (7505P)**

**Date:**

**OCT 16 2008**

2. Make the following change(s) to the label:

- a. Change the product registration number to "EPA Reg. No. 1021-1872"
- b. Make the following label revisions:

General Statement:

- 1. Delete all text throughout the label marked with "~~strickethrough~~."

Marketing Claims section comment(s):

- 2. Delete the 7<sup>th</sup> marketing claim since it is an implied safety claim.

Efficacy Review comment(s):

- 3. On page 1 of 5, revise the 2<sup>nd</sup> marketing claim "Immediate, flushing, knock-down, and kill" to read "Quick knock-down and kill. The terms "immediate" and "flushing" are considered exaggerated efficacy claims.
- 4. On page 3 of 5, revise "Ants (except Pharaoh, Harvester and Fire Ants)" to read "Ants (except Pharaoh, Harvester, Carpenter and Fire Ants)." Separate data are required to support a claim for carpenter ants, since we require data to be submitted for structural pests.
- 5. On page 4 of 5, revise "General Directions" to read "Directions." The term "General" is unrefined, and could be considered to be a misleading statement.
- 6. On page 4 of 5, delete the sentence "The efficacy of this product is dependent on weather conditions, intensity of pest populations, areas applied, type of pests, and physical stages of pests and plants." This sentence is too vague and would need clarification, e.g., under what specific weather conditions would efficacy be affected, and how will the efficacy be affected?

National Organic Program (NOP) Labeling Review comment(s):

- 7. At the current time, the Agency cannot approve the NOP labeling of this product, based on the following deficiencies:<sup>1</sup>
  - The active ingredients azadirachtin and pyrethrins are allowed per the USDA National List; however, the method(s) of extraction are unknown and some methods are not permissible to the NOP.
  - The term "botanical insecticide" is not acceptable in both locations within the Ingredient Statement and must be deleted. Organic language can only reflect the language approved as part of PR Notice 2003-1.<sup>2</sup>
  - This product is not listed on-line as an OMRI-approved product since a certification was not provided with this application; therefore, remove the OMRI logo from this label.
- 8. The noted deficiencies are upgradable and this label can be revised/re-submitted for subsequent NOP approval, depending upon: (1) the method of extraction of azadirachtin and pyrethrins; (2) the deletion of the term "botanical insecticide" from the Ingredient Statement; and (3) documentation of OMRI certification.

---

<sup>1</sup> For more detailed information, please refer to the NOP labeling review for this product.  
<sup>2</sup> For more detailed information, please refer to PR Notice 2003-1, which can be found at [http://www.epa.gov/opp/pmsd1/PR\\_Notices/pr2003-1.pdf](http://www.epa.gov/opp/pmsd1/PR_Notices/pr2003-1.pdf).

Precautionary Statements, Hazards to Humans & Domestic Animals subsection comment(s):

- 9. To facilitate inclusion of revised language from the acute toxicity review completed for this product, replace the last 2 sentences with: "Wash hands thoroughly with plenty of soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear protective eyewear. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeve shirt and long pants, socks, shoes and chemical-resistant gloves."

Precautionary Statements, USER SAFETY REQUIREMENTS subsection comment(s):

- 10. To facilitate inclusion of revised language from the RED for pyrethrins, replace the 3<sup>rd</sup> and 4<sup>th</sup> paragraphs found under the PPE subsection with:

"USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

ENGINEERING CONTROLS

Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(6)].

Human flagging is prohibited. Flagging to support aerial application is limited to use of the Global Positioning System (GPS) or mechanical flaggers."

Precautionary Statements, USER SAFETY RECOMMENDATIONS text box comment(s):

- 11. To facilitate inclusion of revised language from the RED for pyrethrins, revise/relocate the existing "User Safety Recommendations:" subsection to a text box of its own and place it immediately preceding the "Environmental Hazards" section as follows:

<p><u>USER SAFETY RECOMMENDATIONS</u></p> <p>Users should:  Wash hands thoroughly with plenty of soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.</p>
--

Environmental Hazards section comment(s):

- 12. To facilitate inclusion of language from the RED for pyrethrins, replace this section with: "This product is toxic to aquatic organisms, including fish and invertebrates. Drift and run-off may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through run-off. This product has a potential for run-off for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce run-off that contains this product.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-waters or rinsate. See Directions for Use for additional precautions and restrictions."

Directions for Use section comment(s):

13. To facilitate inclusion of language from the RED for pyrethrins, add the following new subsection immediately following the statement "It is a violation of ..." as follows:

<p><b>GENERAL PRECAUTIONS &amp; USE RESTRICTIONS</b></p> <ul style="list-style-type: none"> <li>• Apply this product only as specified on this label.</li> <li>• Do not contaminate food or feedstuffs.</li> <li>• Do not apply this product in a way that will contact workers or other persons, either directly or through drift.</li> <li>• Do not enter or allow others to enter until sprays have dried.</li> <li>• Do not remain in treated area. Exit area immediately and remain outside the treated area until vapors, mists and aerosols have dispersed.</li> <li>• Only protected handlers may be in the area during application.</li> <li>• Do not wet plants to the point of runoff or drip.</li> <li>• Do not apply directly to or near water, storm drains or drainage ditches. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected, Rinse applicator over lawn or garden area only.</li> <li>• Do not apply more than 1 time per day.</li> <li>• Do not apply more than 10 times per season.</li> <li>• Do not reapply within 3 days except under extreme pest pressure.</li> <li>• In case of extreme pest pressure, do not reapply within 24 hours.</li> </ul>
--

Storage & Disposal section comment(s):

14. To facilitate inclusion of language from PR Notice 2007-1, replace this section with:

<p><b>STORAGE &amp; DISPOSAL</b></p> <p>Do not contaminate water, food or feed by storage and disposal.</p> <p><b>Pesticide Storage:</b> Keep this product in a tightly closed container, when not in use. Store in a cool, dry, well-ventilated area.</p> <p><b>Pesticide Disposal:</b> Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.</p>
--

General comment:

15. Within one (1) year from the date of this registration, McLaughlin Gormley King Company is obligated to submit a One Year Storage Stability (830.6317) study and a Corrosion Characteristics (830.6320) study on this product in support of this registration.<sup>3</sup>


3. You must submit two (2) copies of the revised final printed labeling, incorporating the above changes, before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes accepting of these conditions.

McLaughlin Gormley King Company should note that a notice of availability of EPA's RED for products containing pyrethrins was published in the *Federal Register* on July 26, 2006 (Volume 71, Number 143, Pages 42387-42389). As a result, additional data and/or labeling changes may be required for products containing pyrethrins.

<sup>3</sup> For more detailed information, please refer to page 2 of 2 of the product chemistry review for this product

A copy of your label stamped "Accepted with Comments" is enclosed for your records along with hard copies of the acute toxicity, product chemistry, efficacy and national organic program label reviews for this product. If you have any questions about this label review, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at [Rodia.Carmen@epa.gov](mailto:Rodia.Carmen@epa.gov).

Sincerely yours,



Richard J. Gebken  
Product Manager (10)  
Insecticide Branch  
Registration Division (7505P)

*Enclosures:      Label stamped "Accepted with Comments"  
                         Acute Toxicity Review, dated September 9, 2008  
                         Product Chemistry Review, dated August 6, 2008  
                         National Organic Program Labeling Review, dated July 31, 2008  
                         Efficacy Review, dated September 26, 2008*

001021-01872 D391760

**MGK**<sup>®</sup>McLAUGHLIN  
GORMLEY  
KING COMPANYACCEPTED  
With COMMENTS  
In EPA Letter Dated:*October 16, 2008*Under the Federal Insecticide, Fungicide  
and Rodenticide Act, As amended, for the  
pesticide Registered under EPA Reg. No:*1021-1872*

MGK - 2905

For Organic Production



8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

- Quick* →
- Controls listed pests on contact or by ingestion
  - ~~Immediate flushing, knock-down, and kill~~
  - Kills larval, pupae, and adult stages of insects
  - For use on ornamentals, and in greenhouses
  - This product can be sprayed at any season of the year
  - Can be tank mixed
  - Non-persistent in the environment
  - Insect growth regulator activity on immature life stages
  - Non-corrosive to spray equipment

## ACTIVE INGREDIENTS:

Azadirachtin ( <i>botanical insecticide</i> ).....	1.20%
Pyrethrins ( <i>botanical insecticide</i> ).....	1.40%
OTHER INGREDIENTS .....	97.40%
	100.00%

MGK® - Registered trademark of McLaughlin Gormley King Company

0.21 lbs of active ingredient per gallon / 25.46 grams of active ingredient per liter

KEEP OUT OF REACH OF CHILDREN  
**CAUTION PRECAUCIÓN**Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted  
en detalle.

(If you do not understand the label, find someone to explain it to you in detail).

## FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> <li>▪ Call poison control center or doctor immediately for treatment advice.</li> <li>▪ Have person sip a glass of water if able to swallow.</li> <li>▪ Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>▪ Do not give anything by mouth to an unconscious person.</li> </ul>
IF IN EYES:	<ul style="list-style-type: none"> <li>▪ Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>▪ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>▪ Call a poison control center or doctor for treatment advice.</li> </ul>
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> <li>▪ Take off contaminated clothing.</li> <li>▪ Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>▪ Call a poison control center or doctor for treatment advice.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Net Contents \_\_\_\_\_

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427

EPA Reg. No. 1021 - XXXX

EPA Est. No. 1021-MN-2

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**CAUTION**

Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear: Long-sleeved shirt and long pants; Chemical-resistant gloves, such as, Barrier Laminate, Nitrile Rubber, Neoprene Rubber, or Viton; Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides 40 CFR 170.240 (d) (4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

## User Safety Recommendations:

## Users should:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

6/10

**ENVIRONMENTAL HAZARDS**

This pesticide is highly toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to inter-tidal areas below the mean high water mark. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment wash water.

This product is highly toxic to bees exposed to direct treatment on blooming plants or weeds. Do not apply this product or allow it to drift to blooming plants or weeds while bees are actively visiting the treatment area.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

~~Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.~~

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR, Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls;
- Chemical-resistant gloves, such as Barrier Laminate, Nitrile Rubber, Neoprene Rubber, or Viton;
- Shoes plus socks.

**NON-AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR, Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep unprotected persons out of treated areas until sprays have dried.

Wear protective clothing when using or handling this product to help avoid exposure to eyes and skin. Gloves, a long-sleeved shirt and long-pants are recommended.

Allow spray to dry before allowing adults, children or pets on treated areas.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Aphids such as	Hickory Shuckworms
Apple Aphids	Hornworms
Alfalfa Aphids	Imported Cabbageworms
Artichoke Aphids	Lawn Armyworms
Bean Aphids	Lesser Webworm Loopers
Black Maringed Aphids	Melonworms
Black Bean Aphids	Navel Orangeworms
Black Peach Aphids	Oriental Fruit Moths
Blue alfalfa Aphids	Pecan Nut Case bearers
Cabbage Aphids	Rindworms
Cotton / Melon Aphids	Sod Webworms
Cowpea Aphids	Southern Armyworms
European Asparagus Aphids	Soybean Loopers
Filbert Aphids	Saltmarsh Caterpillars
Foxglove Aphids	Tent Caterpillars
Green Peach Aphids	Tobacco Budworms
Lettuce Aphids	Tomato Hornworms
Lettuce Root Aphids	Tomato Fruitworms
Melon Aphids	Tomato Pinworms
Pea Aphids	Yellow striped Armyworms
Potato Aphids	Walnut Caterpillars
Rose Aphids	Webworms
Spotted Alfalfa Aphids	Western Yellow-Striped Armyworms
Willow Carrot Aphids	Western Grapeleaf Skeletonizers
All other Aphids	
	All other armyworms, caterpillars, & moths
<b>Armyworms, Caterpillars and Loopers such as</b>	
Alfalfa Caterpillars	<b>Beetles and Weevils such as:</b>
Artichoke Plume Moths	Alfalfa Weevils
Bagworms	Asparagus Beetles
Beet Armyworms	Bean Beetles
Black Cutworms	Bean Leaf Beetles
Budworms	Black Vine Weevils
Cabbage Loopers	Blister Beetles
Cankerworms	Boll Weevils
Carpenterworms	Carrot Weevils
Citrus Cutworms	Chestnut Weevils
Corn Earworms	Clover Weevils
Cross-striped Cabbageworms	Colorado Potato Beetles
Cutworms	12-spotted Cucumber Beetles
Diamondback moths	Cucumber Beetles
Eastern Tent Caterpillars	Darkling Beetles (lesser meal worms)
Fall Armyworms	Egyptian Alfalfa Weevils
Fall Cankerworms	Elm Leaf Beetles
Fall Webworms	Flea Beetles
Filbert Worms	Fuller Rose Beetles
Fireworms	Grape Bud Beetles
Forest Tent Caterpillars	Japanese Beetles
Garden Webworms	June Beetles
Grapefruit Worms	Mexican Bean Beetles
Grape Leaf Skeletonizers	Navel Orangeworms (NOW)
Green Fruit Worms	Pecan Weevils

7/10

Pink Bollworms	<b>Leafrollers:</b>
Potato Flea Beetles	Blueberry Leafrollers
Rice Weevils	Filbert Leafrollers
Rose Chafers	Fruit Tree Leafrollers
Saw-toothed Grain Beetles	Grape Leafrollers
Strawberry Beetles	Oblique Banded Leafrollers
Twig Girdlers	Omnivorous Leafrollers
All other beetles and weevils	Orange Tortrix
	Western Avocado Leafrollers
<b>Borers such as</b>	
European Corn Borers	<b>Moths</b>
Pacific Flatheaded Borers	Artichoke Plume Moths
Peach Tree Borers	Codling Moths
Peach Twig Borers	Diamondback Moths
Squash Vine Borers	European Pine Tip Moths
Shotbole Borers	Grape Berry Moths
Branch and Twig Borers	Gypsy Moths (adult & larvae)
	Indian Meal Moths
<b>Flies</b>	Mediterranean Flour Moths
Australian Sod Flies	Pine Tip Moths
Caribbean Fruit Flies	Tussock Moths
Crane Flies	
Fruit Flies	<b>Whiteflies</b>
Fungus Gnats	Greenhouse Whiteflies
Hessian Flies	Silverleaf Whiteflies
	Sweetpotato Whiteflies
Mediterranean Fruit Flies	
Melon Flies	<b>Other</b>
Mushroom Flies	Ants (except Pharaoh, Harvester and Fire Ants)
Oriental Fruit Flies	Apple Maggots
Olive Fruit Flies	Billbugs
Sawflies	Cabbage Maggots
Shore Flies	Clover Mites
Vinegar Flies	Cutworms
Walnut Husk Flies	Crickets
	Dichondra Flea Beetles
<b>Leafhoppers &amp; Sharpshooters:</b>	Earwigs
Aster Leafhoppers	Firebrats
Beet Leafhoppers	False Chinch Bugs
Glassy-winged Sharpshooters	Garden Symphylan
Grape Leafhoppers	Garden Tortrix
Potato Leafhoppers	Glassy Winged Sharpshooters
Variogated Leafhoppers	Grasshoppers
Three-Cornered Alfalfa hoppers	Harlequin Bugs
All other leafhoppers	Grape Phylloxera
	Katydid
<b>Leafminers</b>	Leaftooted Plant Bug
Citrus Leafminers	Lace Bugs
Holly Leafminers	Leaf tiers
Sepentine Leafminers	Lice
Vegetable Leafminers	Lygus
All other Leafminers	Lace bug
	Mealybugs (all)
Midges (plant pests)	

Millipedes	<b>Psyllids</b>
Onion Maggots	Pear Psylla
Plant Bugs	All other psyllids species
Proba Bugs	
Scale Insects	<b>Thrips</b>
Silverfish	Avocado thrips
Skippers	Citrus Thrips
Soft Scales	Flower Thrips
Spider Mites	Greenhouse Thrips
Sowbugs	Thrips Palmi
Spiders (except Black Widow and Brown Recluse Spiders)	Western Flower Thrips
Springtails	
Squash Bugs	
Stink Bugs	
Tarnished Plant Bugs	
Spittle Bugs	
Wireworms	
European Chafers	
Northern Masked Chafers	
Southern Masked Chafers	
All other maggots	
Western Boxelder Bugs	

#### FOR USE ON GROWING PLANTS (OUTDOORS AND IN GREENHOUSES):

**BEDDING PLANTS, FLOWERS, POTTED PLANTS AND FOLIAGE:** Including, but not limited to: Actinopterus, Aglaonema, Allamanda, Algerian Ivy, Alocasia, Anthurium, Aphelandra, Artemisia, Aster, Aucuba Illex, Azalea, Baby's Breath, Begonia, Bougainvillea, Boston Fern, Boxwood, Brachycome, Cacti, Calabrese, Caladium, Calla, Calathea, Calendula, Carnation, Chrysanthemum, Coleus, Columbine, Dahlia, Daisy, Daylily, Delphinium, Dianthus, Dieffenbachia, Dusty Miller, Easter Lily, English Ivy, Euphorbia, Fern, Ficus, Foxglove, Freesia, Fuchsia, Gaillardia, Gardenia, Geranium, Gerbera, Gladioli, Gypsophilla, Hedera, Hibiscus, Impatiens, Iris, Lily, Manville, Marigold, Nasturium, Pansy, Pelargonium, Peony, Peperomia, Petunia, Philodendron, Phlox, Photinia, Pittosporum, Pinks, Poinsettia, Pothos, Portulaca, Rosemary, Rose, Rubberplant, Salvia, Schefflera, Sedum, Sempervivum, Snapdragon, Spathiphyllum, Stock, Syngonium, Verbena, Vinca, Wander Jew, Zinnia.

**ORNAMENTALS:** Including, but not limited to: African Violet, Ageratum, Arborvitae, Aster, Aucuba Illex, Azalea, Begonia, Boxwood, Cacti, Calceolaria, Calendula, Calla, Camellia, Carnation, Ceanothus, Chrysanthemum, Cineraria, Coleus, Cotoneaster, Cyclamen, Cypress, Daffodil, Dahlia, Delphinium, Dogwood, Elm, Eucalyptus, Fern, Ficus, Foliage Plants, Fuchsia, Gardenia, Geranium, Gladiolus, Gloxinia, Gypsophilla, Holly, Hyacinth, Hydrangea, Iris, Ivy, Lily, Maidenhair Fern, Marigold, Narcissus, Orchid, Palm, Pansy, Peony, Pelargonium, Petunia, Philodendron, Phlox, Photinia, Pine, Pyracantha, Rhododendron, Roses, Rubber Plant, Snapdragon, Stock, Sweet Pea, Tulips, Viburnum, Wandering Jew, White Cedar, White Pine, Yew, Yucca, Zinnia

**TREES AND SHRUBS:** Including, but not limited to: Andromeda, Arborvitae, Ash, Austrian Pine, Azalea, Beech, Birch, Birdsnest Spruce, Blue Spruce, Boxwood, Butternut, Cedar, Chamaecyparis, Cherry, Crabapple, Cotoneaster, Cyprus, Dogwood, Douglas Fir, Elm, Euonymus, Fir, Firethorn, Forsythia, Hackberry, Hawthorn, Hemlock, Hickory, Holly, Honey Locust, Horse Chestnut, Juniper, Larch, Laurel, Lilac, Linden, London Plane, Magnolia, Manville, Maple, Mimosa, Mountain Ash, Myrtle, Oak, Pachysandra, Peach, Pine, Planetree, Poplar, Privet, Quince, Spruce, Sycamore, Tulip Tree, Viburnum, Willow.

**TURF GRASS:** Including Residential Yards, Commercial Facilities, Parks, Golf Courses, and other Recreational Turf Areas.

**General Directions:**

**Phytotoxicity:** MGK - 2905 has been evaluated for phytotoxicity on a wide range of plants. However, since testing on all varieties of all plants is not feasible, nor is testing of all possible combinations or sequences of pesticide sprays including fertilizers, surfactants and adjuvants. Before making tank mix combinations with MGK - 2905, or before making widespread applications, it is recommended to treat a limited number of plants and observe for phytotoxicity over a 10-day period. It is further recommended that spray equipment used to apply MGK - 2905 be thoroughly cleaned before use.

**Mode of Action:** MGK - 2905 controls target pests quickly on contact or by ingestion. It also controls insects by interfering with the molting process and as a adulticide. It is effective on all larva stages, pupae, and adults. It reduces plant damage by repelling and deterring feeding of all stages of insects. ~~The efficacy of this product is dependent on weather conditions, intensity of pest populations, areas applied, type of pests, and physical stages of pests and plants.~~

**pH:** It is recommended that the final spray mix be buffered to a pH of 5.5-7.0.

**Honey Bees:** To avoid possible harm to honey bees, it is advisable to apply in early morning or late evening hours.

**RATE CHART:**

		<i>Most commonly used rate</i>	<i>Rates for treating high populations of adults and/or hard to kill insects</i>	
<b>MGK - 2905</b>	<b>1 Pint per acre</b> 16 fl. oz. ( 473 mL)	<b>2 Pints per acre</b> 32 fl. oz. (946 mL)	<b>3 Pints per acre</b> 48 fl. oz. (1.42L)	<b>3.5 Pints per acre</b> 56 fl. oz. (1.66L)
Acres per Quart	2	1	0.67	0.57
Acres per Gallon	8	4	2.7	2.3

**DILUTION RATES:**

<b>Conventional Equipment</b>	In sufficient water for thorough coverage. Dilution in a minimum of 30 gallons (114 L) of water per acres is recommended
<b>Rate for hand sprayers</b>	1 - 2 fluid ounces (30- 60 mL) of MGK - 2905 per gallon (3.8L) of water
<b>Arial Application Rate</b>	This product may be applied by air at the rate of 16 - 56 fluid ounces (473 mL - 1.9L) per acre in a minimum of 25 gallons (95L) of water

**MIXING DIRECTIONS:**

**USED ALONE:**

- Mix only enough for immediate use
- Shake MGK - 2905 well before using.
- Dilute MGK - 2905 in sufficient water to obtain thorough coverage.
- Fill clean spray tank ½ to ¾ of the water to be sprayed and begin agitation.
- Add the appropriate amount of MGK - 2905 to the spray tank.
- Fill the tank with the remaining water and agitate thoroughly.
- Adjust spray solution to pH of 5.5 - 7.0, if outside of that range.
- Apply product promptly after mixing.
- Complete coverage of all leaf surfaces is essential for optimum results.
- If the mixture is not applied immediately after mixing, agitate before application.

**USED IN A TANK MIX:**

- This product may be tank mixed with most other insecticides, acaricides, fungicides, adjuvants, foliar fertilizers, and wetting agents.
- This application should conform to accepted use precautions and directions for all products in tank mix.
- Tank mix applications must be made in accordance with the more restrictive of label limitations and precautions. No label application rates may be exceeded. This product cannot be mixed with any product with label prohibitions against such mixing.

**COMPATIBILITY:**

Since variation in climatic conditions, cultural practices and other factors can affect compatibility, prior to tank-mixing, a compatibility test should be conducted using the proper proportions of products and water to ensure the physical compatibility of the mixture. To test for compatibility, mix a small amount of each product to the appropriate proportions in a small jar.

**APPLICATION DIRECTIONS:**

Spraying should begin when insects first appear. Do not wait until plants are heavily infested. Repeat application as required to maintain effective control, but not more than every 5 - 7 days. For foliar application, apply MGK - 2905 in sufficient spray volume and with adequate spray pressure to ensure complete and thorough coverage of all plant surfaces including both the top and bottom of leaves. Avoid excessive runoff. Do not apply when wind speed favors drift beyond the area intended for treatment. When pest pressure is heavy or plant canopy is dense, use higher rates and increase spray frequency. If possible apply in the early morning, or evening hours. The reduced UV exposure and lower temperatures will increase the performance and reduce the impact on pollinators.

**SOIL DRENCH DIRECTIONS:**

Apply MGK - 2905 as a drench to soil or non-soil media to control soil-borne insect larvae (e.g. Fungus Gnats). Apply MGK - 2905 in sufficient water and for sufficient duration so as to distribute the application rate evenly to the entire treated area. Apply to moderately moist soils. Use volumes that thoroughly wet the soil, but do not cause significant surface runoff or excessive drip from pots.

**CHEMIGATION DIRECTIONS:**

Apply this product only through sprinkler (including center pivot, lateral move, end tow, side (wheel) roll, traveler, big gun, solid set, or hand move) irrigation systems. Do not apply this product through any other type of irrigation system.

- Plant injury, lack of effectiveness, or illegal pesticide residues in the plant can result from non-uniform distribution of treated water.
- If you have questions about calibration, you should contact State Extension Service specialists, equipment manufacturers or other experts.
- Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place.
- A person knowledgeable of the chemigation system and responsible for the operation or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

The system must contain a functional check valve, vacuum relief valve, and low-pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump. The pesticide injection pipeline must also contain a functional normally closed, solenoid-operated valve located on the

9/10

intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the pump motor stops. The irrigation line or water pump must include a functional pressure valve which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.

Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

Do not apply when wind speed favors drift beyond the area intended for treatment. Constant agitation must be maintained in the chemical supply tank during the entire period of insecticide application. Greater accuracy in calibration and distribution will be achieved by injecting a larger volume of more dilute suspension per unit of time.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.

10/10