

PLEASE NOTE

**This image contains more than one label
approved for this product on this date.**

1021-1875

5/21/2009

1048



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

15/13/5/1

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms. Mirarm Frugis
Product Registration
McLaughlin Gormley King Co.
8810 Tenth Ave, North
Minneapolis, MN 55427

MAY 21 2009

SUBJECT: Application for Pesticide Notification (PRN 98-10)
Request Alternate Brand Name "ALTO CIRRUS"
EPA Reg. No.1021-1875
Application Dated April 23, 2009

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 04/23/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2098



United States
Environmental Protection Agency
Washington, DC 20460

Registration
Amendment
Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 1021-1875	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) MGK 2927	PM# 10	
5. Name and Address of Applicant (Include Zip Code) McLAUGHLIN GORMLEY KING COMPANY 8810 TENTH AVENUE NORTH MINNEAPOLIS, MN 55427 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

NOTIFICATION
MAY 21 2009

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application. _____
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Notification pursuant to PR Notice 98-10 adding an Alternate Brand Name

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
*Certification must be submitted		If "Yes" Unit Packaging wgt. 4X1 Gallon	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 1 Galon		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph	<input type="checkbox"/> Other		
		<input checked="" type="checkbox"/> Paper glued			
		<input type="checkbox"/> Stenciled			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Miriam Frugis	Title Regulatory Specialist	Telephone No. (Include Area Code) (763) 544-0341
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Specialist	
4. Typed Name Miriam Frugis	5. Date 4/23/2009	

30f8



McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A.
763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

April 23, 2009

Document Processing Desk (NOTIF)
U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs (H7504P)
Room S-4900, One Potomac Yard
2777 South Crystal Dr.
Arlington, VA 22202-4501

Via Courier

Subject: Notification per PR-Notice 98-10
MGK® 2927
EPA Reg. No. 1021-1875
Alternate Brand Name: ALTO CIRRUS®

Dear Sir or Madam:

Please find enclosed a Notification per PR Notice 98-10 where we are adding the Alternate Brand Name: ALTO CIRRUS®

Enclosed are 2 copies of the product label with Alternate Brand Name and 1 copy of the highlighted label.


This Notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,
McLaughlin Gormley King Company

Miriam Frugis
Regulatory Specialist

Enclosure



4098

2927 ALTO CIRRUS®- 0409

MGK®

McLAUGHLIN
GORMLEY
KING COMPANY

MGK-2927
ALTO CIRRUS

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

For Use in Homes, Apartments, Food and Non-Food Areas of: Food Processing Plants, Warehouses, Office Buildings, Hotels, Motels, Schools, Theatres, Hospitals and Other Areas Listed

[] Indicates alternate or optional wording

[Designed for use through ULV and Fogging equipment]
[Delivers Fast knockdown and kill of listed insects]

NOTIFICATION

MAY 21 2009

ACTIVE INGREDIENTS:

* (RS)-2-Methyl-4-oxo-3-(2-propynyl) cyclopent-2-enyl-(1RS)-cis, trans-chrysanthemate	0.67%
** Piperonyl butoxide, Technical	2.00%
*** N-Octyl bicycloheptene dicarboximide	3.00%
**** OTHER INGREDIENTS	94.33%
	<hr/>
	100.00%
* ETOC®	
** Equivalent to 1.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.40% related compounds	
*** MGK® 264, Insecticide Synergist	
**** Contains petroleum distillate	

MGK® and MULTICIDE® - Registered trademarks of McLaughlin Gormley King Company
ETOC® - Registered trademark of Sumitomo Chemical Corp., Ltd., Japan

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance. Then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN	
Contains petroleum distillate – vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor or going for treatment.	
For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-888-740-8712.	

Net Contents _____

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021- 1875

EPA Est. No. 1021-MN-2

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear long-sleeved shirt and long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse.

Wear a respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter when applying this product as a space spray.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Remove pets and birds and cover fish aquariums before spraying.

Do not allow children or pets to contact treated surfaces until spray has dried.

GENERAL: This concentrate is designed for use undiluted through mechanical aerosol or Ultra Low Volume (ULV) generators, as well as thermal and conventional fogging or spraying equipment.

Dilution: It can be diluted with a white mineral oil conforming to regulation 21 CFR 178.3620(b), or an odorless light petroleum hydrocarbon conforming to 21 CFR 172.882 or 40 CFR 180.1001(c) & (e). Combine oil with this concentrate and mix well just prior to application.

Tank-mixing: This concentrate may be tank mixed with NyGuard Insect Growth Regulator, or other appropriately labeled insect control products, unless prohibited by the other product's label. When using a tank-mix, always make applications following the most restrictive label language of the products being mixed.

NOTE: If there is a need to treat such areas as conduits, motor housings, junction and switch boxes or other electrical equipment, de-energize electrical equipment prior to application. After application, allow time for oil to evaporate before starting motors or placing switches in the "ON" position.

RESTRICTIONS:

Product cannot be used: 1) in areas where animals raised for milk and meat (human food animals) are present; 2) in any areas where animal feeds are prepared, processed, or stored, and; 3) in any truck beds or truck trailers, freight/tank/container, railroad cars, ship holds, or ship and air freight containers that are used to transport unbagged (bulk) feeds.

Do not apply to classrooms or patient rooms in hospitals and nursing homes while occupied.

Do not apply to a given area more than once every 4 days.

FOOD HANDLING ESTABLISHMENT APPLICATIONS

Do not apply directly to food. Do not apply as a Space Spray or general surface treatment while food processing is underway. Careful spot and/or crack and crevice application may be used while the facility is in operation provided exposed food is covered or removed from the area being treated prior to application. Foods should be removed or covered during treatment. All food processing surfaces and equipment should be covered or washed with an effective cleaning compound followed by a potable water rinse. In the home, all food processing surfaces, dishes and utensils should be covered during treatment, or thoroughly washed before use.

Insects Controlled:

Almond Moths,
Angoumois Grain Moths,
Ants,
Bed bugs,
Blister Beetles,
Blood Sucking Lice,
Boxelder Bugs,
Cadelles,

Face Flies,
Firebrats,
Fleas,
Flies,
Fruit Flies,
Fungus Gnats,
Gnats,
Grain Mites,

Beetles,
Scorpions,
Silverfish,
Small Flying Moths,
Spider Beetles,
Spiders,
Stable Flies,
Stink Bugs,

Carpet Beetles,
 Centipedes,
 Cereal Beetles,
 Cheese Mites,
 Cheese Skippers,
 Chocolate Moths,
 Cigarette Beetles,
 Clothes Moths,
 Clover Mites,
 Cockroaches,
 Coffee Bean Weevils,
 Confused Flour Beetles,
 Crickets,
 Dark Mealworms,
 Darkling Beetles,
 Dried Fruit Beetles,
 Drugstore Beetles,
 Earwigs,

Granary Weevils,
 Harlequin Bugs,
 Hide Beetles,
 Horn Flies,
 Hornets,
 House Flies,
 Indian Meal Moths,
 Khapra Beetles,
 Leaf Hoppers,
 Lesser Grain Borers,
 Mediterranean Flour Moths,
 Mosquitoes,
 Mushroom Flies,
 Red Flour Beetles,
 Rice Weevils,
 Rusty Grain Beetles,
 Saw-toothed Grain


Ticks,
 Tobacco Moths,
 Vinegar Flies,
 Warehouse Beetles,
 Wasps,
 Waterbugs,
 Weevils,
 Yellow Jackets
 Yellow Meal Worms

For use in and around:

Apartments,
 Arcades,
 Auditoriums,
 Bakeries,
 Beverage Plants,
 Banquet Facilities,
 Barns,
 Bars,
 Basements,
 Bathrooms,
 Boats,
 Bottling Plants,
 Breweries,
 Brewery Warehouses,
 Buildings,
 Busses,
 Cabins,
 Cabinets,
 Cafeterias,
 Carpets,
 Cargo Aircraft,
 Campers,
 Canneries,
 Churches,
 City Missions,
 Circus Tents,
 Closets,
 Communication Centers,
 Condominiums,
 Concession Stands,
 Convenience Stores,
 Court Houses,
 Day Care Centers,
 Department Stores,
 Diners,
 Dining Halls,
 Liquor Distilleries,
 Dog Houses,
 Dormitories,
 Drug Stores,
 Dumpsters,
 Egg Processing Plants,
 Ethanol Plants,
 Factories,
 Food Service Storage and
 preparation areas,
 Freight Containers,
 Fruit Packing Sheds,
 Garbage Bins,

Garages,
 Grain Mills,
 Granaries,
 Grocery Stores,
 Healthcare Facilities,
 Homes (Households),
 Hospices,
 Hospitals,
 Hotels,
 Industrial Installations,
 Institutions,
 Jails,
 Kitchens,
 Kennels,
 Laboratories,
 Laundromats,
 Lavatories,
 Libraries,
 Liquor Stores,
 Locker Rooms,
 Marina Buildings,
 Mills,
 Mausoleums,
 Meat Packing Plants,
 Storage Facilities,
 Mobile Homes,
 Morgues,
 Motels,
 Movie Theatres,
 Museums,
 Mushroom Processing,
 Nursing Homes,
 Office Buildings,
 Parking Garages,
 Passenger Railroad Cars,
 Pool Halls,
 Poultry Housing,
 Prisons,
 Public Storage,
 Public Housing,
 Rabbit Processing Plants,
 Railroad Cars,
 Recreational Vehicles
 (RV's),
 Recycling Facilities,
 Restaurants,
 Retail Stores,
 Rice Mills,
 Schools,

Stores,
 Supermarkets,
 Textile Mills &
 Warehouses,
 Theatres,
 Tobacco Warehouses
 Tool Sheds,
 Trains,
 Trucks,
 Tunnels,
 Universities,
 Utilities,
 Utility Rooms,
 Voids (i.e. Attics, False
 Ceilings),
 Walls & Equipment
 Voids,
 Warehouses,
 Wholesale Stores,
 Wine Cellars,
 Wineries,
 Zoos



- | | |
|-----------------------------|-----------------------------|
| Garbage Cans, | Smoke Shops, |
| Garbage compactors, | Stables, |
| Garbage trucks, | Storage Bins, |
| Gas Stations, | Stored Food in Multi-walled |
| Grain Elevators, | Packaging or Cloth Bags, |
| Grain Harvesting & Handling | Stored Food Warehouses, |
| Equipment | |

UNDILUTED APPLICATIONS:

SPACE SPRAY APPLICATION:

To Kill Flying Insects listed above: Close doors, windows and shut off all ventilating equipment. Then with a mechanical aerosol generator (no droplets over 50 microns in diameter and 80% less than 30 microns) apply undiluted concentrate at a dosage rate of approximately 1 fl oz/1,000 ft³ of room space. Direct spray toward upper areas of room. Do not remain in treated areas after application, and leave room closed for at least 1 hour. Ventilate thoroughly before occupants are allowed to re-enter.

To kill Crawling Insects listed above: Close doors, windows and shut off all ventilating equipment before application. Use concentrate undiluted and apply through equipment which can deliver a pin stream spray. Direct a pin stream spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects harbor. Contact as many insects as possible with the spray. Do not allow spray to contact stored food. Then, with a mechanical aerosol generator (no droplets over 50 microns in diameter and 80% less than 30 microns) apply undiluted product at the rate of 1 oz/1,000 ft³ of space. Leave room closed for at least 1 hour after application. Do not remain in treated areas and ventilate thoroughly before occupants are allowed to re-enter.

FEDERALLY INSPECTED MEAT & POULTRY ESTABLISHMENTS:

Apply as a space or directed contact spray for control of flying and crawling insects listed (see "Insects Controlled" section) in establishments operating under the Federal meat, poultry, shell egg grading and egg products inspection program. Do not apply while food processing is underway. All food processing surfaces and equipment should be covered or washed with an effective cleaning compound followed by a potable water rinse after application and before processing resumes. Close doors, windows and shut off all ventilating equipment prior to application. When using ULV (Ultra Low Volume) equipment, adjust it to deliver aerosol droplets (30 microns or less) and apply 1 oz/1,000 ft³ of space. Leave room closed for at least 1 hour after application and ventilate before occupants are allowed to re-enter

DEEP VOID APPLICATION

SPOT APPLICATION: With equipment designed for deep void Ultra Low Volume (ULV) applications follow the manufacturer's recommendations for proper equipment set up and operating pressures. Place the tip of the applicator at or into the crack and crevice to be treated. Apply product in short bursts while keeping tip in position. Allow the air stream to push insecticide deep into voids. Repeat application as necessary to flush insects from voids. Avoid applying to the point of runoff or drip. Ventilate thoroughly before occupants are allowed to re-enter.

LINEAR APPLICATION ALONG BASEBOARDS, TRIM MOLDING, ETC.: With equipment designed for deep void ULV application, move applicator tip along the crevice to be treated applying a constant burst of insecticide. Move the tip at a steady rate of approximately 1 ft/second. Avoid applying to the point of runoff or drip. Repeat application as necessary to flush insects from the void. Ventilate thoroughly before occupants are allowed to re-enter.

SPOT, OR CRACK AND CREVICE APPLICATIONS - Undiluted: Use concentrate undiluted and apply through equipment which can deliver a pin stream spray. Apply in specific areas such as: cracks and crevices in or behind baseboards, in floors, walls, expansion joints, areas around water and sewer pipes, wall voids, or voids in table legs and equipment where pests can hide as well as other similar areas. Spot treatments may also be made to areas including but not limited to storage areas, closets, doors and windows, behind and under refrigerators, cabinets, sinks, stoves, and other equipment, the underside of shelves, drawers and similar areas. Do not apply where electrical short circuits could occur.

DILUTED SPRAY APPLICATIONS

SURFACE SPRAY (Including Spot, Crack and Crevice Treatments): Use Diluted concentrate with sprayers that give large, wetting spray particles, to insure maximum control of listed crawling insects (see "Insects Controlled" section): Dilute 1 part concentrate with up to 9 parts oil and mix well. Apply as a coarse wetting spray using approximately 1 gallon of spray mixture for 750 square feet of surface. Spray walls, floor and other surfaces thoroughly, being especially careful to apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Treat both the underside and top side of infested carpets. Spray inside of trunks, closets and infested areas of shelving. Treat unloading, storage, handling and processing areas, in and around bins, conveying, processing and handling equipment. Spray thoroughly around the base of heavy machinery and equipment. Apply around doors and windows, behind and under refrigerators, cabinets, sinks, stoves, and other equipment, the underside of shelves, drawers and similar areas. Do not apply where electrical short circuits could occur. Spray insects directly when possible.

To Kill Accessible Stages of Granary Insects: Dilute 1 part Concentrate with up to 9 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, areas behind cabinets, around pipes and other insect harborages using 1 gallon spray per 1,000 square feet of surface.

ANIMAL HOUSING AND PRODUCTION FACILITIES

Use to control Flying and Crawling Insects listed in the "Insects Controlled" section of this label. Apply as a Space Spray application, Crack and Crevice or Spot Treatment, or as a diluted surface spray. Animals raised for Milk and Meat production must not be present at the time of application. They may be returned to the facility following ventilation (Space Spray) or once the sprayed material has dried (Surface Application).

SPACE SPRAY APPLICATION

To control listed crawling and flying insects. Close doors, windows and shut off all ventilating equipment. Then with a mechanical aerosol generator (no droplets over 50 microns in diameter and 80% less than 30 microns) apply undiluted concentrate at a dosage rate of approximately 1 fl oz/1,000 ft³ of room space. Direct spray toward areas where insects travel, land, harbor and breed, including walls, cages, shelves, ceiling, rafters, support beams, posts, upper areas of facility. Do not allow application to contact bulk animal feedstuffs or drinking water. Do not remain in treated areas after application, and leave facility closed for at least 1 hour. Ventilate thoroughly before milk and meat production animals are allowed to re-enter.

SURFACE SPRAY APPLICATION (Including Spot, Crack and Crevice Treatments):

Use Diluted concentrate with sprayers that give large, wetting spray particles, to insure maximum control of listed insects (see "Insects Controlled" section): Dilute 1 part concentrate with up to 9 parts oil and mix well. Apply as a coarse wetting spray using approximately 1 gallon of spray mixture for 1,000 square feet of surface. Spray walls, floor and other surfaces thoroughly, being especially careful to apply the spray into all cracks and crevices, on walls, floors, ceilings, around windows and doors, behind pipes and in all places where these insects shelter. Treat exterior surface of bins, conveying, and handling equipment. Do not apply where electrical short circuits could occur. Spray insects directly when possible. Animals may be returned to treated area once applied spray has dried.

For best results, use as part of an integrated program with a residual spray such as Onslaught Microencapsulated Insecticide, and with an Insect Growth Regulator such as NyGuard IGR Concentrate.

RESTRICTIONS:

Product cannot be used: 1) in areas where animals raised for milk and meat (human food animals) are present; 2) in any areas where animal feeds are prepared, processed, or stored, and; 3) in any truck beds or truck trailers, freight/tank/container, railroad cars, ship holds, or ship and air freight containers that are used to transport unbagged (bulk) feeds.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a warm, dry area . Always store pesticides in the original container. Store away from food and pet food. .

PESTICIDE DISPOSAL:

To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by stator or local governments or by industry.)

CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill.

Triple Rinse as follows [for containers of 5 Gallons (18.9 L) or less]: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

NEXT

LABEL

1021-1875

5/21/2009

10f8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

15/8/5/1

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

MAY 21 2009

Ms. Mirarm Frugis
Product Registration
McLaughlin Gormley King Co.
8810 Tenth Ave, North
Minneapolis, MN 55427

SUBJECT: Application for Pesticide Notification (PRN 98-10)
Request Alternate Brand Name "CIRRUS ONE"
EPA Reg. No.1021-1875
Application Dated April 23, 2009

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 04/23/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2009



United States
Environmental Protection Agency
Washington, DC 20460

Registration
Amendment
Other X

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 1021-1875	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) MGK 2927	PM# 10	
5. Name and Address of Applicant (Include Zip Code) McLAUGHLIN GORMLEY KING COMPANY 8810 TENTH AVENUE NORTH MINNEAPOLIS, MN 55427	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>NOTIFICATION</u> Product Name <u>MAY 21 2009</u>	
<input type="checkbox"/> Check if this is a new address		

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application. _____
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Notification pursuant to PR Notice 98-10 adding an Alternate Brand Name

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
*Certification must be submitted	If "Yes" Unit Packaging wgt. 4X1 Gallon	No. per container	If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
3. Location of Net Contents information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 1 Gallon		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product			<input type="checkbox"/> Lithograph	<input type="checkbox"/> Other	
			<input checked="" type="checkbox"/> Paper glued		
			<input type="checkbox"/> Stenciled		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Miriam Frugis	Title Regulatory Specialist	Telephone No. (Include Area Code) (763) 544-0341
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Specialist	
4. Typed Name Miriam Frugis	5. Date 4/23/2009	



McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A.
763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

April 23, 2009

Document Processing Desk (NOTIF)
U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs (H7504P)
Room S-4900, One Potomac Yard
2777 South Crystal Dr.
Arlington, VA 22202-4501

Via Courier

Subject: Notification per PR-Notice 98-10
MGK® 2927
EPA Reg. No. 1021-1875
Alternate Brand Name: CIRRUS® ONE

Dear Sir or Madam:


Please find enclosed a Notification per PR Notice 98-10 where we are adding the Alternate Brand Name: CIRRUS® ONE

Enclosed are 2 copies of the product label with Alternate Brand Name and 1 copy of the highlighted label.

This Notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,
McLaughlin Gormley King Company


Miriam Frugis
Regulatory Specialist

Enclosure



4 of 6

2927 CIRRUS® ONE - 0409

MGK®

McLAUGHLIN
GORMLEY
KING COMPANY

~~MGK-2927~~
CIRRUS® ONE

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

For Use in Homes, Apartments, Food and Non-Food Areas of: Food Processing Plants, Warehouses, Office Buildings, Hotels, Motels, Schools, Theatres, Hospitals and Other Areas Listed

[] Indicates alternate or optional wording

[Designed for use through ULV and Fogging equipment]
[Delivers Fast knockdown and kill of listed insects]

NOTIFICATION

MAY 21 2009

ACTIVE INGREDIENTS:

* (RS)-2-Methyl-4-oxo-3-(2-propynyl) cyclopent-2-enyl-(1RS)-cis, trans-chrysanthemate	0.67%
** Piperonyl butoxide, Technical	2.00%
*** N-Octyl bicycloheptene dicarboximide	3.00%
**** OTHER INGREDIENTS	94.33%
	<hr/>
	100.00%
* ETOC®	
** Equivalent to 1.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.40% related compounds	
*** MGK® 264, Insecticide Synergist	
**** Contains petroleum distillate	

MGK® and MULTICIDE® - Registered trademarks of McLaughlin Gormley King Company
ETOC® - Registered trademark of Sumitomo Chemical Corp., Ltd., Japan

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance. Then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN	
Contains petroleum distillate – vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor or going for treatment.	
For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-888-740-8712.	

Net Contents _____
Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021- 1875

EPA Est. No. 1021-MN-2

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear long-sleeved shirt and long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse.

Wear a respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter when applying this product as a space spray.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Remove pets and birds and cover fish aquariums before spraying.

Do not allow children or pets to contact treated surfaces until spray has dried.

GENERAL: This concentrate is designed for use undiluted through mechanical aerosol or Ultra Low Volume (ULV) generators, as well as thermal and conventional fogging or spraying equipment.

Dilution: It can be diluted with a white mineral oil conforming to regulation 21 CFR 178.3620(b), or an odorless light petroleum hydrocarbon conforming to 21 CFR 172.882 or 40 CFR 180.1001(c) & (e). Combine oil with this concentrate and mix well just prior to application.

Tank-mixing: This concentrate may be tank mixed with NyGuard Insect Growth Regulator, or other appropriately labeled insect control products, unless prohibited by the other product's label. When using a tank-mix, always make applications following the most restrictive label language of the products being mixed.

NOTE: If there is a need to treat such areas as conduits, motor housings, junction and switch boxes or other electrical equipment, de-energize electrical equipment prior to application. After application, allow time for oil to evaporate before starting motors or placing switches in the "ON" position.

RESTRICTIONS:

Product cannot be used: 1) in areas where animals raised for milk and meat (human food animals) are present; 2) in any areas where animal feeds are prepared, processed, or stored, and; 3) in any truck beds or truck trailers, freight/tank/container, railroad cars, ship holds, or ship and air freight containers that are used to transport unbagged (bulk) feeds.

Do not apply to classrooms or patient rooms in hospitals and nursing homes while occupied.

Do not apply to a given area more than once every 4 days.

FOOD HANDLING ESTABLISHMENT APPLICATIONS

Do not apply directly to food. Do not apply as a Space Spray or general surface treatment while food processing is underway. Careful spot and/or crack and crevice application may be used while the facility is in operation provided exposed food is covered or removed from the area being treated prior to application. Foods should be removed or covered during treatment. All food processing surfaces and equipment should be covered or washed with an effective cleaning compound followed by a potable water rinse. In the home, all food processing surfaces, dishes and utensils should be covered during treatment, or thoroughly washed before use.

Insects Controlled:

Almond Moths,
Angoumois Grain Moths,
Ants,
Bed bugs,
Blister Beetles,
Blood Sucking Lice,
Boxelder Bugs,
Cadelles,

Face Flies,
Firebrats,
Fleas,
Flies,
Fruit Flies,
Fungus Gnats,
Gnats,
Grain Mites,

Beetles,
Scorpions,
Silverfish,
Small Flying Moths,
Spider Beetles,
Spiders,
Stable Flies,
Stink Bugs,



Carpet Beetles,
 Centipedes,
 Cereal Beetles,
 Cheese Mites,
 Cheese Skippers,
 Chocolate Moths,
 Cigarette Beetles,
 Clothes Moths,
 Clover Mites,
 Cockroaches,
 Coffee Bean Weevils,
 Confused Flour Beetles,
 Crickets,
 Dark Mealworms,
 Darkling Beetles,
 Dried Fruit Beetles,
 Drugstore Beetles,
 Earwigs,

Granary Weevils,
 Harlequin Bugs,
 Hide Beetles,
 Horn Flies,
 Hornets,
 House Flies,
 Indian Meal Moths,
 Khapra Beetles,
 Leaf Hoppers,
 Lesser Grain Borers,
 Mediterranean Flour Moths,
 Mosquitoes,
 Mushroom Flies,
 Red Flour Beetles,
 Rice Weevils,
 Rusty Grain Beetles,
 Saw-toothed Grain


Ticks,
 Tobacco Moths,
 Vinegar Flies,
 Warehouse Beetles,
 Wasps,
 Waterbugs,
 Weevils,
 Yellow Jackets
 Yellow Meal Worms

For use in and around:

Apartments,
 Arcades,
 Auditoriums,
 Bakeries,
 Beverage Plants,
 Banquet Facilities,
 Barns,
 Bars,
 Basements,
 Bathrooms,
 Boats,
 Bottling Plants,
 Breweries,
 Brewery Warehouses,
 Buildings,
 Busses,
 Cabins,
 Cabinets,
 Cafeterias,
 Carpets,
 Cargo Aircraft,
 Campers,
 Canneries,
 Churches,
 City Missions,
 Circus Tents,
 Closets,
 Communication Centers,
 Condominiums,
 Concession Stands,
 Convenience Stores,
 Court Houses,
 Day Care Centers,
 Department Stores,
 Diners,
 Dining Halls,
 Liquor Distilleries,
 Dog Houses,
 Dormitories,
 Drug Stores,
 Dumpsters,
 Egg Processing Plants,
 Ethanol Plants,
 Factories,
 Food Service Storage and
 preparation areas,
 Freight Containers,
 Fruit Packing Sheds,
 Garbage Bins,

Garages,
 Grain Mills,
 Granaries,
 Grocery Stores,
 Healthcare Facilities,
 Homes (Households),
 Hospices,
 Hospitals,
 Hotels,
 Industrial Installations,
 Institutions,
 Jails,
 Kitchens,
 Kennels,
 Laboratories,
 Laundromats,
 Lavatories,
 Libraries,
 Liquor Stores,
 Locker Rooms,
 Marina Buildings,
 Mills,
 Mausoleums,
 Meat Packing Plants,
 Storage Facilities,
 Mobile Homes,
 Morgues,
 Motels,
 Movie Theatres,
 Museums,
 Mushroom Processing,
 Nursing Homes,
 Office Buildings,
 Parking Garages,
 Passenger Railroad Cars,
 Pool Halls,
 Poultry Housing,
 Prisons,
 Public Storage,
 Public Housing,
 Rabbit Processing Plants,
 Railroad Cars,
 Recreational Vehicles
 (RV's),
 Recycling Facilities,
 Restaurants,
 Retail Stores,
 Rice Mills,
 Schools,

Stores,
 Supermarkets,
 Textile Mills &
 Warehouses,
 Theatres,
 Tobacco Warehouses
 Tool Sheds,
 Trains,
 Trucks,
 Tunnels,
 Universities,
 Utilities,
 Utility Rooms,
 Voids (i.e. Attics, False
 Ceilings),
 Walls & Equipment
 Voids,
 Warehouses,
 Wholesale Stores,
 Wine Cellars,
 Wineries,
 Zoos



- | | |
|-----------------------------|-----------------------------|
| Garbage Cans, | Smoke Shops, |
| Garbage compactors, | Stables, |
| Garbage trucks, | Storage Bins, |
| Gas Stations, | Stored Food in Multi-walled |
| Grain Elevators, | Packaging or Cloth Bags, |
| Grain Harvesting & Handling | Stored Food Warehouses, |
| Equipment | |

UNDILUTED APPLICATIONS:

SPACE SPRAY APPLICATION:

To Kill Flying Insects listed above: Close doors, windows and shut off all ventilating equipment. Then with a mechanical aerosol generator (no droplets over 50 microns in diameter and 80% less than 30 microns) apply undiluted concentrate at a dosage rate of approximately 1 fl oz/1,000 ft³ of room space. Direct spray toward upper areas of room. Do not remain in treated areas after application, and leave room closed for at least 1 hour. Ventilate thoroughly before occupants are allowed to re-enter.

To kill Crawling Insects listed above: Close doors, windows and shut off all ventilating equipment before application. Use concentrate undiluted and apply through equipment which can deliver a pin stream spray. Direct a pin stream spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects harbor. Contact as many insects as possible with the spray. Do not allow spray to contact stored food. Then, with a mechanical aerosol generator (no droplets over 50 microns in diameter and 80% less than 30 microns) apply undiluted product at the rate of 1 oz/1,000 ft³ of space. Leave room closed for at least 1 hour after application. Do not remain in treated areas and ventilate thoroughly before occupants are allowed to re-enter.

FEDERALLY INSPECTED MEAT & POULTRY ESTABLISHMENTS:

Apply as a space or directed contact spray for control of flying and crawling insects listed (see "Insects Controlled" section) in establishments operating under the Federal meat, poultry, shell egg grading and egg products inspection program. Do not apply while food processing is underway. All food processing surfaces and equipment should be covered or washed with an effective cleaning compound followed by a potable water rinse after application and before processing resumes. Close doors, windows and shut off all ventilating equipment prior to application. When using ULV (Ultra Low Volume) equipment, adjust it to deliver aerosol droplets (30 microns or less) and apply 1 oz/1,000 ft³ of space. Leave room closed for at least 1 hour after application and ventilate before occupants are allowed to re-enter

DEEP VOID APPLICATION

SPOT APPLICATION: With equipment designed for deep void Ultra Low Volume (ULV) applications follow the manufacturer's recommendations for proper equipment set up and operating pressures. Place the tip of the applicator at or into the crack and crevice to be treated. Apply product in short bursts while keeping tip in position. Allow the air stream to push insecticide deep into voids. Repeat application as necessary to flush insects from voids. Avoid applying to the point of runoff or drip. Ventilate thoroughly before occupants are allowed to re-enter.

LINEAR APPLICATION ALONG BASEBOARDS, TRIM MOLDING, ETC.: With equipment designed for deep void ULV application, move applicator tip along the crevice to be treated applying a constant burst of insecticide. Move the tip at a steady rate of approximately 1 ft/second. Avoid applying to the point of runoff or drip. Repeat application as necessary to flush insects from the void. Ventilate thoroughly before occupants are allowed to re-enter.

SPOT, OR CRACK AND CREVICE APPLICATIONS - Undiluted: Use concentrate undiluted and apply through equipment which can deliver a pin stream spray. Apply in specific areas such as: cracks and crevices in or behind baseboards, in floors, walls, expansion joints, areas around water and sewer pipes, wall voids, or voids in table legs and equipment where pests can hide as well as other similar areas. Spot treatments may also be made to areas including but not limited to storage areas, closets, doors and windows, behind and under refrigerators, cabinets, sinks, stoves, and other equipment, the underside of shelves, drawers and similar areas. Do not apply where electrical short circuits could occur.

DILUTED SPRAY APPLICATIONS

SURFACE SPRAY (Including Spot, Crack and Crevice Treatments): Use Diluted concentrate with sprayers that give large, wetting spray particles, to insure maximum control of listed crawling insects (see "Insects Controlled" section): Dilute 1 part concentrate with up to 9 parts oil and mix well. Apply as a coarse wetting spray using approximately 1 gallon of spray mixture for 750 square feet of surface. Spray walls, floor and other surfaces thoroughly, being especially careful to apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Treat both the underside and topside of infested carpets. Spray inside of trunks, closets and infested areas of shelving. Treat unloading, storage, handling and processing areas, in and around bins, conveying, processing and handling equipment. Spray thoroughly around the base of heavy machinery and equipment. Apply around doors and windows, behind and under refrigerators, cabinets, sinks, stoves, and other equipment, the underside of shelves, drawers and similar areas. Do not apply where electrical short circuits could occur. Spray insects directly when possible.

To Kill Accessible Stages of Granary Insects: Dilute 1 part Concentrate with up to 9 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, areas behind cabinets, around pipes and other insect harborages using 1 gallon spray per 1,000 square feet of surface.

ANIMAL HOUSING AND PRODUCTION FACILITIES

Use to control Flying and Crawling Insects listed in the "Insects Controlled" section of this label. Apply as a Space Spray application, Crack and Crevice or Spot Treatment, or as a diluted surface spray. Animals raised for Milk and Meat production must not be present at the time of application. They may be returned to the facility following ventilation (Space Spray) or once the sprayed material has dried (Surface Application).

SPACE SPRAY APPLICATION

To control listed crawling and flying insects. Close doors, windows and shut off all ventilating equipment. Then with a mechanical aerosol generator (no droplets over 50 microns in diameter and 80% less than 30 microns) apply undiluted concentrate at a dosage rate of approximately 1 fl oz/1,000 ft³ of room space. Direct spray toward areas where insects travel, land, harbor and breed, including walls, cages, shelves, ceiling, rafters, support beams, posts, upper areas of facility. Do not allow application to contact bulk animal feedstuffs or drinking water. Do not remain in treated areas after application, and leave facility closed for at least 1 hour. Ventilate thoroughly before milk and meat production animals are allowed to re-enter.

SURFACE SPRAY APPLICATION (Including Spot, Crack and Crevice Treatments):

Use Diluted concentrate with sprayers that give large, wetting spray particles, to insure maximum control of listed insects (see "Insects Controlled" section): Dilute 1 part concentrate with up to 9 parts oil and mix well. Apply as a coarse wetting spray using approximately 1 gallon of spray mixture for 1,000 square feet of surface. Spray walls, floor and other surfaces thoroughly, being especially careful to apply the spray into all cracks and crevices, on walls, floors, ceilings, around windows and doors, behind pipes and in all places where these insects shelter. Treat exterior surface of bins, conveying, and handling equipment. Do not apply where electrical short circuits could occur. Spray insects directly when possible. Animals may be returned to treated area once applied spray has dried.

For best results, use as part of an integrated program with a residual spray such as Onslaught Microencapsulated Insecticide, and with an Insect Growth Regulator such as NyGuard IGR Concentrate.

RESTRICTIONS:

Product cannot be used: 1) in areas where animals raised for milk and meat (human food animals) are present; 2) in any areas where animal feeds are prepared, processed, or stored, and; 3) in any truck beds or truck trailers, freight/tank/container, railroad cars, ship holds, or ship and air freight containers that are used to transport unbagged (bulk) feeds.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a warm, dry area . Always store pesticides in the original container. Store away from food and pet food. .

PESTICIDE DISPOSAL:

To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by stator or local governments or by industry.)

CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill.

Triple Rinse as follows [for containers of 5 Gallons (18.9 L) or less]: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

NOTIFICATION

MAY 21 2009