1021-1875

11/14/2011



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

November 14, 2011

Mr. Steve Ditto McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427

Subject: Amended Reregistration Label Product Name: MGK 2927 EPA Registration Number: 1021-1875 EPA Decision Number(s): 410936

Dear Mr. Ditto:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the reregistration of the referenced product in connection with the MGK-264 and Piperonyl butoxide REDs and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>non-refillable</u> containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated 7/8/2010

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Dana Pilitt, Ph.D. at (703) 305-7071 or via e-mail at <u>pilitt.dana@epa.gov</u>.

Sincerely,

🖌 Richard J. Gebken

Product Manager (10) Insecticide Branch Registration Division (7504P) 2/10

Enclosures: Label stamped "Accepted", dated November 14, 2011 Acute Toxicity Review, dated April 21, 2010 Product Chemistry Review, dated October 13, 2010 2927_1021-1875_1011



McLAUGHLIN GORMLEY KING

COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

For Use in Homes, Apartments, Food and Non-Food Areas of: Food Processing Plants, Warehouses, Office Buildings, Hotels, Motels, Schools, Theatres, Hospitals and Other Areas Listed

[] Indicates alternate or optional wording

[Designed for use through ULV and Fogging equipment] [Delivers Fast knockdown and kill of listed insects]

	ACTIVE INGREDIENTS:	
*	(RS)-2-Methyl-4-oxo-3-(2-propynyl) cyclopent-2-enyl-(1RS)-cis, trans-	0.67%
	chrysanthemate	
**	Piperonyl butoxide	2.00%
***	N-Octyl bicycloheptene dicarboximide	2.87%
****	OTHER INGREDIENTS	94.46%
		100.00%

* ETOC®

** (butylcarbityl) (6-propylpiperonyl) ether and related compounds

*** MGK® 264, Insecticide Synergist

**** Contains petroleum distillate

MGK® and MULTICIDE® - Registered trademarks of McLaughlin Gormley King Company ETOC® - Registered trademark of Sumitomo Chemical Corp., Ltd., Japan

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED	 Immediately call a poison control center or doctor.
	Do not induce vomiting unless told to do so by a poison control center or
	doctor.
	Do not give any liquid to the person.
A LA	 Do not give anything by mouth to an unconscious person.
IF ON SKIN OR	Take off contaminated clothing.
CLOTHING:	 Rinse skin immediately with plenty of water for 15-20 minutes.
	 Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air.
	If person is not breathing, call 911 or an ambulance. Then give artificial
	respiration, preferably mouth-to-mouth if possible.
	 Call a poison control center or doctor for further treatment advice.
	NOTE TO PHYSICIAN
	stillate - vomiting may cause aspiration pneumonia. Have the product container or
label with you when ca	alling a poison control center or doctor or going for treatment.

For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-888-740-8712.

ACCEPTED NOV 1 4 2011

Under the Federal Insectioide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. (021-1875 Net Contents _____ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY

> Page 1 of 8 2927_1021-1875_1011

MGK - 2927

8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021- 1875

EPA Est. No. 1021-MN-2

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. PERSONAL PROTECTIVE EQUIPMENT (PPE) Mixers, loaders, applicators, and other handlers must wear the following: - long-sleeve shirt, - long pants, - shoes and socks. -chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber or viton. In addition to the above PPE, applicators using hand held foggers in an enclosed area must wear a half-face, full-face, or hood-style NIOSH-approved respirator with: -- a dust/mist filtering cartridge (MSHA/NIOSH approval number prefix TC-21C), or -- a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or -- a cartridge or canister with any R,P or HE filter. USER SAFETY REQUIREMENTS Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them. USER SAFETY RECOMMENDATIONS Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. As soonas possible, wash thoroughly and change in to clean clothing. **ENVIRONMENTAL HAZARDS** This pesticide is toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment, washwater, or rinsate. See Directions for Use for additional precautions and requirements.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL PRECAUTIONS AND RESTRICTIONS:

- Do not remain in treated area. Exit are immediately and remain outside the treated are until aerosols, vapors, and/or mists have dispersed.
- Not for use in metered release devises.
- · Do not apply to classrooms or patient rooms in hospitals and nursing homes while occupied.
- Do not apply to a given area more than once every 4 days.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.
- Remove pets and birds and cover fish aquariums before spraying.
- Do not apply to classrooms or patient rooms in hospitals and nursing homes while occupied.
- Do not apply to a given area more than once every 4 days.
- Do not wet articles to the point of runoff or drip.
- Do not use treated article until spray has dried.
- Do not use in aircraft cabins except in compliance with PR Notice 96-3.
- Entry Restrictions when applied as a surface spray:
- Do not enter or allow other to enter until sprays have dried.
 - Entry Restrictions when applied as a space spray or fog:
 - Do not allow adults, children, or pets to enter the treated area for at least 15 minutes, until vapors, mists, and aerosols have dispersed and the treated area has been thoroughly ventilated
- Application Restrictions:
 - Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application
- When used in food handling and processing facilities:
 - o Do not make space spray applications when facility is in operation
 - Prior to space spray applications, cover or remove food.
 - Prior to space spray applications, cover food processing surfaces or clean after treatment and before use.

Product cannot be used:

1) in areas where animals raised for milk and meat (human food animals) are present;

2) in any areas where animal feeds are prepared, processed, or stored, and;

3) in any truck beds or truck trailers, freight/tank/container, railroad cars, ship holds, or ship and air freight containers that are used to transport unbagged (bulk) feeds.

Do not apply to classrooms or patient rooms in hospitals and nursing homes while occupied.

Do not apply to a given area more than once every 4 days.

<u>GENERAL</u>: This concentrate is designed for use undiluted through mechanical aerosol or Ultra Low Volume (ULV) generators, as well as thermal and conventional fogging or spraying equipment.

<u>Dilution:</u> It can be diluted with a white mineral oil conforming to regulation 21 CFR 178.3620(b), or an odorless light petroleum hydrocarbon conforming to 21 CFR 172.882 or 40 CFR 180.1001(c) & (e). Combine oil with this concentrate and mix well just prior to application.

<u>Tank-mixing:</u> This concentrate may be tank mixed with NyGuard Insect Growth Regulator, or other appropriately labeled insect control products, unless prohibited by the other product's label. When using a tank-mix, always make applications following the most restrictive label language of the products being mixed.

NOTE: If there is a need to treat such areas as conduits, motor housings, junction and switch boxes or other electrical equipment, de-energize electrical equipment prior to application. After application, allow time for oil to evaporate before starting motors or placing switches in the "ON" position.

FOOD HANDLING ESTABLISHMENT APPLICATIONS

Do not apply directly to food. Do not apply as a Space Spray or general surface treatment while food processing is underway. Foods should be removed or covered during treatment. All food processing surfaces and equipment should be covered or washed with an effective cleaning compound followed by a potable water rinse. In the home, all food processing surfaces, dishes and utensils should be covered during treatment, or thoroughly washed before use.

Insects Controlled:

Almond Moths, Angoumois Grain Moths. Ants. Bed bugs, Blister Beetles. Blood Sucking Lice, Boxelder Bugs. Cadelles. Carpet Beetles. Centipedes, Cereal Beetles. Cheese Mites, Cheese Skippers, Chocolate Moths. Cigarette Beetles, Clothes Moths, Clover Mites. Cockroaches. Coffee Bean Weevils, **Confused Flour** Beetles. Crickets. Dark Mealworms, Darkling Beetles, Dried Fruit Beetles. Drugstore Beetles, Earwigs,

For use in and

around: Apartments, Arcades, Auditoriums, Bakeries, Beverage Plants, Banquet Facilities, Barns, Bars, Basements, Bathrooms, Boats,

Face Flies, Firebrats, Fleas. Flies, Fruit Flies, Fungus Gnats. Gnats. Grain Mites. Granary Weevils. Harlequin Bugs. Hide Beetles, Horn Flies. Hornets. House Flies, Indian Meal Moths. Khapra Beetles. Leaf Hoppers, Lesser Grain Borers. Mediterranean Flour Moths, Mosquitoes, Mushroom Flies. **Red Flour Beetles. Rice Weevils**. Rusty Grain Beetles, Saw-toothed Grain

Beetles, Scorpions, Silverfish, Small Flying Moths, Spider Beetles, Spiders. Stable Flies, Stink Bugs. Ticks. Tobacco Moths, Vinegar Flies. Warehouse Beetles. Wasps. Waterbugs. Weevils. Yellow Jackets Yellow Meal Worms

Garages, Grain Mills, Granaries, Grocery Stores, Healthcare Facilities, Homes (Households), Hospices, Hospitals, Hotels, Industrial Installations, Institutions, Stores, Supermarkets, Textile Mills & Warehouses, Tobacco Warehouses Tool Sheds, Trains, Trucks, Tunnels,

Bottling Plants, Breweries. Brewery Warehouses, Buildings, Busses, Cabins, Cabinets, Cafeterias, Carpets, Cargo Aircraft, Campers, Canneries, Churches, City Missions, Circus Tents, Closets. Communication Centers, Condominiums, Concession Stands, Convenience Stores, Court Houses, Day Care Centers, Department Stores, Diners, Dining Halls, Liquor Distilleries, Dog Houses, Dormitories, Drug Stores, Dumpsters, Egg Processing Plants, Ethanol Plants, Factories. Food Service Storage and preparation areas, Freight Containers, Fruit Packing Sheds, Garbage Bins, Garbage Cans, Garbage compactors, Garbage trucks. Gas Stations, Grain Elevators, Grain Harvesting & Handling Equipment

Jails, Kitchens. Kennels, Laboratories, Laundromats, Lavatories, Libraries, Liquor Stores, Locker Rooms, Marina Buildings, Mills. Mausoleums, Meat Packing Plants, Storages Facilities, Mobile Homes, Morgues, Motels, Movie Theatres, Museums, Mushroom Processing, Nursing Homes, Office Buildings, Parking Garages, Passenger Railroad Cars, Pool Halls, Poultry Housing, Prisons. Public Storages, Public Housing, **Rabbit Processing** Plants. Railroad Cars. **Recreational Vehicles** (RV's), **Recycling Facilities**, Restaurants, Retail Stores, Rice Mills, Schools. Smoke Shops, Stables, Storage Bins, Stored Food in Multiwalled Packaging or Cloth Bags, Stored Food Warehouses,

Universities, Utilities, Utility Rooms, Voids (i.e. Attics, False Ceilings), Walls & Equipment Voids, Warehouses, Wholesale Stores, Wine Cellars, Wineries, Zoos

UNDILUTED APPLICATIONS:

SPACE SPRAY APPLICATION:

<u>To Kill Flying Insects listed above:</u> Close doors, windows and shut off all ventilating equipment. Then with a mechanical aerosol generator (no droplets over 50 microns in diameter and 80% less than 30

8/10

microns) apply undiluted concentrate at a dosage rate of 0.90 fl oz /1,000 ft³ of room space. Direct spray toward upper areas of room. Do not remain in treated areas after application, and leave room closed for at least 1 hour. Ventilate thoroughly before occupants are allowed to re-enter.

<u>To Kill Crawling Insects listed above:</u> Close doors, windows and shut off all ventilating equipment before application. Use the concentrate undiluted and apply through equipment which can deliver a pin stream spray. Direct a pin stream spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects harbor. Contact as many insects as possible with the spray. Do not allow spray to contact stored food. Then, with a mechanical aerosol generator (no droplets over 50 microns in diameter and 80% less than 30 microns) apply undiluted product at the rate of 0.90 fl oz/1,000 ft³ of space. Leave room closed for at least 1 hour after application. Do not remain in treated areas and ventilate thoroughly before occupants are allowed to re-enter.

Space sprays may be made to the surfaces of bags of stored food products at the rate of no more than 0.001 lbs.MGK 264./1000 cubic feet or 0.090 fl oz MGK 2927 /1,000 cubic ft. Direct application to food contact surfaces is prohibited.

FEDERALLY INSPECTED MEAT & POULTRY ESTABLISHMENTS:

Apply as a space or directed contact spray for control of flying and crawling insects listed (see "Insects Controlled" section) in establishments operating under the Federal meat, poultry, shell egg grading and egg products inspection program. Do not apply while food processing is underway. All food processing surfaces and equipment should be covered or washed with an effective cleaning compound followed by a potable water rinse after application and before processing resumes. Close doors, windows and shut off all ventilating equipment prior to application. When using ULV (Ultra Low Volume) equipment, adjust it to deliver aerosol droplets (30 microns or less) and apply 0.90 fl oz/1,000 ft³ of space. Leave room closed for at least 1 hour after application and ventilate before occupants are allowed to re-enter. Do not apply more than 1 time per day.

INDOOR AEROSOL SPACE SPRAY APPLICATIONS (AEROSOL PUMP SPRAYERS) IN RESIDENTIAL AREAS. :

When making Indoor Aerosol Space Spray applications in residential areas with an aerosol pump sprayer do not exceed the maximum application rate of 0.00015 lbs MGK 264 /1,000 cubic ft. or .090 fl oz. MGK 2927 / 1,000 cubic ft.

DEEP VOID APPLICATION

SPOT APPLICATION: With equipment designed for deep void Ultra Low Volume (ULV) applications follow the manufacturer's recommendations for proper equipment set up and operating pressures. Place the tip of the applicator at or into the crack and crevice to be treated. Apply product in short bursts while keeping tip in position. Allow the air stream to push insecticide deep into voids. Repeat application as necessary to flush insects from voids. Avoid applying to the point of runoff or drip. Ventilate thoroughly before occupants are allowed to re-enter.

LINEAR APPLICATION ALONG BASEBOARDS, TRIM MOLDING, ETC.: With equipment designed for deep void ULV application, move applicator tip along the crevice to be treated applying a constant burst of insecticide. Apply at the rate of 6.7 fl oz MGK 2927 / 1,000 sq. ft. Move the tip at a steady rate of approximately 1 ft/second. Avoid applying to the point of runoff or drip. Repeat application as necessary to flush insects from the void. Ventilate thoroughly before occupants are allowed to re-enter.

<u>SPOT, OR CRACK AND CREVICE APPLICATIONS - Undiluted</u>: Use concentrate undiluted and apply through equipment which can deliver a pin stream spray. Apply at the rate of 33 fl. oz MGK 2927 / 1,000 sq ft. Apply in specific areas such as: cracks and crevices in or behind baseboards, in floors, walls, expansion joints, areas around water and sewer pipes, wall voids, or voids in table legs and equipment where pests can hide as well as other similar areas. Spot treatments may also be made to areas including but not limited to storage areas, closets, doors and windows, behind and under refrigerators, cabinets, sinks, stoves, and other equipment, the underside of shelves, drawers and similar areas. Do not apply where electrical short circuits could occur.

DILUTED SPRAY APPLICATIONS

<u>SURFACE SPRAY (Including Spot, Crack and Crevice Treatments)</u>: Use Diluted concentrate with sprayers that give large, wetting spray particles, to insure maximum control of listed crawling insects (see "Insects Controlled" section): Dilute 1 part concentrate with up to 9 parts oil and mix well. Apply as a coarse wetting spray using approximately 1 gallon of spray mixture for 750 square feet of surface. Spray walls, floor and other surfaces thoroughly, being especially careful to apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Treat both the underside and topside of infested carpets. Spray inside of trunks, closets and infested areas of shelving. Treat unloading, storage, handling and processing areas, in and around bins, conveying, processing and handling equipment. Spray thoroughly around the base of heavy machinery and equipment. Apply around doors and windows, behind and under refrigerators, cabinets, sinks, stoves, and other equipment, the underside of shelves, drawers and similar areas. Do not apply where electrical short circuits could occur. Spray insects directly when possible.

To Kill Accessible Stages of Granary Insects: Dilute 1 part Concentrate with up to 9 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, areas behind cabinets, around pipes and other insect harborages using 1 gallon spray per 1,000 square feet of surface.

ANIMAL HOUSING AND PRODUCTION FACILITIES

Use to control Flying and Crawling Insects listed in the "Insects Controlled" section of this label. Apply as a Space Spray application, Crack and Crevice or Spot Treatment, or as a diluted surface spray. Animals raised for Milk and Meat production must not be present at the time of application. They may be returned to the facility following ventilation (Space Spray) or once the sprayed material has dried (Surface Application).

SPACE SPRAY APPLICATION

To control listed crawling and flying insects. Close doors, windows and shut off all ventilating equipment. Then with a mechanical aerosol generator (no droplets over 50 microns in diameter and 80% less than 30 microns) apply undiluted concentrate at a dosage rate of approximately 0.90 fl oz/1,000 ft³ of room space. Direct spray toward areas where insects travel, land, harbor and breed, including walls, cages, shelves, ceiling, rafters, support beams, posts, upper areas of facility. Do not allow application to contact bulk animal feedstuffs or drinking water. Do not remain in treated areas after application, and leave facility closed for at least 1 hour. Ventilate thoroughly before milk and meat production animals are allowed to reenter.

SURFACE SPRAY APPLICATION (Including Spot, Crack and Crevice Treatments):

Use Diluted concentrate with sprayers that give large, wetting spray particles, to insure maximum control of listed insects (see "Insects Controlled" section): Dilute 1 part concentrate with up to 9 parts oil and mix well. Apply as a coarse wetting spray using approximately 1 gallon of spray mixture for 1,000 square feet of surface. Spray walls, floor and other surfaces thoroughly, being especially careful to apply the spray into all cracks and crevices, on walls, floors, ceilings, around windows and doors, behind pipes and in all places where these insects shelter. Treat exterior surface of bins, conveying, and handling equipment. Do not apply where electrical short circuits could occur. Spray insects directly when possible. Animals may be returned to treated area once applied spray has dried.

For best results, use as part of an integrated program with a residual spray such as Onslaught Microencapsulated Insecticide, and with an Insect Growth Regulator such as NyGuard IGR Concentrate. 9/10

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

<u>PESTICIDE STORAGE</u>: Store in a cool, dry place away from heat or open flame in an area that is inaccessible to children and animals.

<u>PESTICIDE DISPOSAL</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying.

Triple Rinse as follows : Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available for reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures by state and local authorities.