



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (H7505C)
 1200 Pennsylvania Avenue, N.W.
 Washington, D.C. 20460

EPA Reg. Number:
1021-2555

Date of Issuance:
JUL 8 2009

Term of Issuance:
Conditional

Name of Pesticide Product:
MGK® F-2929

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(Under FIFRA as amended)

Name and Address of Registrant (include ZIP Code):
 McLaughlin Gormley King Company
 8810 Tenth Avenue North
 Minneapolis, MN 55427


Note: Changes in labeling affecting in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.


On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is **conditionally** registered in accordance with FIFRA sec. 3(c)(7)(A), provided that:

1. You will submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. You will make the following label changes before you release the product for shipment:
 - a) Revise the EPA Registration Number to read "EPA Reg. No. 1021-2555."
 - b) Add "Note to physician: Contains petroleum distillate – vomiting may cause aspiration pneumonia" to the end of the First Aid statement. Also, add "Contains petroleum distillates following the Ingredients statement.
 - c) Delete all references to bedbugs, the data cited does not support the claims.
 - d) Revise the claim "Effectively kills exposed stages of stored product pests" to read "Kills exposed stages of listed stored product pests". Also revise the claim "Kills Stored Product Pests, Bedbugs, Ground Beetles and Sowbugs" to read "Kills listed Stored Product Pests, Ground Beetles and Sowbugs" and "Kills Carpenter Ants, German Cockroaches, Silverfish, Deer Ticks, and numerous stored product pests" to read "Kills Carpenter Ants, German Cockroaches, Silverfish, Deer Ticks and listed stored product pests.

Signature of Approving Official:

 Richard Gebken Interim Product Manager 13
 Insecticide Branch/Registration Division (7505P)

Date:


- 2/6
3. Please submit three (3) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact BeWanda Alexander at www.alexander.bewanda@epa.gov or (703) 305-7460.



McLAUGHLIN
GORMLEY
KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

[] Indicates alternate or optional wording.

For Indoor & Outdoor Residential Use Only

Kills Carpenter Ants, German Cockroaches, Silverfish, Deer Ticks, and numerous stored product pests.

Does not absorb moisture

Effectively kills exposed stages of stored product pests

[MGK® F-2862] [Brand name] can be used in homes, and many other areas

Kills Carpenter Ants

Kills Stored Product Pests, Bedbugs, Ground Beetles and Sowbugs

Non-Staining and Odorless

This product kills German Cockroaches, Carpenter Ants and other listed insects

This product can be used in the home and other listed areas to kill, through contact, listed crawling pests

ACTIVE INGREDIENT:

Bifenthrin	0.10%
*OTHER INGREDIENTS	99.90%
	100.00%

MGK® - Registered trademark of McLaughlin Gormley King Company

Net Contents _____

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427

EPA Reg. No. 1021-XXXXX

EPA Est. No. 1021-MN-2

ACCEPTED
 with COMMENTS
 In EPA Letter Dated
 JUL 8 2009
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under EPA Reg. No.
 1021-2555

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF SWALLOWED

- Immediately call a poison control center or doctor.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give any liquid to the person.
- Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and other aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use in/on:

Ant Hills, Ant Mounds, Apartments, Attics, Automobiles, Basements, Bathrooms, Bedding, Bedrooms, Boats, Bookcases, Buildings, Cabins, Campers, Camp Sites, Chests, Clothes Storage, Closets, Closed Porches, Condominiums, Cupboards, Dens, Dormitories, Dumpsters, Fabric Storage Areas, Garages, Garbage Cans, Gazebos, Greenhouses non-commercial, Homes, Houses, Kitchens, Lanais, Living Rooms, Locker Rooms, Mattresses, Mobile Homes, Patios, Play Houses, Play Rooms, Porches, Recreation Vehicles, Recreational Areas, Rooms, Shelf Areas, Solarium, Storage Areas [Sites], Stored Product Areas, Sunrooms, Tree Houses, Tree Huts, Storage Areas, Trucks and Verandas.

Kills listed insects through contact:

- | | | |
|------------------------------------|---------------------|------------------------|
| Bedbugs | Lesser Grain Borers | Drugstore Beetles |
| German Cockroach | Dark Mealworms | Merchant Grain Beetles |
| Crickets | Yellow Mealworm | Dust Mites |
| Carpenter Ants [Eastern (Western)] | Silverfish | Deer Ticks |
| Granary Insects | Firebrat | Booklice |
| Flat Grain Beetles | Bedbugs | Mites |
| Cadelle | Earwigs | Rice Weevils |
| Cigarette Beetles | Sowbugs | Asian Lady Beetles |
| Saw-toothed Grain Beetles | Pillbugs | Rusty Grain Beetles |
| Grain Mites | Millipedes | Cheese Mites |
| Granary Weevils | Weevils | Clover Mites |
| Flour Beetles | Warehouse Beetles | Red Flour Beetles |
| | | Confused Flour Beetles |

IMPORTANT READ ENTIRE LABEL BEFORE EACH USE

This product is a ready-to-use insecticide dust, which exhibits effective knockdown against the pests listed when used according to label directions. This product can be used in and around homes and their immediate surroundings. This product is intended for applications with a hand duster or from the shaker can, with a paintbrush or by other suitable means, to hiding and runway areas where insects are found. Keep children and pets out of treated area during application.

For most effective results, follow directions for specific use areas.

In the home cover or remove exposed food during application. Cover all food handling surfaces and utensils during application or thoroughly wash with soap and water after use.

Using a bulbous, mechanical or electric duster apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where listed insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Apply lightly and uniformly to infested area. Pay particular attention to cracks and crevices; service ducts; false floors and ceilings; wall voids; around electrical and telephone fittings and equipment; and around water and sewer pipes; under and behind cabinets; refrigerators and sinks; around windows and doorframes; along baseboards; and in attics and crawl spaces. The amount to be applied will vary with the site but usually be in the range of 0.5 lbs. per 1000 square feet.

GERMAN COCKROACH, CRICKETS, FIREBRAT, SILVERFISH, BOOKLICE, SOWBUGS, PILLBUGS, EARWIGS, CLOVER MITES AND MILLIPEDES: Distribute [MGK® F-2862] [Brand name] at the rate of 1.5 ounces per 100 square feet of surface area. Apply a continuous visible film to hiding places such as crack and crevices, behind and beneath sinks, stoves, refrigerators, around garbage cans, cabinets, along baseboards, door sills, frames and floors, around drains, pipes, plumbing, behind bookcases, storage and other utility installation. For severe infestations apply behind cabinets and walls, in crawl spaces and attics at a rate of 12 ounces per 1000 square feet.

FOR USE ON STORED PRODUCTS:

EXPOSED STAGES OF: Flour Beetles, Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetles, Confused Flour Beetles, Drugstore Beetles, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites, Cheese Mites, Granary Insects and Mealworms. Find and destroy infested package goods [sacks (boxes) (cartons) (containers)]. Remove all other items from pantry, shelves and drawers. Thoroughly treat floors, walls and other surfaces in bins, storage and handling areas, shelves, drawers, cabinets, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate.

CARPENTER ANTS: Treat doors, around window frames, ant trails and hills, cracks and crevices and other areas of entry.

BEDBUGS: Apply to cracks and crevices where evidence of bedbugs occurs. This includes bed frames, box springs, inside empty dressers and clothes closets and carpet edges, high and low wall moldings and wallpaper edges. Do not use this product on mattresses, pillows, bed linens, or clothes. Remove all clothes and other articles from dressers or clothes closets before application. Not recommended for use as sole protection against bedbugs. If evidence of bedbugs is found in/on mattresses use products approved for this use.

CARPET BEETLES: Dust where these insects are found, for example: on and under edges of floor coverings, around baseboards, under rugs and furniture and in closets.

OUTDOOR USE:

PERIMETER TREATMENT: Use [MGK® F-2862] [Brand name] as a treatment to kill Carpenter Ants, German Cockroaches, Crickets, Firebrats, Ground Beetles, Millipedes, Silverfish, Slugs, Sowbugs and Deer Ticks. Make a treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways, in crawl spaces and other areas where pests hide. To help prevent the invasion of buildings and structures by these pests, apply thoroughly to the foundation and crawl spaces where pests are active and may find entrance.

ORNAMENTAL PLANT PESTS:

Kills insects through contact::

Aphids
Beet Armyworms
Blister Beetles
Boxelder Bugs
Certain Leafminers (Boxwood, Holly, Oak, Spruce Needle)
Elm Leaf Rollers
Orange tortrix

Periodical Cicada
Plant Bugs
Rose Chafer
Rose Midges
Rose Slugs
Japanese Beetles
Leafhoppers

Weevils
Flea Beetles
Thrips
Tent Caterpillars
Leaf Rollers

SHRUBS and ORNAMENTALS: Apply when insects or their damage first appear and repeat at weekly intervals or as necessary. Apply 8 ounces per 1000 square feet; or thoroughly apply to place a thin layer of dust on both upper and lower sides of leaves, stems and flowers.

ROSES, PETUNIAS, CHRYSANTHEMUMS, CARNATIONS and other related flowers: To control many leaf and flower chewing insects, apply as soon as the insects appear and repeat at 7 day intervals or as long as insects continue to appear. Apply a thin layer of dust on both upper and lower sides of leaves, stems and flowers.

STORAGE AND DISPOSAL

STORAGE: Store in tightly closed container in a dry place.

PESTICIDE DISPOSAL:

If partly filled: Call your local solid waste agency for disposal instructions.
Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL:

If empty: Nonrefillable container Do not reuse or refill this container.
Place in trash or offer for recycling if available.

6

MGK F-2929

Dust formulation.

For Indoor & Outdoor Residential Use Only

- [Controls ornamental pests]
- [Use on home garden fruits, vegetables and ornamental plants (including roses)]
- [To control (kill) vegetable pests]

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

WHERE TO APPLY: Around home foundations (Perimeter Treatment) Ornamental and Flower Gardens, Vegetable Gardens.

WHEN TO APPLY: Apply early [in Spring/Summer/Fall] to prevent infestation. Otherwise, apply at the first signs of insect activity or damage.

HOW TO APPLY: For best results, treated areas should be thoroughly watered immediately after application.

ORNAMENTAL PLANT PESTS:

Kills insects through contact:

Aphids	Elm Leaf Rollers	Japanese Beetles
Beet Armyworms	Orange tortrix	Leafhoppers
Blister Beetles	Periodical Cicada	Weevils
Boxelder Bugs	Plant Bugs	Flea Beetles
Certain Leafminers (Boxwood, Holly, Oak Spruce Needle)	Rose Chafer	Thrips
Rose Slugs	Rose Midges	Tent Caterpillars
		Leaf Rollers

On Ornamentals & Flowers (Illustration)

- Apply 18 to 16 ounces evenly over each 500 square feet of area. Repeat if there are signs of renewed insect activity.
- Product can be applied just before planting or after plants emerge.

Vegetable Gardens (Illustration)

- A single application may be applied just prior to planting or after plant emerges. Apply 16 ounces of product for a 500 square foot area and work into the top 4 to 6 inches of soil.

CROP	DAYS TO WAIT TO HARVEST
Tomatoes, Strawberries, Citrus, Corn(sweet)	1
Caneberries, Raspberries, succulent peas (Green peas, sugar Snap peas, snow peas).	3
Green beans (wax beans, snap beans), dry beans (black-eyed peas, cowpea)	3
Cucurbits (cucumber, gourds, muskmelon, pumpkin, squash, watermelon)	3
Brassicas (broccoli, Chinese broccoli, cabbage, cauliflower, kohlrabi, Chinese mustard), Eggplant, Head lettuce, Peppers (bell and non-bell)	7
Artichoke	5

Net Contents _____

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
 8810 Tenth Avenue North
 Minneapolis, MN 55427

EPA Reg. No. 1021-XXXXX

EPA Est. No. 1021-MN-2