# 1021-2570

## 11/22/2011

U.S. ENVI	RONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C)	EPA Reg. Number: 1021-2570	Date of Issuance: 11/22/2011
WAL PROTECT	1200 Pennsylvania Avenue NW Washington, D.C. 20460	Term of Issuance: Conditional	
NOTICE OF PESTICIDE: <u>x</u> Registration Reregistration (under FIFRA, as amended)		Name of Pesticide R Multicide® Spra	
Name and Address of Registrant (include ZIP Co McLaughlin Gormley King Compa 8810 10 <sup>th</sup> Ave North Minneapolis, MN 55427			
Note: Changes in labeling differing in substance accepted by the Registration Division prior to use			
above EPA registration number.			
above EPA registration number. On the basis of information furnished by the regis Fungicide and Rodenticide Act.	strant, the above named pesticide is hereb	by registered under the	Federal Insecticide,
On the basis of information furnished by the regi	ndorsement or recommendation of this pro otion, may at any time suspend or cancel unection with the registration of a product u	oduct by the Agency. the registration of a pe under this Act is not to	In order to protect health esticide in accordance
On the basis of information furnished by the regis Fungicide and Rodenticide Act. Registration is in no way to be construed as an e and the environment, the Administrator, on his m with the Act. The acceptance of any name in cor	ndorsement or recommendation of this pro otion, may at any time suspend or cancel nection with the registration of a product u a or to its use if it has been covered by oth	oduct by the Agency. the registration of a pe under this Act is not to ers.	In order to protect health esticide in accordance be construed as giving
On the basis of information furnished by the regis Fungicide and Rodenticide Act. Registration is in no way to be construed as an e and the environment, the Administrator, on his m with the Act. The acceptance of any name in cor the registrant a right to exclusive use of the name This product is registered in accorda 1. Make the following label	ndorsement or recommendation of this pro otion, may at any time suspend or cancel nection with the registration of a product u a or to its use if it has been covered by oth	oduct by the Agency. the registration of a pe- under this Act is not to ers. ), contingent on he product for sh	In order to protect health esticide in accordance be construed as giving the following: ipment:
On the basis of information furnished by the regis Fungicide and Rodenticide Act. Registration is in no way to be construed as an e and the environment, the Administrator, on his m with the Act. The acceptance of any name in cor the registrant a right to exclusive use of the name This product is registered in accorda 1. Make the following label	ndorsement or recommendation of this pro otion, may at any time suspend or cancel inection with the registration of a product of or to its use if it has been covered by oth ance with FIFRA sec 3(c)(7)(A ing changes before releasing th	oduct by the Agency. the registration of a pe- under this Act is not to ers. ), contingent on he product for sh	In order to protect health esticide in accordance be construed as giving the following: ipment:
On the basis of information furnished by the regis Fungicide and Rodenticide Act. Registration is in no way to be construed as an e and the environment, the Administrator, on his m with the Act. The acceptance of any name in cor the registrant a right to exclusive use of the name This product is registered in accorda 1. Make the following label a. Revise the EPA Regis	ndorsement or recommendation of this pro otion, may at any time suspend or cancel inection with the registration of a product of or to its use if it has been covered by oth ance with FIFRA sec 3(c)(7)(A ing changes before releasing th	oduct by the Agency. the registration of a pe- under this Act is not to ers. ), contingent on he product for sh Registration No	In order to protect health esticide in accordance be construed as giving the following: ipment: . 1021-2570".

115

- 2. Within sixteen (16) months of the date on this Notice of Registration (NOR), provide to the Agency acceptable data packages for Guideline Studies: OPPTS 830.6320 (*Corrosion Characteristics*) and OPPTS 830.6317 (*Storage Stability*).
- 3. Within twelve (12) months of this notice, submit to the Agency the following confirmatory product specific data:
  - a. Residual efficacy through 14 days against adult bed bugs on the following surfaces: mattress ticking, medium pile carpet, unpainted wood, ceramic tile, filter paper, and cotton fabric.
  - b. Bed bug egg kill data from direct spraying and from contact with dried residues on filter paper surfaces.
  - c. Dust mite kill data on mattress ticking surface.
- 4. You must submit and/or cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data, and submit acceptable responses required for re-registration (registration review) of your product under FIFRA section 4.
- 5. The Agency must receive copy of the finished labeling prior to releasing the product for shipment. If you fail to comply with the above stated conditions, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes your acceptance of these conditions.

A copy of the label stamped "Accepted with Comments" is enclosed for your records. If you have any questions concerning this action, please contact me or Dr. B. A. Akinlosotu via (703) 605-0653 or akinlosotu.bonaventure@epa.gov.

Sincerely,

Richard Gebken, Product Manager (RM 10) Insecticide Branch Registration Division (MC 7505P)

Enclosures Stamped Label 2

29512_1021-UNASSIGNED_0411	10-25 11
MCLAUGHLIN GORMLEY KING COMPANY	MULTICIDE® Spray 29512
8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319	U.S.A Telephone (763) 544-0341
[New] (for 6 months) New Improved Formula (for 6 months) New Formula KillsToughest Bed Bugs (for 6 months) [Kills Dust Mites] [Kills Dust Mites] [Kills Bedbugs, fleas, dust mites & brown dog ticks] [Kills Bedbugs, fleas, dust mites & brown dog ticks] [Kills Bedbugs and their eggs.] [Kills Bed bugs & Dust Mites where they hide] [Kills Clothes Moths and Carpet Beetles] [Kills Clothes Moths and Carpet Beetles] [Will Not Stain (Non-staining on)- Water-Safe Fabrics and Surfaces.] [For use on mattresses, wood furniture & carpet!] Kills bed bugs resistant to some insecticides [Easy to Use Aerosol] [Ready to Use] [Convenient Ready to Use] [Dual Modes of Action] [Two Modes of Action] Works two ways to kill bed bugs Works two ways	[(Controls) (Kills) Bed bugs on Wood and Ceramic Surfaces and Carpet for up to 2 Weeks]Controls for up to 2 weeks <sup>†</sup> Protects for up to 2 weeks <sup>†</sup> Instantion of the end of the
[Dual Action Control] [Fast Knockdown and Control] [Quick Knockdown] [Fact Acting] Kills Fast Kills Bed Bugs Fast Bed Bug Killer Bed Bug & Flea Killer Flea & Brown Dog Tick Killer Controls Bed Bugs Unscented Keeps killing for up to 2 weeks* *Indoors on carpet, wood & ceramic surfaces	[Kills Dust Mites by Contact] [Reduces bed bug egg hatch in both susceptible and some resistant strains of bed bug eggs] [Kills bed bug eggs] [before they hatch] [Kills hiding bed bugs] Kills Bed Bugs where they hide [Synergized Formula] Part of a complete home defense system [Kills hard to see Bed Bug Eggs] [Kills difficult to find Bed Bug Eggs] [For use on Mattresses] [Luggage] [Furniture][Headboards][Beds][Carpet] [Kills Emerging Bed Bug Nymphs] [No Ozone Depleting Propellents] [Water-based Formula]Non-staining formula

Revised Label

#### Not For Use on Humans or Animals.

FEFT 20

For Indoor Use in Homes, Apartments and Residences.

Kills: Bed Bugs, Fleas, Brown Dog Ticks, Ants (excluding. fire, pharaoh, and harvester ants), Spiders (excl. brown recluse and black widow), Stink Bugs, Boxelder Bugs, Clothes Moths, Dust Mites, Crickets, Earwigs, Millipedes, Moths, Multicolored Asian Lady Beetles, Silverfish.

ACTIVE INGREDIENTS:		ACCEPTED
3-phenoxybenzyl-(1RS, 3RS, 1RS, 3SR)-2,		With COMMENTS
2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate	0.40%	In EPA Letter Dated:
<ul> <li>N-Octyl bicycloheptene dicarboximide</li> </ul>	1.04%	NOV 2 2 2011
Imidacloprid	0.05%	Under the Federal Insecticide, Fundicide
OTHER INGREDIENTS	98.51%	and Rodenticide Act, As amended, for the
<ul> <li>MGK® 264, Insecticide Synergist</li> <li>MGK® - Registered trademarks of McLaughlin Gormley King Company</li> </ul>	100.000%	pesticide Registered under EPA Reg. No: 1021-2570

### KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
IF SWALLOWED:	<ul> <li>Immediately call a poison control center or doctor.</li> </ul>
	<ul> <li>Do not induce vomiting unless told to do so by a poison control center or a doctor.</li> </ul>
	Do not give any liquid to the person.
	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
Have the product contain	er or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical
emergencies or pesticide	incidents, call 1-888-740-8712.

Net Weight Manufactured By: MGK 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-UNASSIGNED

EPA Est. No. 1021-MN-2



Federal regulations prohibit CFC propellants in aerosols

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PHYSICAL OR CHEMICAL HAZARDS

**Contents under pressure**. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product around electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

[STOP; READ ENTIRE LABEL BEFORE USE]

USE RESTRICTIONS: This product is not for use on humans or animals:

In the home, all food preparation and eating surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food/ should be covered or removed. Remove pets, birds and cover fish aquariums before spraying.

Do not apply to bed linens or surfaces that will be in direct contact with occupants of the bed. Do not apply as a broadcast surface spray. Not intended for commercial applications.

SHAKE WELL BEFORE EACH USE.

APPLICATION: Use only as a spot treatment or crack & crevice application in residences. . Spray in an inconspicuous area to test for possible staining or discoloration. Evaluate test area after drying. Hold container upright with nozzle aimed away from you. Spray surfaces from a distance of 8 to 10 inches unit! slightly damp. ... Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry. Allow sprayed articles and surfaces to dry thoroughly before using or replacing bedding.

TO KILL CRAWLING INSECTS: Spray as spot or crack & crevice application where insects are harboring, moving, or breeding. Treat feeding or hiding areas such as baseboards, carpet, floor, rugs, under refrigerators, cabinets, sinks, and stoves. Also treat interior entry points such as doors, around windows, and water pipes.

TO KILL BED BUGS AND BED BUG EGGS: Spray bugs directly when possible. Apply on and around bed frames, headboards, floors, carpeting, baseboards, furniture, moldings, ceiling, and walls. For infested mattresses, apply to tufts, folds, edges, sides, and seams until moist.. Allow to dry before remaking bed. For infested furniture, apply only to tufts, seams, folds, and edges. Do not apply to surfaces where prolonged human contact will occur. Also for spot treatment of luggage, closets, drapes and other window or wall appointments.

TO KILL BROWN DOG TICKS and FLEAS: Spray around beds, furniture and pet's habitat. Spray pet sleeping quarters, bedding, carpeting, floor and floor covering where pets are kept. Use only a recommended pet spray on pets. TO KILL DUST MITES: Thoroughly vacuum entire room concentrating on areas where mites congregate: such as mattresses, box springs, headboards, walls, floors, carpeting, and baseboards. Then spray surfaces until damp.

TO KILL CLOTHES MOTHS AND CARPET BEETLES: Apply as a spot treatment to cracks and crevices on and around baseboards, floorboards, funiture, and around the edges of carpet. Apply as a spot spray to carpet, rugs, closets, baseboards, furniture, on floor and floor coverings. When treating carpets or rugs, spray sufficient amount to get into the base where the larval stages are feeding. Spray both top and bottom surface of rugs or floor covering when possible.

Page 2 of 3 27911\_1021-1767\_0810

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. **Pesticide Storage** 

Store in a cool dry area. Always store pesticides in the original container. Store away from food and pet food. Pesticide Disposal and Container Handling

Do not puncture or incinerate!

Nonrefillable container. Do not reuse or refill this container. If empty:

Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions.

Page 3 of 3 27911\_1021-1767\_0810