

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

X Registration
Reregistration
(under FIFRA, as amended)

FPA	Rea	Numbe

Date of Issuance:

1021-2615

JAN 17 2014

Term of Issuance:

Unconditional

MGK®29901

Name and Address of Registrant (include ZIP Code):

Mr. Steven Ditto McLaughlin Gormley King Company 8810 Tenth Ave. North Minneapolis, MN 55427

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered//reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with section 3(c)(5) of FIFRA provided that you:

1. Submit and/or cite all data required for registration of your product under section 3(c)(5) of FIFRA when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under section 4 of FIFRA.

(continued on page 2)

Signature of Approving Official:	Date:
See page 2	JAN 17 2014
Michael Walsh, Acting Product Manager (13) Insecticide Branch, Registration Division (7504P)	

EPA Form 8570-6

- 2. Submit within 12 months of the date of issuance of this Registration Notice, acceptable guideline studies for Storage Stability study (OPTS GLN: 830.6317) and Corrosion Characteristics study (OPTS GLN: 830.6320) for this product.
- 3. Make the following change(s) to the product label: Change the product registration number to "EPA Reg. No. 1021-2615"

Enclosed is a copy of your label stamped with comments.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Submit two copies of your final printed labeling before you release the product for shipment.

If you have any questions, please contact Mr. Driss Benmhend, at (703) 308-9525 or via email at <u>benmhend.driss@epa.gov</u>.

Sincerely yours,

Michael Walsh

Acting Product Manager 13

Insecticide Branch

Registration Division (7504P)

Enclosure: Label Stamped "with Comments"

MGK® 29901

ACCEPTED JAN 17 2014

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under

[] Indicates alternate or optional wording	EPA. Reg. No: 1021-2615
ACTIVE INGREDIENTS:	
Lambda-cyhalothrin	0.25%
OTHER INGREDIENTS	. 99.75%
·	100.00%

KEEP OUT OF REACH OF CHILDREN

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Manufactured by



8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-EARL

EPA Est. No. 1021-MN-2

Net Contents:

PRECAUTIONARY STATEMENTS ENVIRONMENTAL HAZARDS

This pesticide is toxic to environmental organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment, washwater, or rinsate. See Directions for Use for additional precautions and requirements.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

General Precautions and Restrictions:

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- (1) Treatment to soil or vegetation around structures;
- (2) Applications to lawns, turf, and other vegetations;
- (3) Applicators Applications to building foundations, up to a maximum height of 3 feet.

Do not water the treated area to the point of runoff.

Do not make applications during rain.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

BARRIER TREATMENT

Outdoor Surfaces on and around Buildings

29901_1021-EARL_12130114

Treat outside surfaces of buildings such as exterior siding, foundations, porches, window frames, eaves, patios, garages, foundation pillars, piers, veneers, crawl space entrances, chimney bases, masonry cracks and voids, stoops, under slabs, plumbing and utility entry sites, bath traps, expansion joints, refuse dumps, garbage areas, lawn areas and landscaped areas adjacent to or around private homes, cabins, lake homes, cottages, vacation homes, duplexes, townhouses, condominiums, house trailers, apartment complexes, carports, fence lines, storage sheds, barns, kennels, chicken coops, hobby greenhouses, and other residential structures. Treatments may also be made to soil, trunks of trees and woody ornamentals, and other similar areas where pests congregate, are active or areas where pests have been seen. Coverage of bark on the scaffold limbs to the ground level of the trunk is recommended for best control.

Structural Perimeter Barrier Treatments

Applying a continual band of insecticide around a building foundation and around windows, doors, service line entrances, eaves, soffits, vents, roof overhangs, and other areas can greatly reduce the potential for entry by crawling pests. To facilitate application, remove debris and leaf litter from next to the foundation, cut back vegetation and branches that touch the foundation, and move or rake back rocks, deep mulch, or other potential pest harborage next to the foundation.

Apply as a coarse spray to thoroughly and uniformly wet the foundation and/or band area so that the insecticide will reach the soil or thatch level where pests may be active.

Treat entry points around water pipes, utility penetrations and entry points, windows, doors, vents, eaves, soffit areas and other exterior openings (including foundation cracks or drilled holes) where pests enter the structure or where they have been seen or found or can find shelter.

Void applications can be made into rubble foundations, wall voids, under slabs, stoops, and other similar voids

House siding higher than 3 feet from the foundation may be treated if Gypsy Moth adults, caterpillars, mosquitoes, flies, boxelder bugs, elm leaf beetles, earwigs, silverfish, stink bugs, and similar pests are present or are known to be active and find shelter.

Asian Lady Beetles, Boxelder Bugs, Stink Bugs, Cluster flies: Treat in late summer or fall just before Cluster flies begin looking for Winter shelter. Spray siding, eaves, around windows, doors and window screens. To help reduce infestations treat cracks and crevices, attics and other indoor winter hiding places.

Ants(Excluding Fire Ants, Pharaoh Ants and Harvester Ants): Spray around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray on and around debris until surface is slightly wet. Treatment of infested fences and tree holes is permitted.

Applications around Swimming Pools

Do not apply directly to swimming pools or swimming pool systems

Apply as a spot or crack and crevice treatment to impermeable surfaces such as tiled walkways around pools.

Applications in and on Boats

Do not apply to boat surfaces that contact water. Broadcast applications to exterior surfaces of boats are prohibited. Spot treatments may be made to exterior surfaces that do not contact water.

Use inside boats, ships and vessels is permitted. Do not reapply for 21 days. Do not allow product to drain or wash off into water bodies or other aquatic habitats.

Vinyl and Aluminum Siding: Applications made to vinyl and aluminum siding (particularly lightly colored, aged, weathered or otherwise damaged) may result in staining, bleaching, or discoloration. Factors such as extreme heat or direct sunlight can promote damage when using this product. Before applying this product to vinyl or aluminum siding, treat a small area and evaluate 30 minutes later to allow any potential staining to occur. Regardless of the test results, do not apply to vinyl or aluminum siding when exposed to direct sunlight or during the heat of the day.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling

Do Not Puncture or Incinerate!

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions.

OPTIONAL MARKETING CLAIMS:

Penetrates Deep into Cracks and Crevices

Flows Like a Liquid, Remains in Place like a Solid, Disappears in less than an hour

Perfect for Vertical Cracks and Surfaces

Perfect for Uneven and Difficult to Reach Surfaces

Precision Delivery - Foam Tracer Ensures Complete Application Coverage

Long-Lasting, up to 4 Month Control

Spreads around objects and hard to reach areas that sprays miss

Ready to Use - Tracing Foam

Prevents Insect Invasion - Season-Season Insects

Controls wide range of insect species

No Mess - Easy to Use - No Mixing

Convenient Aerosol Delivery Method

Apply when you Need it and Works when you Leave it

Apply before Insects Invade

Apply prior to change of (at the beginning of each) season for best results

Promotes Even Application Rates - Guarantee Coverage - No concern of Over use/Under use

Foundation and Void Uses

Visible Application - Invisible Barrier - Guaranteed Results

Dries Clear
Home, Patio, Workshop
Can be applied to Tree Bark
Prevents Insects from Making Your Home their Home!
Treat Soil to Protect Ornamentals
Kills Bugs Inside, Keeps Bugs Out
Kills on (by) Contact
Traps and Kills Insects