



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

January 14, 2026

Thomas A. Lennan
Senior Regulatory Affairs Specialist
McLaughlin Gormley King Company D/B/A MGK
7325 Aspen Lane N
Minneapolis, MN 55428

Subject: Label Amendment - Registration Review Mitigation for Deltamethrin
Product Name: ULTRATEC HPC 2
EPA Registration Number: 1021-2654
Case Number: 666376
Application Dates: 8/27/2025

Dear Thomas Lennan,

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Deltamethrin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for

shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Samantha Thomas by phone at 202-566-2368, or via email at thomas.samantha@epa.gov.

Sincerely,



Cathryn Britton
Chief, Risk Management and Implementation
Branch V
Pesticide Re-evaluation Division (7508M)
Office of Pesticide Programs

ENCLOSURE: Stamped label

UltraTec® HPC 2

- For Indoor and Outdoor Use
- Ready-To-Use
- Water-Based
- Kills on Contact
- Kills Fast
- Long-Lasting
- Keeps Killing Lady Beetles for up to 35 Days
- Kills Asian Lady [bird] Beetles
- Kills Asian Lady bugs by contact
- Keeps on Killing German & American Cockroaches and Argentine Ants for Up to 12 Months [1 year]*
- Protects Against German & American Cockroaches and Argentine Ants for Up to 12 Months [1 year]*
- Keeps on Killing for Up to 12 Months [1 year]**
- Keeps Killing German Cockroaches for Up to 3 Months [12 Weeks]
- Kills Fleas
- Keeps Killing House Flies for Up to 5 Months [20 Weeks]
- Kills Mosquitoes
- Keeps Killing Carpenter Ants for Up to 4 Weeks [30 Days, 1 Month]* [When Applied to Non-Porous Surfaces]
- Controls Ticks that may Transmit Lyme disease
- Keeps Killing Stable Flies for Up to 4 Months [18 Weeks]
- Kills Fleas & Ticks
- Kills Spiders, Centipedes and Scorpions
- Kills Roaches, Ants and Fleas on Contact
- Kills Aphids, Mealybugs, Lace Bugs, Thrips, Leafminers and Mites
- Kills Spider Mites
- Kills Japanese Beetles
- Plus Kills Ants, Fleas, Ticks, Crickets, Spiders, Flies & Other Listed Pests
- Also Controls: Carpenter Ants & Carpenter Bees
- 100% Satisfaction Guaranteed
- This product kills on contact, is non-staining, leaves no oily residue, is long-lasting and gives you immediate results when spraying insects directly.
- [Now] XX % More [*]

* versus XX [fl. oz.] [gallon] size]

* on non-porous surfaces

**German & American Cockroaches on non-porous surfaces

ACTIVE INGREDIENT:

Deltamethrin	0.02%
OTHER INGREDIENTS:	99.98%
	100.00%

UltraTec® is a registered trademark of McLaughlin Gormley King Company.

ACCEPTED

01/14/2026

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under
EPA Reg. No. 1021-2654

PRECAUCIÓN AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicado ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

KEEP OUT OF REACH OF CHILDREN **CAUTION**

See Side Panel for Additional Precautions

In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers, information may be obtained by calling 1-888-740-8712.

Manufactured by:



7325 Aspen Lane North
Minneapolis, MN 55428

EPA Reg. No.: 1021-2654

EPA Est. No.: 1021-MN-2

Net Contents: _____

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product in or on electrical equipment due to possibility of shock hazard.

READ THE LABEL FIRST!

DIRECTIONS FOR USE

It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.

For both indoor and outdoor use

USE RESTRICTIONS

- Do not allow adults, children, or pets to enter the treated area until sprays have dried.
- Do not apply this product in a way that will contact adults, children or pets, either directly or through drift.
- Remove pets, birds and cover fish aquariums before spraying.
- Do not apply as a space spray. Apply to surfaces only.
- Do not wet articles to the point of runoff or drip. Do not use treated article until spray has dried.
- Do not water the treated area to the point of runoff.
- Do not make outdoor applications at residential sites during rain.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces or wash them before use.
- Do not apply directly into sewers or drains or to any area like a gutter where drainage to storm sewers, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.



{Note to reviewer: Pictogram must be no smaller than 1.5 cm² or 0.25 sq. in. unless size is greater than 10% of label size}

- All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Application to pervious surfaces such as soil, lawn, turf, and other vegetation;
2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn);
3. Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
4. Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
5. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
6. Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch or other vegetation only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.
 - Spot treatments must not exceed two square feet in size. (for example 2 ft by 1. Ft. or 4 ft. by 0.5 ft.).
 - Do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.

• Do not apply the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.





- Do not allow the product to enter any drain during or after application.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios
- except as a spot or crack-and-crevice treatment.
- Do not apply or irrigate to the point of runoff.
- Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of

pesticide application.

- Do not apply when the wind speed is greater than 15 mph.
- Treat surfaces to ensure thorough coverage but avoid runoff. To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

General Information: Hold container upright. Do not spray up into air. Apply to surfaces only as a spot and crack and crevice treatment. [Turn sprayer nozzle to "on" position.] Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray until surface is slightly moist but not to the point of runoff. Over application may cause damage. Test in an inconspicuous area before applying.

Alternate Packaging Instructions:



Prepare Sprayer:

- Remove sprayer.
- Point sprayer away from body and adjust nozzle.
- Turn T-handle clockwise to unlock.
- Grasp bottle handle firmly.
- Pull up on T-handle.

Spray:



- Squeeze trigger to spray.
- Pull up on T-handle, when spray stops.

After Use:

- Turn T-handle counter-clockwise to lock for storage.

Alternate Packaging Instructions:

IMPORTANT! – READ BEFORE USE



After Use

- Slide safety switch to LOCK position.
- Return Power Sprayer to side carrier for storage.



4 AA Batteries Included
For important battery information – see booklet.

How to Attach Sprayer to Bottle

- Remove Power Sprayer and hose from side carrier.
- Replace bottle cap with cap attached to Power Sprayer hose.

Prepare to Spray


- Point Sprayer away from body.
- Adjust nozzle to desired setting. Do not turn past "X" position.
- Slide safety switch to ON position.

Spray

- Squeeze trigger to dispense product.
- Sprayer may require several seconds to prime before spraying.

{In second picture "Do not turn past "x" position in label submitted to EPA is alternate text.}

Alternate Packaging Instructions:



Attach Sprayer


- Remove sprayer from bottle and extend hose.
- Open flip-cap on bottle.
- Insert hose and plug into flip-cap opening until it snaps into place.

Spray

- Adjust nozzle to stream or spray position.
- Point sprayer downward and squeeze trigger repeatedly until liquid is released.

After Use

- Turn sprayer nozzle to X (off) position. Do not unplug hose.
- Return sprayer to bottle. Sprayer will snap into place.

Alternate Packaging Instructions:

How to Attach Sprayer to Bottle

- Remove Power Sprayer from side carrier.
- Pull battery tab to remove.
- Fully extend hose from bottom of sprayer.
- Open flip-cap on bottle.
- Insert hose and plug into flip-cap opening until it snaps into place.



How to Spray

- Point Power Sprayer away from body.
- Adjust sprayer nozzle to desired setting.
- Squeeze trigger to dispense product.
- Sprayer may require several seconds to prime before spraying.



After Use

- Turn sprayer nozzle to X (off) position. Do not unplug hose.
- Return Power Sprayer to side carrier for storage.
- Do Not reuse Power Sprayer with any other product or on any other container.

**Proper use of Batteries**

- Never mix old batteries with new.
- Do Not mix Alkaline with Standard (carbon zinc) or Rechargeable (nickel cadmium) batteries.
- When replacing batteries, follow diagram inside battery compartment.
- When storing sprayer at end of season, remove batteries to prevent leakage.
- Follow manufacturer's recommendations for disposal of batteries.

Do not allow children or pets to contact treated surfaces until spray has dried.

UltraTec HPC 2 keeps on killing **American & German Cockroaches and Argentine Ants for up to 12 Months (1 Year)** [3 months] [9 months] on non-porous surfaces] after you spray; keeps on killing **Flies** for up to 4 (5) months [16 (20) weeks, 120 days] after you spray.

UltraTec HPC 2 kills on contact. Contact kill gives you immediate results when spraying insects directly.

[Quick Facts] [Kills] [Where to Use] {Table with list of selected pests and sites from label text}

UltraTec HPC 2 Insecticide is intended to be used in and around residences and their immediate surroundings such as (but not limited to): **apartments, atriums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandas.** Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared or processed.

Application is prohibited directly into sewers drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

INDOORS:

Cockroaches [American and German Cockroaches] (including Adult and Immature Stages of Both Non-Resistant and Organophosphate and Carbamate Resistant Strains), Ants [including Argentine, Carpenter, Fire, Harvester & Pharaoh], Boxelder Bugs, Centipedes, Crickets, Dermestids, Firebrats, Fleas, Palmetto Bugs, Silverfish, Sowbugs, Ticks and Waterbugs: Apply as a spot and crack and crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. For **Ticks**, spray surfaces until moist. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. Repeat as necessary but not more than once per week.

[Roaches: Spray in cracks and crevices, around baseboards and other hiding places.]

Ants: Spray ant trails and around doors and windows and other places where ants enter the house.

Carpenter Ants: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

Ticks (including Ticks that may transmit Lyme disease) and Fleas ON SURFACES: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters until moist. **Adult Fleas and Larvae** contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

Centipedes, Ground Beetles, Pillbugs, Sowbugs, Scorpions and Ticks: Apply around doors and windows and other places where these pests may enter premises. For **Ticks**, spray surfaces until moist. Treat baseboards, storage areas and other locations where these pests are found.

[**Silverfish, Crickets, Spiders:** Apply to areas infested by these pests.]

Asian Lady Bird Beetles (Lady bugs): Spray areas where bugs crawl or rest, around doors, windows and areas where insects can enter the home.

CONTACT SPRAY: To kill ants (including Argentine, carpenter, fire, harvester & pharaoh ants), bed bugs, centipedes, cockroaches, fleas, spiders (including brown recluse, black widow & hobo spiders), ticks, chiggers, black flies, deer flies, horse flies, gnats, biting midges and wasps: Spray where insects congregate and individual pests when seen. Spray 1-3 pumps contacting insects directly. Insects contacted by spray will be killed.

FLYING INSECTS: **House Flies, Gnats, Mosquitoes and Small Flying Moths:** Spray localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, etc. and anywhere these insects may rest. Insects coming to rest on treated surfaces will be killed.

[FLYING INSECTS: Spray resting areas. Insects coming to rest on treated surfaces will be killed.]

HORSE STABLES: To Control **Stable Flies, Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Mosquitoes and Gnats.** Apply thoroughly to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Repeat treatment as necessary but not more than once per week. Do not spray animals or humans, or apply to animal feed or watering equipment. Controls **Stable Flies** for up to 4 months.

PANTRY PESTS - Grain Beetles (Rusty, Merchant and Sawtoothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

Bed Bugs: Remove linens and wash before reuse. Lightly spray mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed.

OUTDOORS:

Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops.

For outdoor use only as an aid in controlling these insects.

Point sprayer away from face. Hold sprayer on a slight downward angle, approximately 12 inches from surface to be sprayed. Spray with wind if breeze is blowing.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation to **Ants, Clover Mites, Crickets and Sowbugs (Pillbugs).** Spray foundation of building where insects are active and may find entrance up to a height of 2 feet. Apply to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary but not more than once per week.

CRAWLING INSECTS: **Ants, Cockroaches (including American, German and Asian Cockroaches), Centipedes, Crickets, Mole Crickets, Waterbugs and Silverfish.** Hold can 12 to 18 inches from surface to be treated and spray in infested surface of patio or picnic area, hitting as many insects as possible. Spray to slightly moisten the surface. Also spray legs of tables and chairs.

Ants: Spray freely around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as necessary but not more than once per week.

[**Ants:** Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

Asian Lady Bird Beetles (Lady bugs): Spray areas where bugs crawl or rest, especially around doors, on and around screens, windows, doorframes and areas where insects can enter the home. Remove screens prior to spraying them, allow to dry and then reinstall them.

Lone Star Ticks, Dog Ticks, Crickets and Fleas: Apply thoroughly to infestation in bushes, grass or weeds.

Wasps, Hornets, Yellowjackets and Bees: Spray nests and other surfaces where bees may rest. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

FLYING INSECTS: *House Flies, Gnats, Mosquitoes and Small Flying Moths:* Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

Termites, Carpenter Ants and Carpenter Bees: (for localized control only) Apply UltraTec HPC 2 Insecticide to voids or channels in damaged wood of a structure, or to cracks, crevices and spaces in and between wooden portions of a structure or between wood and the foundation, in locations vulnerable to attack such as crawl spaces.

For **Termites**, the purpose of such applications is to kill workers or winged forms which may be present in the treated areas at the time of application. Not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement. For severe termite infestation, contact a professional pest control operator in your area.

HOUSE PLANTS: To control **Aphids, Japanese Beetles, Lace Bugs, Leafminers, Mealybugs, Mites and Spider Mites** on house plants. Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas.

Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms if possible. Repeat applications as necessary but not more than once per week.

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill **Japanese Beetles** hit by spray, as well as **Whiteflies, Aphids, Armyworms, Lace Bugs, Mealybugs, Exposed Thrips, Pavement Ants, Spiders, Spider and Red Mites, Clover Mites and Leafminers**.

Not for use on plants grown for sale or other commercial use.

May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. DO NOT apply to vegetable plants or other plants used for food. Spray insects directly whenever possible.

STORAGE AND DISPOSAL

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

STORAGE: Store in a cool, dry area away from [inaccessible to] children. [Do not transport or store below 32°F (0°C).] [Protect from freezing.] [Store above 32°F.] If freezing occurs, allow product to thaw and shake well before using [use]. [Some product separation may occur on freezing which is reversible on shaking.] Freezing does not adversely affect [this product] [performance].

CONTAINER DISPOSAL: **If empty:** Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency [or 1-888-740-8712] for disposal instructions. Never place unused product down any indoor or outdoor drain.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of MGK. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MGK MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of MGK is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, any warranties having been made, express or implied, are not applicable if the product has been used contrary to label directions, under abnormal conditions, or under conditions not reasonably foreseeable to MGK, and buyer assumes the risk of any such use to the extent permitted by law. To the extent consistent with applicable law, MGK disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT MGK'S ELECTION, THE REPLACEMENT OF PRODUCT.

Or alternate text

[Note [Notice]: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller shall have no liability for consequential damages.]

Or alternate text

[Notice: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.]

[Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.]

Alternate front panel bullets:

- Easy-To-Use
- No Drips - No Runs
- Stays Where You Put It
- Does Not Stain Surfaces
- Does Not Stain Fabrics
- Contains Deltamethrin – The Third Generation Pyrethroid
- Contains UltraTec
- No Shaking Required
- No Shake Formula
- No Drip Formula
- Kills Home Invading Pests
- Kills Pantry Pests
- Kills Plant Pests
- Odorless
- Non-Staining
- No Oily [Greasy] Residue
- For Use in and Around Horse Stables
- For Use on House Plants
- For Use on Ornamental Plants

[Indicates alternate text]