# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

September 2, 2014

Mr. Steve Ditto McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427-4372

Subject:

Label Notification per PRN 98-10 – new primary name

Product Name: PRAMEX® Multi- Purpose 0.25% Spray 30232

EPA Registration Number: 1021-2688 Application Date: August 15, 2014 Decision Number: D494755

Dear Mr Ditto:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Richard J. Gebken Product Manager

Leh Ale Lun

Insecticide Branch

Registration Division (7504P)

Please read instructions before comp	pleting form						30. Approval expires 05-31-98
	√	States			Reĝistratio	on .	OPP Identifier Number
<b>⊕EPA</b>	Environmental F	rotection A	gency		]Amendme	ent	
Washington, D				Х	Other	-	
	Applicat	on for Pes	ticide Reregis	stration -	Section I	•	
1. Company/Product Numb	er		2. EPA Product	Manager		3. Proposed	Classification
1021-2688			Richard Gebl	ken		·. (	
4. Company/Product (Name			PM#			None	Restricted
	•		10		•	Mone	Restricted
PERMANONE® Multi-Pu			<del></del>			L CIERA Conti	2/-\/2\/h\/i\
5. Name and Address of Ap			1				on 3(c)(3)(b)(i), my
l '	Y KING COMPANY D/B/	AMGK	product is simila	r or identica	in compositi <b>N</b>	OTIFICAT	g to:
8810 TENTH AVENUI					• • • • • • • • • • • • • • • • • • • •	STIFICAL	ION
MINNEAPOLIS, MN 5	5427		EPA Reg. No.			·	M4.
,					3	EP - 2 20	J14
			Product Name				
Check if this	is a new address					·	
,			Section - II				•
- Amendment	- Explain below.				Final printed	labels in respo	onse to
					Agency lette	r dated	
Resubmissio	n in response to Agency lette	er dated			"Me Too" Ap	plication.	
_	, -				•		•
Notification -	Explain below.			$\Box$	Other - Expla	ain below.	
	al page(s) if necessary. (Fo	r section I and	Section II.)				
							•
Pursuant to PR-Notice	98-10, by Notification	we are cha	nging the Prin	nary Bran	d Name to:		
	-, -,		5 0	,			i
PRAMEY	® Multi-Purpose 0.2	5% Spray	30232				-
I TABLEX	e manti-i diposo on	.0 /0 Op. ay	,		•		
			Section - III		<del></del>		
	<u> </u>		Section - III				
1. Material This Product Wi	T		<u> </u>	· · · · ·		To =	
Child-Resistant Packaging	Unit Packaging		Water Soluble P			2. Type of C	ontainer
Yes*	Yes		Y			✓ Metal	•
✓ No	✓ No		<del></del>	0	<del></del>	│	;
	If "Yes"	No. per	If "Yes"		No. per	Glass	
*Certification must	Unit Packaging wgt.	container	Package wgt.		container	Paper	,
be submitted						Other (	Specify)
3. Location of Net Contents	information	4. Size(s) Re	tail Container		5. Location o	of Label Direction	ons ·
✓ Label	Container	į				On Label	
	•	8 to 24 oz.				On Labeling	accompanying product
6. Manner in Which Label is	Affixed to Product	Lithograph	<del></del>		Other		CCGC
		Paper glued			•		сс е с с с
		Stenciled	•				ີເດັບັ
			Section - IV	,		<del></del>	C C C
1 Contact Boint (Complete	items directly below for iden			acted if no	cessany to as	ococe this ann	-c- $c$ - $c$
	iterns directly below for iden	T	ividual to be cont	acteu, ii net	cessary, to pri		
Name Steven K. Ditto		Title	U.S. Regulatory Affairs Manager		•	1 '	o. (Include Area Code)
Steven K. Ditto		U.S. Regu	latory Allairs I	nanager		(763) 544-	( ( )
		L				1	6 (1)((
		Certification		,			6. Date Application
ļ -	nts I have made on this form						Received
I acknowledge that any k	nowingly false or misleading	statement ma	y be punishable b	y fine or im	prisonment o	r	( (.) (.) (.)
both under applicable lav	V						(Stamped)
2. Signature	<del></del>	3. Title	•				
	U.S. Regulatory Affairs Manager						
		1		-	•		
4. Typed Name '		5. Date					1



August 15, 2014

Document Processing Desk (NOTIF)
U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Resticide Programs (H7504P)
Room S-4900, One Potomac Yard
2777 South Crystal Dr.
Arlington, VA 22202-4501

Via Courier

Subject:

Notification of Change in Primary Brand Name per PR-Notice 98-10

From: PERMANONE® Multi-Purpose 0.25% Spray

EPA Reg. No. 1021-2688

То

PRAMEX® Multi-Purpose 0.25% Spray 30232

EPA Reg. No. 1021-2688

Dear Sir or Madam,

By notification we are changing the primary brand name for EPA Reg. No. 1021-2688 to **PRAMEX® Multi-Purpose 0.25% Spray 30232.** 

Enclosed are 2 copies of the product label, one copy has changes highlighted.

This Notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please call me at 1-800-645-6466 or e-mail, me at steve.ditto@mgk.com

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY D/B/A MGK

Steven K. Ditto

U.S. Regulatory Affairs Manager

**Enclosures** 

# P<u>RAMERMEXANONE®</u> MULTI-PURPOSE 0.25% SPRAY 30232

- [Contains the Synthetic Pyrethroid Pramexermanone®
- Controls Named Residential and Garden Insects
- For Use on Dogs and on Premises to Control Fleas and Ticks
- An Aqueous Stable Microemulsion
- · Controls Pests for up to Four Weeks
- . , Kills Lice and their Eggs
- . For Use on Bedding, Furniture and other Inanimate Objects Infested with Lice
- For Use on Livestock and their Premises
- Controls Fleas and Ticks on Dogs for 14 Days]

NOTIFICATION

SEP - 2 2014

ACTIVE INGREDIENT:

Permethrin 0.25%
OTHER INGREDIENTS\*\*: 99.75%
100.00%

Pramexermanene is a registered trademark of McLaughlin Gormley King CompanyBayer Cropscience LP.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

# KEEP OUT OF REACH OF CHILDREN CAUTION

See Side/Back Panel For Additional Precautionary Statements

	FIRST AID	,			
IF ON SKIN OR	Take off contaminated clothing.				
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.				
	Call a poison control center or doctor for treatment advice.				
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.				
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.				
	Call a poison control center or doctor for treatment advice.				
IF SWALLOWED:	Immediately call a poison control center or doctor.				
	Do not induce vomiting unless told to do so by a poison control center or doctor.				
	Do not give any liquid to the person.				
	Do not give anything by mouth to an unconscious person.	c			
IF INHALED:	Move person to fresh air.	c			
	<ul> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable</li> </ul>	iy: by			
	mouth-to-mouth, if possible.	c c			
	Call a poison control center or doctor for further treatment advice.	-			
	HOT LINE NUMBER				
Have the product contain	iner or label with you when calling a poison control center or doctor, or going for treatment. For additional	àle			

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional on this product (including health concerns, medical emergencies or pesticide incidents), you may call 1-888-740-8742.

NOTE TO PHYSICIAN

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

Manufactured by:

\*\*MGK\*\*
8810 Tenth Avenue North
Minneapolis, MN 55427

0000

EPA Reg. No. 1021-2688

EPA Est. No. 1021-MN-2

**NET CONTENTS:** 

<sup>\*</sup> Cis/trans ratio: Max. 55% (+/-) cis and Min. 45% (+/-) trans.

<sup>\*\*</sup> Contains petroleum distillate.

### READ ENTIRE LABEL BEFORE EACH USE FOR PET USES: USE ONLY ON DOGS

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed, absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

### **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and runoff may be hazardous to fish in water adjacent to treated area. See Directions for Use for additional precautions and requirements.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **Use Restrictions**

- Entry Restrictions:
  - o For surface spray use: Do not apply this product in a way that will contact children, either directly or through drift. [Except when applying to pets], do not allow adults or pets to enter until sprays have dried.
  - For space spray use: do not allow adults, children, or pets to enter until vapors and mists and aerosols have dispersed, and the treated area has been thoroughly ventilated.
- Do not apply this product in a way that will contact children, either directly or through drift. [Except when applying to
  [pets] [livestock] [clothing]], do not apply this product in a way that will contact adults or pets, either directly or through
  drift
- Cover all food processing surfaces and utensils during treatment or thoroughly wash before use. Cover or remove
  Exposed food.
- Remove pets, birds and cover any water inhabited by fish (such as aquariums and ornamental fish ponds) before application. Turn off aquarium filtering systems before spraying and wait approximately 15 minutes after application before turning the filter back on.
- . Do not apply this product on or around electrical equipment due to the possibility of shock hazard.
- · Not required for consumer use products.
- This product is not for use on humans. If lice infestations should occur on humans, use a product labeled for use
  on humans.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm
  drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after
  application.
  - All outdoor applications must be limited to spot or crack-and-crevice treatments only except for application to garden areas.
- Do not make applications during rain.
  - [Alternate text: For pet care: Do not apply to pets less than 12 weeks old. Consult a veterinarian before apply this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY
  - pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.]
  - e [Alternate text: When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.]

### SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Test product on an inconspicuous area before applying. Spray until surface is slightly wet, but not to the point of runoff. Over application may cause damage. Will not stain surfacessed fabrics where water alone causes no damage.

Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths. Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray when ever possible.

Ants: Spray trails, nests and points of entry. Spray on ants where possible.

6/11

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment.

EXPOSED STAGES OF Confused Flour Beetles, Saw-Toothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites: Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Dispose of infested stored food products.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets.

**Bed Bugs**: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Allow all sprayed articles to dry thoroughly before reuse.

TO CONTROL Clothes Moths and Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining. Allow all sprayed articles to dry thoroughly before use.

IN ANIMAL QUARTERS AND MILK ROOMS: For rapid control of *Houseflies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths*. Remove animals prior to application. Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying.

### FOR DIRECT APPLICATION TO NON-DOMESTIC ANIMALS/LIVESTOCK:

To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of **Stable Flies, Horse Flies, Deer Flies, Face Flies, Houseflies, Mosquitoes, and Gnats:** Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from **Face Flies**, spray the face and head, but do not spray into eyes.

FOR SWINE: Do not ship animals for slaughter within 5 days of last treatment.

TO CONTROL Blood Sucking Lice: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair.

TO CONTROL Poultry Lice, spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

FOR CONTROL OF Bed Bugs and Mites IN POULTRY HOUSES, spray crevices of roost poles, cracks in walls, and cracks in nests where the bed bugs and mites hide.

Fleas and Ticks (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. Make a test application to upholstery or drapery fabrics in an inconspicuous place before use.

### FOR DIRECT APPLICATION TO DOGS (OVER 12 WEEKS OF AGE):

TO CONTROL Fleas, Ticks, and Lice:

Hold the container upright. Spray at a distance of 8-12 inches. Starting at the tail, spray over entire hair coat while moving the dispenser rapidly; making sure the coat is thoroughly wetted to the skin. While spraying, fluff the hair so the spray will penetrate to the skin. Make sure spray wets ticks thoroughly. Spray against the lay of the hair, roughing the hair on long-haired dogs. Do not spray into the eyes, face or genitalia. For best results in killing ticks, spray directly on the tick. Allow dog to air dry or blow doy. Do not towel dry. Do not reapply more than once every 14 days.

Use protective gloves or mitts when applying product. DO NOT USE ON CATS OR KITTENS.

TO KILL Lice and Louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of be@ding.c° including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

### FOR OUTDOOR APPLICATION:

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, Euonymus, fuchsia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

30232\_1021-2688\_06140911

Homeowner/Residential

Page 3 of 8

....

7/1

Effective when used as directed against *Whiteflies, Aphids, Spider* and *Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms.* When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Over application may cause damage. Contact insects directly whenever possible.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry area away from [inaccessible to] children and pets and away from heat, sparks and open flame. Do not transport or store below 32°F. [Protect from freezing.] [Do not freeze.]

**Disposal**: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

[This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.]

### IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of MGK. All such risks shall be assumed by the user or buyer.


DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MGK MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of MGK is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, MGK disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT MGK'S ELECTION, THE REPLACEMENT OF PRODUCT.

#### Or alternate text

Note [Notice]: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.]

I Indicate alternate text in addition to any subset of the directions for use.



## PRAMEXERMANONE® MULTI-PURPOSE 0.25% **SPRAY 30232**

- [Contains the Synthetic Pyrethroid Pramexermanone®
- Controls Named Residential, Industrial and Garden Insects
- For Use on Dogs and on Premises to Control Fleas and Ticks
- An Aqueous Stable Microemulsion
- Controls Pests for up to Four Weeks
- Kills Lice and their Eggs
- For Use on Bedding, Furniture and other Inanimate Objects Infested with Lice
- For Use on Livestock and their Premises
- Controls Fleas and Ticks on Dogs for 14 Days]

ACTIVE INGREDIENT:	/
Permethrin	0.25%
OTHER INGREDIENTS**:	
•	100.00%

<sup>\*</sup> Cis/trans ratio: Max. 55% (+/-) cis and Min. 45% (+/-) trans.

Pramexermanone is a registered trademark of McLaughlin Gormley King CompanyBayer Cropscience LP

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

### KEEP OUT OF REACH OF CHILDREN **CAUTION**

See Side/Back Panel For Additional Precautionary Statements

	FIRST AID				
IF ON SKIN OR CLOTHING:	Take off contaminated clothing.				
	Rinse skin immediately with plenty of water for 15-20 minutes.				
	Call a poison control center or doctor for treatment advice.				
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.				
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.				
	Call a poison control center or doctor for treatment advice.				
IF SWALLOWED:	Immediately call a poison control center or doctor.				
	Do not induce vomiting unless told to do so by a poison control center or doctor.				
	Do not give any liquid to the person.     Coccc				
	Do not give anything by mouth to an unconscious person.				
IF INHALED:	Move person to fresh air.  C C C C C C C C C C C C C C C C C C C				
	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably				
	by mouth-to-mouth, if possible.				
-	Call a poison control center or doctor for further treatment advice.      Call a poison control center or doctor for further treatment advice.      Call a poison control center or doctor for further treatment advice.				
	HOT LINE NUMBER				
Have the product container or	label with you when calling a poison control center or doctor, or going for treatment. For additionals				

information on this product (including health concerns, medical emergencies or pesticide incidents), you may call 1-888-740-8712 **NOTE TO PHYSICIAN** 

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

Manufactured by:



8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-2688

EPA Est. No. 1021-MN-2

NET CONTENTS:

30232\_1021-2688\_06140911

Commercial/Professional

Page 5 of 8

ccccc

<sup>\*\*</sup> Contains petroleum distillate.

### READ ENTIRE LABEL BEFORE EACH USE FOR PET USES: USE ONLY ON DOGS

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

### CAUTION

Harmful if swallowed, absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

### **IUSER SAFETY RECOMMENDATIONS**

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside and after handling this product. Wash the outside
  of gloves before removing. Then wash thoroughly and put on clean clothing.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

All applicators and other handlers must wear:

- · Long-sleeved shirt and long pants
- Shoes plus socks, and
- Chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber, or viton.

### **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to areas where water is present or to intertidal areas below the mean watermark. Do not apply when weather conditions favor drift from treated area. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.]

### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### **Use Restrictions & Precautions**

- Entry Restrictions:
  - For surface spray use: [Except when applying to[ pets], [livestock] [clothing], do not allow adults, children, or
    pets to enter the treated area until sprays have dried.
  - For space spray use. Do not allow others to enter until vapors and mists have dispersed, and the treated area has been thoroughly ventilated.
- Application Restrictions
  - [Except when applying to [pets,][ livestock][ or clothing], do not apply this product in a way that will contact workers or other persons, either directly or through drift, only protected handlers may be in the area during application.
  - Remove pets, birds and cover any water inhabited by fish (such as aquariums and ornamental fish ponds) before application. Turn off aquarium filtering systems before spraying and wait approximately 15 minutes after application before turning the filter back on.
  - Do not apply this product on or around electrical equipment due to the possibility of shock hazard.
    - Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.
  - This product is not for use on humans. If lice infestations should occur on humans, use a product labeled for use on humans.
    - [Alternate text For pet care: Do not apply to pets less than 12 weeks old. Consult a veterinarian before apply this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.]
- E. Do not breathe vapors, or spray mist.
- Do not apply when food is present.

  Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use.
- Cover or remove exposed food.
   When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for application to garden areas.

- Do not make applications during rain.
- Do not water the treated area to the point of runoff.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm
  drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after
  application.
- Pramexermanene Multi-Purpose 0.25% 30232 spray may be applied in non-food/feed areas. Non-food/feed establishment areas are areas such as garbage rooms, lavatories, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after canning or bottling).
- Do not use in aircraft cabins.

### SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Test product on an inconspicuous area before applying. Spray until surface is slightly wet, but not to the point of runoff. Over application may cause damage. Will not stain surfaces or fabrics where water alone causes no damage.

Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray when ever possible.

Ants: Spray trails, nests and points of entry. Spray on ants where possible.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment.

EXPOSED STAGES OF Confused Flour Beetles, Saw-Toothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites: Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Dispose of infested stored food products.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets.

**Bed Bugs**: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Allow all sprayed articles to dry thoroughly before reuse.

TO CONTROL Clothes Moths and Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining. Allow all sprayed articles to dry thoroughly before use.

IN ANIMAL QUARTERS AND MILK ROOMS: For rapid control of *Houseflies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths*. Remove animals prior to application. Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying.

### FOR DIRECT APPLICATION TO NON-DOMESTIC ANIMALS/LIVESTOCK:

To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of **Stable Flies, Horse Flies, Deer Flies, Face** of **Flies, Houseflies, Horn Flies, Mosquitoes, and Gnats:** Spray about 3 seconds on each side being careful to spray backevithers and forelegs thoroughly. To protect from **Face Flies**, spray the face and head, but do not spray into eyes.

FOR SWINE: Do not ship animals for slaughter within 5 days of last treatment.

TO CONTROL Blood Sucking Lice: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair.

TO CONTROL Poultry Lice, spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

FOR CONTROL OF Bed Bugs and Mites IN POULTRY HOUSES, spray crevices of roost poles, cracks in walls, and cracks in nests where the bed bugs and mites hide.

Fleas and Ticks (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. Make a test application to upholstery or drapery fabrics in an inconspicuous place before use.

### FOR DIRECT APPLICATION TO DOGS (OVER 12 WEEKS OF AGE):

TO CONTROL Fleas, Ticks, and Lice:

Hold the container upright. Spray at a distance of 8-12 inches. Starting at the tail, spray over entire hair coat while moving the dispenser rapidly; making sure the coat is thoroughly wetted to the skin. While spraying, fluff the hair so the spray will penetrate to the skin. Make sure spray wets ticks thoroughly. Spray against the lay of the hair, roughing the hair on long-haired dogs. Do not spray into the eyes, face or genitalia. For best results in killing ticks, spray directly on the tick. Allow dog to air dry or blow dry. Do not towel dry. Do not reapply more than once every 14 days.

DO NOT USE ON CATS OR KITTENS.

TO KILL Lice and Louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

#### FOR OUTDOOR APPLICATION:

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill *Japanese Beetles* hit by spray, as well as *Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers.* 

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, Euonymus, fuchsia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against *Whiteflies, Aphids, Spider* and *Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms.* When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Over application may cause damage. Contact insects directly whenever possible.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry area away from [inaccessible to] children and pets and away from heat, sparks and open flame. Do not transport or store below 32°F. [Protect from freezing.] [Do not freeze.]

Disposal: Do Not Puncture or Incinerate! *If empty*: Place in trash or offer for recycling if available. *If partly filled*: Call your local solid waste agency for disposal instructions.

[This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.]

### IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyong the control of MGK. All such risks shall be assumed by the user or buyer.

are beyond the control of MGK. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MGK MAKES NO OTHER

WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR

OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of MGK is authorized to make any
warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable
law, MGK disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of
this preduct.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS RRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT, EXCEED THE PURCHASE PRICE PAID, OR AT MGK'S ELECTION, THE REPLACEMENT OF PRODUCT.

### [Or alternate text

Note [Notice]: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.]

[ ] Indicate alternate text in addition to any subset of the directions for use.