

1021-2723

9/9/2014

1/7

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460



OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

September 9, 2014

Mr. Stephen Ditto  
U.S. Regulatory Affairs Manager  
McLaughlin Gormley King DBA/ MGK  
8810 10<sup>th</sup>. Ave. N  
Golden Valley, MN 55427

Subject: Label Notification per PRN 98-10 – Change Primary Brand Name to PRAMEX<sup>®</sup>  
Dust (0.25) and change contact information.  
Product Name: PERMANONE<sup>®</sup> Dust (0.25)  
EPA Registration Number: 1021-2723  
Application Date: August 15, 2014  
Decision Number: 494722

Dear Mr. Ditto;

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records. The primary brand name PERMANONE<sup>®</sup> Dust (0.25) has been changed to PRAMEX<sup>®</sup> Dust (0.25) in the Agency's system. If you have any questions, you may contact Owen Beeder at 703-308-8899 or via email at [beeder.owen@epa.gov](mailto:beeder.owen@epa.gov).

Sincerely,

A handwritten signature in black ink that reads "Richard J. Gebken".

Richard Gebken  
Product Manager 10  
Insecticide Branch  
Office of Pesticide Programs  
Date: September 9, 2014



United States  
Environmental Protection Agency  
Washington, DC 20460

X

Registration  
Amendment  
Other

OPP Identifier Number

### Application for Pesticide Reregistration - Section I

1. Company/Product Number 1021-2723	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) PERMANONE® Dust (.25)	PM# 10	
5. Name and Address of Applicant (Include Zip Code) McLAUGHLIN GORMLEY KING COMPANY D/B/A MGK 8810 TENTH AVENUE NORTH MINNEAPOLIS, MN 55427	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____ Product Name _____	
<input type="checkbox"/> Check if this is a new address		

### Section - II

- ☐ Amendment - Explain below. ☐ Final printed labels in response to Agency letter dated \_\_\_\_\_
- ☐ Resubmission in response to Agency letter dated \_\_\_\_\_ ☐ "Me Too" Application. \_\_\_\_\_
- ☒ Notification - Explain below. ☒ Other - Explain below. \_\_\_\_\_

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

Pursuant to PR-Notice 98-10, by Notification we are changing the Primary Brand Name to:


**PRAMEX® Dust (0.25) 30261**

### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
*Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 8 to 24 oz.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other			

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application):		
Name Steven K. Ditto	Title U.S. Regulatory Affairs Manager	Telephone No. (Include Area Code) (763) 544-0341
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamp)
2. Signature 	3. Title U.S. Regulatory Affairs Manager	
4. Typed Name Steven K. Ditto	5. Date 8/15/2014	



### Via Courier

## Insect Control Solutions

4/7

# PRAMEXERMANONE® DUST (0.25) 30261

- For Indoor and Outdoor Residential Use Only
- A Broad Spectrum Ready-To-Use Insecticide
- For Use on Vegetables and Ornamental Plants

ACTIVE INGREDIENT: Permethrin\* 0.25%  
OTHER INGREDIENTS: 99.75%  
100.00%

\*cis-trans isomers ratio: Max. 55% (+/-) cis and min. 45% (+/-) trans

Pramex is a registered trademark of McLaughlin Gormley King Company.

**PRECAUCION AL CONSUMIDOR:** Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.  
**(TO THE USER:** If you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See Side/Back Panel for Additional Precautions

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
IF SWALLOWED:	<ul style="list-style-type: none"><li>• Call poison control center or doctor immediately for treatment advice.</li><li>• Have person sip glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call 1-888-740-8712.	

Manufactured by:




8810 Tenth Avenue North  
Minneapolis, MN 55427

EPA Reg. No. 1021-2723

EPA Est. No. 1021-MN-2

**NET CONTENTS:**

**NOTIFICATION**  
**SEP - 9 2014**



5/7

# READ ENTIRE LABEL BEFORE EACH USE

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### CAUTION

Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking chewing gum or using tobacco.

### ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticides to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### Use Restrictions

- Do not allow adults, children, or pets to enter the treated area until dusts have settled.
- Do not apply this product in a way that will contact adults, children, or pets either directly or through drift.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Do not water the treated area to the point of runoff.
- Do not make applications during rain.
- Use of handheld power duster equipment is prohibited.

### Ornamental Plants - Indoors:

Use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster available. To protect plants in indoor landscaping - Apply directly on insects to control **Leafrollers, Armyworms, Cutworms and Cabbageworms** on chrysanthemums and **Fungus Gnats** on velvet plant.

Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust to control **Aphids, Armyworms, Corn Earworms, Fall Cankerworms, Inchworms, Japanese Beetles, Leafminers, Leafrollers, Mealybugs, Scale Crawlers, Spring Cankerworms** and **Exposed Thrips** on the following plants:

Ageratum	English Ivy	Poinsettia
Ardisia	Fuchsia	Portulaca
Aster	Gladiolus	Pothos
Azalea	Grape ivy	Prayer plant
Baby's breath	Hypoestes	Purple passion
Begonia	Ivy	Rabbits foot fern
Birds-nest fern	Juniper	Rose
Bleeding heart	Lily	Schefflera
Carnation	Marigold	Snake plant
Chrysanthemum	Palm	Snapdragon
Cockscomb	Pansy	Statice
Coleus	Peperomia	Velvet plant
Crown of thorns	Petunia	Verbena
Dracaena	Philodendron	Zinnia
Dumbcane	Piggy-back plant	

If application is made indoors, remove infested plants from living area prior to application. Dust plants in an area not likely to be occupied by children or pets (particularly fish). When dust settles plants can be returned to original location.

Use with care on ferns, palms and fuchsia. As with all plants listed above, especially carnations, chrysanthemums and roses, there exists a wide variety of species and cultivars, and therefore, a wide variety of susceptibility to injury. To ascertain possible phytotoxicity, dust a few plants as described above, wait 24 hours and check for possible injury.

Repeat applications may be necessary to control adult **Japanese Beetles** on roses.

### Ornamental Plants - Outdoors:

Use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster available. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Contact insects directly whenever possible.

6/7

Controls **Aphids, Cicadas, Corn Earworms, Fall Cankerworms, Inchworms, Leafminers, Leafrollers, Mealybugs, Bagworms and Exposed Thrips** on the following plants:

Ageratum	Gladiolus	Petunia
Arizona Cypress	Gold Bells	Philodendron
Aster	Hypoestes	Poinsettia
Azalea	Ivy	Rhododendron
Begonia	Lilac	Rose
Coleus	Marigold	Snapdragon
Common Ninebark	Mark Orange	Taxus
Common Snowberry	Nannyberry	Wax Plant
English Ivy	Palm	Weeping fig
Euonymus	Pansy	Zinnia
Exacum	Pea Shrub	

May also be used on such plants as camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, fuchsia, geraniums, crassula, grapevines (ornamental), laurels, stocks and wandering Jews.

#### Home Vegetable Gardens:

Use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster available. Dust lightly, to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Do not exceed the maximum application rate in the table below.

VEGETABLE	TARGET PESTS	Max Application Rate (ounces of dust / 100ft <sup>2</sup> )	REMARKS
Asparagus (pre-harvest)	cutworms asparagus beetle	1.47 [0.1 lb ai/A]	Apply to plants ensure uniform coverage. Allow 7 days between applications. Do not make more than 4 applications per season. Can be applied up to 3 days prior to harvest.
Asparagus (post-harvest)	larval stages of asparagus beetle; tarnished plant bug; lygus bugs and adult Japanese beetles		Treat fern or bush growth after spear harvest when insects are present.
Broccoli	beet armyworm; diamond back moth; imported cabbageworm; cabbage aphid, cabbage looper	2.94 [0.2 lb ai/A]	Allow 5 days between applications. Do not make more than 4 applications per season. Can be applied up to one day prior to harvest.
Brussels Sprouts	beet armyworm; diamond back moth; imported cabbageworm; cabbage aphid, cabbage looper	1.47 [0.1 lb ai/A]	Allow 5 days between applications. Do not make more than 4 applications per season. Can be applied up to one day prior to harvest.
Cabbage	beet armyworm; diamond back moth; imported cabbageworm; cabbage aphid, cabbage looper	2.94 [0.2 lb ai/A]	Allow 5 days between applications. Do not make more than 2 applications (4 in Hawaii) per season. Can be applied up to one day prior to harvest.
Cauliflower	beet armyworm; diamond back moth; imported cabbageworm; cabbage aphid, cabbage looper	1.47 [0.1 lb ai/A]	Allow 5 days between applications. Do not make more than 2 applications (3 in Hawaii) per season. Can be applied up to one day prior to harvest.
Celery – See leafy vegetables			
Cucurbits: Balsam pear, bitter melon), Chinese Waxgourd (Chinese Preserving melon), Citrus melon, cucumber, Gherkin, Edible gourds, Melons including hybrids such as cantaloupe, casaba, Crenshaw, honeydew, honey balls, mango melon, muskmelon, and Persian melon, pumpkin, summer & winter squash, watermelon	aphids, cabbage looper, cucumber beetle (adults), cutworms, leafhoppers, leafminers, melonworm, pickleworm, plant bugs, squash bugs	2.94 [0.2 lb ai/A]	Allow 7 days between applications. Do not make more than 4 applications per crop per season to cantaloupes (6 in Hawaii). Do not make more than 6 applications per season to all other cucurbits. Can be applied up to the day of harvest.
Eggplant	Colorado potato beetle, vegetable leaf miner	2.2 [0.15 lb ai/A]	Allow 7 days between applications. Do not make more than 4 applications (6 in Hawaii) per season. Can be applied up to 3 days prior to harvest.
Horseradish	Imported crucifer weevil	2.2 [0.15 lb ai/A]	Allow 10 days between applications. Do not make more than 3 applications per season. Can be applied up to 22 days prior to harvest.

CCCCC  
C C C  
CCCCC  
C C C  
CCCCC  
C C C  
CCCCC  
C C C

7/7

VEGETABLE	TARGET PESTS	Max Application Rate (ounces of dust / 100ft <sup>2</sup> )	REMARKS
Leafy Vegetables: amaranth, arugula, celery, celtuce, chervil, corn salad, Chrysanthemum (edible-leaved and garland), cress (garden and upland), dandelion, dick, endive, fennel, lettuce (head and leaf), orach, parsley, purslane (garden and winter), rhubarb, spinach, Swiss chard	alfalfa looper, aphids, beet armyworm, cabbage looper, corn earworm, cutworms, European corn borer, fall armyworm, green cloverworm, southern armyworm, tobacco budworm, vegetable leaf miner	2.94 [0.2 lb ai/A]	For celery and lettuce, allow 7 days between applications. Allow 3 days between applications to spinach. Do not make more than 3 applications to spinach per season. Do not make more than 5 applications (6 in Hawaii) to celery per season. Do not make more than 4 applications (6 in Hawaii) to lettuce per season. Can be applied up to 1 day prior to harvest.
Melons - see Cucurbits			
Potatoes	beet armyworm, Colorado potato beetle, potato leafhopper, potato aphid, potato tuberworm, cabbage looper, cutworms, European corn borer, potato psyllid, tarnished plant bug	2.94 [0.2 lb ai/A]	Allow 10 days between applications. Do not make more than 4 applications per season. Can be applied up to 7 days prior to harvest.
Peppers	vegetable leafminer, cabbage looper, flea beetle, corn earworm, pepper weevil, European corn borer	2.94 [0.2 lb ai/A]	Allow 5 days between applications. Do make more than 4 applications per season. Can be applied up to 3 days prior to harvest.
Sweet Corn	corn earworms, European corn borers, fall armyworms, southern armyworms	2.94 [0.2 lb ai/A]	Allow 3 days between applications. Do not make more than 4 applications per season. Can be applied up to 1 day prior to harvest.
Tomatoes (Do not apply on cherry tomatoes and varieties yielding tomatoes less than one inch in diameter)	beet and southern armyworms, tomato pinworms, tomato fruitworms, horn worms, granulate cutworms, Colorado potato beetles, cabbage loopers	2.94 [0.2 lb ai/A]	Allow 7 days between applications. Do not make more than 3 applications (4 in Hawaii) per season. Can be applied up to the day of harvest.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry area away from children and pets.

**Container Disposal:**

**If empty:** Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of MGK. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MGK MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of MGK is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, MGK disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

**LIMITATIONS OF LIABILITY:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT MGK'S ELECTION, THE REPLACEMENT OF PRODUCT.

[Or alternate text]

**Note [Notice]:** Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller shall have no liability for consequential damages.]