



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

September 30, 2024

Tom Lennan
Senior Regulatory Affairs Specialist
MGK
7325 Aspen Lane North
Minneapolis, MN 55428

Subject: Label Amendment - Registration Review Mitigation for Permethrin
Product Name: Pramex Dust (0.15) 30262
EPA Registration Number: 1021-2724
Application Dates: 3/16/2021
Decision Numbers: 572243

Dear Tom Lennan:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Permethrin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for

shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Christian Bongard by email at bongard.christian@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Jaclyn Pyne". The signature is written in a cursive, flowing style.

Jaclyn Pyne, Team Leader
Risk Management and Implementation Branch 3
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

PRAMEX[®] DUST (0.15) 30262

- A Broad Spectrum Ready-To-Use Insecticide
- For Use on Vegetables and Ornamental Plants

ACTIVE INGREDIENTS:

Permethrin	0.15%
OTHER INGREDIENTS:	99.85%
	100.00%

Praxe[®] is a registered trademark of McLaughlin Gormley King Company.

PRECAUCIÓN AL CONSUMIDOR: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
(**TO THE USER:** If you cannot read English, do not use this product until the label has been fully explained to you.)

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side/Back Panel for Additional Precautions

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call 1-888-740-8712.	

Manufactured by:




7325 Aspen Lane North
Minneapolis, MN 55428

EPA Reg. No. 1021-2724

EPA Est. No. 1021-MN-2

Net Contents _____



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking chewing gum or using tobacco.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organism, including fish and invertebrates. To protect the environment, do not allow pesticides to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.

For both indoor and outdoor use

Use Restrictions

- Do not allow adults, children, or pets to enter the treated area until dusts have settled.
- Do not apply this product in a way that will contact adults, children, or pets either directly or through drift.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Do not water the treated area to the point of runoff.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment
- Do not apply to the point of runoff
- Do not make application during rain.
- Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).
- Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
- Not for use on plants being grown for sale or other commercial use. Not for use in commercial greenhouses or nurseries.
- Use of handheld power duster equipment is prohibited.
- Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.



- Do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.

Ornamental Plants - Indoors:

Use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster available.

To protect plants in indoor landscaping - Apply directly on insects to control **Leafrollers, Armyworms, Cutworms and Cabbageworms** on chrysanthemums and **Fungus Gnats** on velvet plant.

Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust to control **Aphids, Armyworms, Corn Earworms, Fall Cankerworms, Inchworms, Japanese beetles, Leafminers, Leafrollers, Mealybugs, Scale Crawlers, Spring Cankerworms, and Exposed Thrips** on the following plants:

Ageratum	English ivy	Poinsettia
Ardisia	Fuchsia	Portulaca
Aster	Gladiolus	Pothos
Azalea	Grape ivy	Prayer plant
Baby's breath	Hypoestes	Purple passion
Begonia	Ivy	Rabbits foot fern
Birds-nest fern	Juniper Rose	Schefflera
Bleeding heart	Lily	Snake plant
Carnation	Marigold	Snapdragon
Chrysanthemum	Palm	Statice
Cockscomb	Pansy	Velvet plant
Coleus	Petunia	Verbena
Crown of thorns	Philodendron	Zinnia
Dracaena	Piggy-back plant	
Dumbcane	Peperomia	

If application is made indoors, remove infested plants from living area prior to application. Dust plants in an area not likely to be occupied by children or pets (particularly fish). When dust settles plants can be returned to original location.

Use with care on ferns, palms and fuchsia. As with all plants listed above, especially carnations, chrysanthemums and roses, there exists a wide variety of species and cultivars, and therefore, a wide variety of susceptibility to injury. To ascertain possible phytotoxicity, dust a few plants as described above, wait 24 hours and check for possible injury.

Repeat applications may be necessary to control **Adult Japanese Beetles** on roses.

Ornamental Plants - Outdoors:

Use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster available. Dust lightly, to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Contact insects directly whenever possible. Repeat treatment as needed.

Controls **Aphids, Cicadas, Corn Earworms, Fall Cankerworms, Inchworms, Leafminers, Leafrollers, Mealybugs, Bagworms and Exposed Thrips** on the following plants:

Ageratum	Gladiolus	Petunia
Arizona Cypress	Gold Bells	Philodendron
Aster	Hypoestes	Poinsettia
Azalea	Ivy	Rhododendron
Begonia	Lilac	Rose
Coleus	Marigold	Snapdragon
Common Snowberry	Mark Orange	Taxus
Common Ninebark	Nannyberry	Wax Plant
English Ivy	Palm	Weeping fig
Euonymus	Pansy	Zinnia
Exacum	Pea Shrub	

May also be used on such plants as camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, fuchsia, geraniums, crassula, grapevines (ornamental), laurels, stocks and wandering Jews.

Home Vegetable Gardens:

Use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster available. Dust lightly, to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contract with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces.

VEGETABLE	TARGET PESTS	Max Application Rate (ounces of dust / 100ft ²)	REMARKS
Asparagus (pre-harvest)	Cutworms, asparagus beetles.	2.45 [0.1 lb. a.i./A]	Apply to plants ensure uniform coverage. Allow 7 days between applications. Do not make more than 4 applications per season. Can be applied up to 3 days prior to harvest.
Asparagus (post-harvest)	larval stages of asparagus beetles; tarnished plant bugs; lygus bugs and adult Japanese beetles.		Treat fern or bush growth after spear harvest when insects are present.
Broccoli	beet armyworms; diamondback moths; imported cabbageworms; cabbage aphids, cabbage loopers.	4.9 [0.2 lb. a.i./A]	Allow 5 days between applications. Do not make more than 4 applications per season. Can be applied up to one day prior to harvest.
Brussels Sprouts	beet armyworms; diamondback moths; imported cabbageworms; cabbage aphids, cabbage loopers.	2.45 [0.1 lb. a.i./A]	Allow 5 days between applications. Do not make more than 4 applications per season. Can be applied up to one day prior to harvest.
Cabbage	beet armyworms; diamondback moths; imported cabbageworms; cabbage aphids, cabbage loopers.	4.9 [0.2 lb. a.i./A]	Allow 5 days between applications. Do not make more than 2 applications (4 in Hawaii) per season. Can be applied up to one day prior to harvest.
Cauliflower	beet armyworms; diamondback moths; imported cabbageworms; cabbage aphids, cabbage loopers.	2.45 [0.1 lb. a.i./A]	Allow 5 days between applications. Do not make more than 2 applications (3 in Hawaii) per season. Can be applied up to one day prior to harvest.

VEGETABLE	TARGET PESTS	Max Application Rate (ounces of dust / 100ft ²)	REMARKS
Celery – See leafy vegetables			
Cucurbits: Balsam pear, bitter melon), Chinese Waxgourd (Chinese Preserving melon), Citrus melon, cucumber, Gherkin, Edible gourds, Melons including hybrids such as cantaloupe, casaba, Crenshaw, honeydew, honey balls, mango melon, muskmelon, and Persian melon, pumpkin, summer & winter squash, watermelon	aphids, cabbage loopers, cucumber beetles (adults), cutworms, leafhoppers, leafminers, Melonworms, pickleworms, plant bugs, squash bugs.	4.9 [0.2 lb. a.i./A]	Allow 7 days between applications. Do not make more than 4 applications per crop per season to cantaloupes (6 in Hawaii). Do not make more than 6 applications per season to all other cucurbits. Can be applied up to the day of harvest.
Eggplant	Colorado potato beetles, vegetable leafminers.	3.67 [0.15 lb. a.i./A]	Allow 7 days between applications. Do not make more than 4 applications (6 in Hawaii) per season. Can be applied up to 3 days prior to harvest.
Horseradish	Imported crucifer weevils.	3.67 [0.15 lb. a.i./A]	Allow 10 days between applications. Do not make more than 3 applications per season. Can be applied up to 22 days prior to harvest.
Leafy Vegetables: amaranth, arugula, celery, Celtuce, chervil, corn salad, Chrysanthemum (edible-leaved and garland), cress (garden and upland), dandelion, dick, endive, fennel, lettuce (head and leaf), Orach, parsley, purslane (garden and winter), rhubarb, spinach, Swiss chard	alfalfa loopers, aphids, beet armyworms, cabbage loopers, corn earworms, cutworms, European corn borers, fall armyworms, green Cloverworms, southern armyworms, tobacco budworms, vegetable leafminers.	4.9 [0.2 lb. a.i./A]	For celery and lettuce, allow 7 days between applications. Allow 3 days between applications to spinach. Do not make more than 3 applications to spinach per season. Do not make more than 5 applications (6 in Hawaii) to celery per season. Do not make more than 4 applications (6 in Hawaii) to lettuce per season. Can be applied up to 1 day prior to harvest.
Melons - see Cucurbits			
Potatoes	beet armyworms, Colorado potato beetles, potato leaf-hopper, potato aphids, potato Tuberworms, cabbage loopers, cutworms, European corn borers, potato psyllid, tarnished plant bugs.	4.9 [0.2 lb. a.i./A]	Allow 10 days between applications. Do not make more than 4 applications per season. Can be applied up to 7 days prior to harvest.
Peppers	vegetable leafminers, cabbage loopers, flea beetles, corn earworms, pepper weevils, European corn borers.	4.9 [0.2 lb. a.i./A]	Allow 5 days between applications. Do not make more than 4 applications per season. Can be applied up to 3 days prior to harvest.
Sweet Corn	corn earworms, European corn borers, fall armyworms, southern armyworms.	4.9 [0.2 lb. a.i./A]	Allow 3 days between applications. Do not make more than 4 applications per season. Can be applied up to 1 day prior to harvest.
Tomatoes (Do not apply on cherry tomatoes and varieties yielding tomatoes less than one inch in diameter)	beet and southern armyworms, tomato pinworms, tomato fruitworms, horn worms, granulate cutworms, Colorado potato beetles, cabbage loopers.	4.9 [0.2 lb. a.i./A]	Allow 7 days between applications. Do not make more than 3 applications (4 in Hawaii) per season. Can be applied up to day of harvest.

STORAGE AND DISPOSAL

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area away from children and pets.

CONTAINER DISPOSAL: *If empty:* Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of MGK. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MGK MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of MGK is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, MGK disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT MGK'S ELECTION, THE REPLACEMENT OF PRODUCT.

[Or alternate text

Note [Notice]: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller shall have no liability for consequential damages.]