



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

March 15, 2016

Steve K. Ditto
U.S. Regulatory Affairs Manager
McLaughlin Gormley King Company
8810 10th Avenue North
Minneapolis, MN 55427

Subject: PRIA Label and CSF Amendment – Addition of CSF A, B, and C having an alternate propellant; Odor neutralizing and foaming properties label claims
Product Name: Ultratec Vera 3
EPA Registration Number: 1021-2754
Application Date: 17-November-2015
Decision Number: 511271

Dear Mr. Ditto,

The amended label and CSFs referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, are acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 2/23/2006
- Alternate CSF A dated 12/15/2015
- Alternate CSF B dated 11/02/2015
- Alternate CSF C dated 11/02/2015

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition,

regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, you may contact Julie Breeden at 703-347-0511 or via email at Breedden.Julie@epa.gov.

Sincerely,


A handwritten signature in black ink, appearing to read 'Kable Bo Davis', enclosed within a hand-drawn oval.

Kable Bo Davis, Product Manager 3
Invertebrate and Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

ULTRATEC® VERA 3

- *[For Indoor and Outdoor Use*
- *Ready-To-Use*
- *Easy-To-Use*
- *Water-Based*
- *Kills by Contact*
- *Kills Fast*
- *Long-Lasting*
- *Kills Fleas*
- *Keeps Killing Carpenter Ants for up to 1 Month [4 Weeks]**
- *Keeps Killing Pharaoh Ants, Crazy Ants and Fire Ants for up to 1 Week*
- *Keeps Killing Flies for up to 5 Months*
- *Keeps Killing Stable Flies for up to 18 Weeks [4.5 Months, 135 Days]*
- *Keeps Killing Lady Beetles for up to 35 Days*
- *Kills Asian Lady [bird] Beetles*
- *Kills Asian Lady bugs by contact*
- *For Use in and Around Horse Stables*
- *For Use on House Plants*
- *For Use on Ornamental Plants*
- *Kills Termites**, Carpenter Ants & Carpenter Bees*
- *Keeps Killing for up to 18 Months [1.5 Year]****
- *Keeps on Killing German & American Cockroaches and Argentine Ants for up to 18 Months [1.5 years]**
- *Protects Against German & American Cockroaches and Argentine Ants for up to 12 Months [1.5 years]**



* On Non-porous Surfaces
**For Localized Control Only
***American and German Cockroaches [and Argentine Ants] on non-porous surfaces]

{Additional optional bullets points are at the end of the label}

ACTIVE INGREDIENT:	
Deltamethrin	0.03%
OTHER INGREDIENTS:	99.97%
	100.00
	%

UltraTec is a registered trademark of McLaughlin Gormley King Company.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel for Additional Precautions

In case of Medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-888-740-8712.

Manufactured by:

8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No.: 1021-2754

EPA Est. No.: 1021-MN-2

Net Contents _____

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. This product is highly toxic to bees and other pollinating insects exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees or other pollinating insects are foraging in the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.

STOP. READ ENTIRE LABEL BEFORE USE.

Use Information: SHAKE WELL BEFORE EACH USE. To ensure optimum performance hold [aerosol] [can] upright **at all times** while spraying. Failure to do so can result in loss of propellant. Do not spray up into air. Apply to surfaces only. Remove protective cap and direct spray away from face. Hold can 12-18 inches from surface being sprayed. Press button down and spray as directed. [Spray surface until slightly wet.] [Apply spray stream to outside walls immediately below siding in a continuous band]

UltraTec VERA's long-lasting action keeps on killing **Carpenter Ants** for up to 30 days [4 weeks; 1 month], **American & German Cockroaches and Argentine Ants** for up to 1.5 years [18 months] on non-porous surfaces, **Flies** for up to 135 days [4.5 months, 18 weeks] after you spray. More frequent applications may be necessary on concrete surfaces. Check these areas in 4 weeks and re-treat if insect activity continues. Residual activity kills insects when they return to treated areas. This formulation is non-staining on surfaces where water alone does not stain. However, when treating delicate fabrics or high value items, first test an inconspicuous area and allow to dry.

UltraTec VERA is intended to be used in and around residences and their immediate surroundings including:apartments, atrioms, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandahs. Do not use in commercial food/feed handling establishments, restaurants or other places where food/feed is commercially prepared, processed or stored.

INDOORS:

Cockroaches [American and German Cockroaches] (including Adult and Immature Stages of Both Non-Resistant and Organophosphate and Carbamate Resistant Strains), Ants [including Argentine, Carpenter, Fire, Harvester & Pharaoh], Boxelder Bugs, Centipedes, Crickets, Dermestids, Firebrats, Fleas, Palmetto Bugs, Silverfish, Sowbugs, Ticks and Waterbugs: Apply as a spot and crack & crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Cover or remove exposed food. Repeat as necessary but not more than once per week.

[**Roaches:** Spray in cracks and crevices, around baseboards and other hiding places.]

Ants: Spray ant trails and around doors and windows and other places where ants enter the house. Repeat as necessary but not more than once per week.

Carpenter Ants: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

Ticks and Fleas ON SURFACES: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. **Adult Fleas and Larvae** contacted by spray will be killed. Put fresh bedding down once spray has dried. **DO NOT SPRAY ANIMALS DIRECTLY.** For best results, treat pets with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Test delicate fabrics for staining in an inconspicuous area prior to use.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

Centipedes, Ground Beetles, Pillbugs, Sowbugs, Scorpions and Ticks: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

[**Silverfish, Crickets, Spiders:** Apply to areas infested by these pests.]

Asian Lady Bird Beetles (Lady bugs): Spray areas where bugs crawl or are rest, around doors, windows and areas where insects can enter the home.

CONTACT SPRAY: To kill ants (including Argentine, carpenter, fire, harvester & pharaoh ants), bed bugs, centipedes, cockroaches, fleas, spiders (including brown recluse, black widow & hobo spiders), ticks, chiggers, black flies, deer flies, horse flies, gnats, biting midges and wasps: Spray where insects congregate and individual pests when seen. Spray 1-2 seconds contacting insects directly. Insects contacted by spray will be killed.

FLYING INSECTS: *House Flies, Gnats, Mosquitoes and Small Flying Moths:* Spray localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, etc. and anywhere these insects may rest. Insects coming to rest on treated surfaces will be killed.

[FLYING INSECTS: Spray resting areas. Insects coming to rest on treated surfaces will be killed.]

HORSE STABLES: TO KILL *Stable Flies* for up to 18 weeks [4.5 months; 135 days]; TO CONTROL *Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Mosquitoes and Gnats.* Apply thoroughly to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Repeat treatment as necessary, but not more than once per week. Do not spray animals or humans, or apply to animal feed or watering equipment.

PANTRY PESTS - *Grain Beetles (Rusty, Merchant and Sawtoothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths:* Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

Carpet Beetles [(Black, Furniture and Varied)]: Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

[*Webbing*] *Clothes Moths:* Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

Bed Bugs and Lice: Remove linens and wash before reuse. Lightly spray mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed.

OUTDOORS:

Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops.

Application is prohibited directly into sewer drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Do not water the treated area to the point of runoff. Do not make applications during rain.

All outdoor application must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Treatment to soil or vegetation around structures;
2. Applications to lawns, turf, and other vegetation;
3. Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and crevice applications, only.

For outdoor use only as an aid in controlling these insects. Point [aerosol] [can] away from face. Hold [aerosol] [can] on a slight downward angle, approximately 18 inches from surface to be sprayed. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation to *Ants, Clover Mites, Crickets and Sowbugs (Pillbugs).* Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary, but not more than once per week.

CRAWLING INSECTS: *Ants, Cockroaches (including American, Asian German Cockroaches), Centipedes, Crickets, Mole Crickets, Waterbugs and Silverfish.* Spray infested surface of patio or picnic area. Also spray legs of tables and chairs.

Ants: Spray freely around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as necessary but not more than once per week.

[***Ants:*** Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

Asian Lady Bird Beetles (Lady bugs): Spray areas where bugs crawl or rest, especially around doors, on and around screens, windows, doorframes and areas where insects can enter the home. Remove screens prior to spraying them, allow to dry and then reinstall them.

Lone Star Ticks, Dog Ticks, Crickets and Fleas: Apply thoroughly to infestation in bushes, grass or weeds.

Wasps, Hornets, Yellowjackets and Bees: Spray nests and other surfaces where bees may rest. Aim spray at nest openings. Make applications late in the evening when insects are at rest.

FLYING INSECTS: **House Flies, Gnats, Mosquitoes and Small Flying Moths:** Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

Termites, Carpenter Ants and Carpenter Bees:(for localized control only.) Apply UltraTec VERA to voids or channels in damaged wood of a structure, or to cracks, crevices and spaces in and between wooden portions of a structure or between wood and the foundation, in locations vulnerable to attack such as crawl spaces.

For **Termites**, the purpose of such applications is to kill workers or winged forms which may be present in the treated areas at the time of application. Not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement. For active termite infestation, contact a professional pest control operator in your area.

HOUSE PLANTS: TO CONTROL **Aphids, Japanese Beetles, Lace Bugs, Leafminers, Mealybugs, Mites and Spider Mites** on house plants. Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas. Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms if possible. Repeat applications as necessary, but not more than once per week.

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill **Japanese Beetles** hit by spray, as well as **Whiteflies, Aphids, Armyworms, Lace Bugs, Mealybugs, Exposed Thrips, Pavement Ants, Spiders, Spider and Red Mites, Clover Mites and Leafminers**. May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas.

Not for use on plants grown for sale or other commercial use.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F.

DO NOT apply to vegetable plants or other plants used for food. Spray insects directly whenever possible. Repeat treatment as necessary, but not more than once per week.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from children. Protect from freezing. [Store above 32°F.] [Do not store below 32°F.] If freezing occurs, allow product to thaw and shake well before using [use]. [Some product separation may occur on freezing which is reversible on shaking]. Freezing does not adversely affect [this product] [performance].

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. [This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.]

If partly filled: Call your local solid waste agency [or 1-888-740-8712] for disposal instructions.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of MGK. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MGK MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of MGK is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, MGK disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT MGK'S ELECTION, THE REPLACEMENT OF PRODUCT.

Or alternate text

[Note [Notice]: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller shall have no liability for consequential damages.]

Or alternate text

[Notice: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.]

[] Indicate alternate text in addition to any subset of the directions for use.

- [Odorless
- Non-Staining
- Does Not Stain Surfaces
- Does Not Stain Fabrics
- No Oily [Greasy] Residue Kills Fleas & Ticks
- Kills Wasps, Hornets & Yellowjackets
- Kills Listed Home Invading Pests [including ants, bed bugs, centipedes, cockroaches, fleas and other listed insects]
- Kills Spiders, Centipedes and Scorpions
- Kills Roaches, Ants and Fleas on Contact
- Kills [Pantry Pests [Grain Beetles (Rusty, Merchant and Sawtoothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths]
- Kills Plant Pests
- Kills Aphids, Mealybugs, Lace Bugs, Thrips, Leafminers and Mites
- Kills Spider Mites
- Kills Japanese Beetles
- Kills Ticks that may transmit Lyme disease
- Kills Boxelder Bugs, Crickets, Dermestids, Firebrats, Palmetto Bugs, Silverfish, Sowbugs and Waterbugs
- Kills Ground Beetles and Pillbugs
- Kills House Flies, Gnats, Mosquitoes and Small Flying Moths
- Kills Carpet Beetles and Clothes Moths
- Kills Carpenter Ants and Carpenter Bees
- Kills Bed Bugs and Lice
- [Expanding] Foam spreads deep into [hard-to-reach] places
- Foam expands into where insects live [and eventually dissipates]
- Spray [the foaming aerosol] into hard to reach areas
- Foaming Insect Killer
- Foam [expands] and disappears [dissipates] into/leaving an invisible home [home defense [protection]] [protective] barrier
- Foam help(s) track [tracks] where you sprayed/applied
- [Disappearing] Foam Shows where you sprayed/applied
- [Disappearing] foam tracks your treatment progress
- [Disappearing] foam creates protective home barrier
- Quick acting foam protects your home indoor(s) and out.
- Flows Like a Liquid, Remains in Place like a Solid, Disappears in less than an hour
- [Precision Delivery –] Foam Tracer Ensures Complete Application Coverage
- Spreads around objects and hard to reach areas [that sprays miss]
- Ready to Use – Tracing Foam
- Visible Application – Invisible Barrier – Guaranteed Results or your money back.
- Dries Clear
- Contains/With FoamGuard™ [action/technology]

Odor Neutralizing Claims:

[Note to Reviewer: Variety of odor neutralizer claims meant to allow multiple marketers to communicate the odor neutralizer in a manner consistent with their brand. The number of claims in no way is meant to emphasize the odor neutralizing property independently of the insecticidal properties.]

- Use only as directed to control listed insects - Not intended for use as deodorizer only
- No Lingering Odor(s)
- With (Contains) [an] odor neutralizer (eliminator)(remover)
- [Leaves a] Clean, Fresh Scent
- [Leaves a] Mountain Fresh Scent
- [Leaves a] Fresh Meadow Scent
- Odor Neutralizing (Eliminating) (Removing) Technology (Formula)
- Fights listed pests and odors

Foaming Claims

- Foam disappears into invisible home barrier
- [Expanding] Foam spreads deep into [hard-to-reach] cracks and(&) crevices

Spray Claims

- [Spray 2 ways! – Spot Treatment (with picture of wand out) / Surface Spray (with picture of the wand down)]