



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505P)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:

1021-2809

Date of Issuance:

4/11/18

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

MGK Formula 3128

Name and Address of Registrant (include ZIP Code):

Steven K. Ditto  
U.S. Regulatory Affairs Manager  
MGK  
8810 Tenth Avenue North  
Minneapolis, MN 55427

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

- 1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Date:

4/11/18

Venus Eagle, Product Manager 01  
Invertebrate and Vertebrate Branch 3, Registration Division (7505P)

2. You are required to comply with the data requirements described in the DCI or EDSP Order identified below:
  - a. Clothianidin GDCI-044309-1185
  - b. Pyriproxyfen GDCI-129032-1299
  - c. Pyriproxyfen EDSP-129032-186
  - d. Pyriproxyfen EDSP-129032-187

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI or EDSP Order listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:

<http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
4. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, "EPA Reg. No. 1021-2809."
5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 3/14/2017

Page 3 of 3  
EPA Reg. No. 1021-2809  
Decision No. 539072

If you have any questions, please contact Marianne Lewis by phone at (703) 308-8043, or via email at [lewis.marianne@epa.gov](mailto:lewis.marianne@epa.gov).

Enclosure

# MGK<sup>®</sup> Formula 3128

[ ] indicates alternate or optional wording

ACTIVE INGREDIENTS:	
Clothianidin .....	0.01%
OTHER INGREDIENTS .....	99.99%
	<u>100.00%</u>

<p><b>ACCEPTED</b></p> <p>Apr 11, 2018</p> <p>Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 1021-2809</p>
--

**KEEP OUT OF REACH OF CHILDREN**

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Manufactured by  
  
 8810 Tenth Avenue North  
 Minneapolis, MN 55427

EPA Reg. No.: 1021-PENDING

EPA Est. No. 1021-MN-2

Net Contents: \_\_\_\_\_ Batch Code [ Lot Number ]: \_\_\_\_\_

PRECAUTIONARY STATEMENTS

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates, fish and wildlife. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not apply where runoff is likely to occur. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product in or around electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:




- Do not apply to humans, animals, clothing or bedding.
- Do not contaminate feed or food products, food preparation surfaces, dishes, kitchen utensils or food containers.
- DO NOT APPLY ANY BAIT IN COCKPIT AREAS OF AIRCRAFT.
- Use only in areas not easily accessible to children, pets and other non-target organisms.
- Only for spot and crack and crevice application.
- Do not apply gel bait in areas where repellent insecticides have been or will be used in the future without thoroughly washing the surface.
- Do not apply gel bait to areas where food utensils or food preparation surfaces may become contaminated.
- Do not treat food preparation surfaces.
- Do not place gel bait in locations that are routinely washed, as bait will be removed by washing.
- Do not deposit gel onto exposed surfaces. If gel bait contacts exposed surface, remove gel bait and wash exposed surfaces.
- Do not apply to surfaces where the temperature exceeds 120-130 F because this could cause the gel bait to liquefy.

INSECTS KILLED:

Ants (excluding fire ants and carpenter ants). Includes: acrobat, Argentine, big-headed, cornfield, tawny crazy, field, ghost, harvester, honey, little black, odorous house, pavement, pharaoh, pyramid, rover, thief and white-footed ants.

WHERE TO USE [APPLY]:

FOR USE IN RESIDENTIAL, INSTITUTIONAL, COMMERCIAL AND INDUSTRIAL AREAS AND TRANSPORTATION EQUIPMENT:  
 Use sites include single- and multi-family residential buildings, schools, commercial and industrial establishments, aircraft, trains, ships, boats and buses.

<b>BEFORE YOU USE/APPLY</b>	Inspect infested areas carefully to determine overall infestation levels, locations of foraging, nesting areas and most appropriate application points. Removing food and water sources helps with bait acceptance.
<b>USE INSTRUCTIONS [HOW TO USE/APPLY]</b>	<p>This product is only for use as a spot or crack and crevice treatment in areas inaccessible to children or pets for the control of ants.</p> <ol style="list-style-type: none"> <li>1. Remove the cap from the nozzle, attach tip, touch the tip to the surface to be treated, and push down on the plunger. Apply bait as spots or lines. Recap the dispenser after treatment is completed.</li> <li>2. Place bait in cracks, crevices, corners and locations where ant traffic is observed and nesting areas are suspected.</li> <li>3. Inspect bait placements periodically and apply fresh [Brand Name] Ant Gel as needed. [It is best to replace bait before it is completely consumed.]</li> </ol> <p>If the area to be treated has been recently treated with insecticide, thoroughly clean the area before applying bait. Do not spray insecticide over gel as this may cause the bait to become repellent. Do not apply to areas that are routinely washed (such as countertops) as bait may be removed or diluted and spread onto the surface.</p>
<b>INDOOR HOW TO USE /APPLY</b>	<p><b>Commercial, Institutional and Industrial:</b>          Indoor applications in areas inaccessible to children and pets include cracks and crevices along walls or floors, behind or under equipment or appliances, under tables, within framing of tables or furniture, around sinks, within or near garbage collection areas.</p> <p><b>Applications in Nonfood Areas of Food Handling Establishments:</b>          [Brand Name] Ant Gel is designed for use as a spot or crack and crevice treatment to control ants in areas inaccessible to children and pets in the nonfood areas of commercial, industrial, public and institutional buildings/structures, including restaurants, warehouses, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, schools, laboratories, computer facilities, aircraft, buses, boats/ships, trains, pet shops and zoos.</p> <p>Nonfood areas include areas such as garbage rooms, lavatories, floor drains (to sewers), entries, vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after bottling or canning). Refer to next section for use directions and restrictions when making applications in food areas of food handling establishments.</p> <p><b>Applications in Food Handling Areas:</b>          Apply only as a crack and crevice treatment to food areas inaccessible to children and pets of food handling establishments. Apply [Brand Name] Ant Gel directly into cracks and crevices by placing the bait dispenser tip approximately 1/2 inch into cracks, crevices, holes and similar openings where ants are found or are entering. Food handling areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food area when food is exposed and facility is in operation. Do not apply bait to areas where food utensils or processing surfaces may become contaminated.</p> <p><b>Residential:</b>          [Brand Name] Ant Gel is designed for use as a spot or crack and crevice treatment to control ants in residential structures in areas that are inaccessible to children and pets. Indoor applications include cracks and crevices along walls or floors, behind or under equipment or kitchen appliances, under tables, around sinks, within or near garbage collection areas, attics, crawl spaces and cracks and crevices in cabinets. Do not apply gel bait to areas where food utensils or processing surfaces may become contaminated.</p>
<b>OUTDOOR (Adjacent to home or structure) HOW TO USE APPLY</b>	<p><b>Commercial, Institutional, Industrial and Residential:</b></p> <ul style="list-style-type: none"> <li>• A thorough inspection around a structure may reveal areas where ants are gaining access to the structure. Attempts should be made to remove the access.</li> <li>• Place gel bait on, into or adjacent to structures where ants are observed, adjacent to ant trails and to areas where ant activity is suspected.</li> <li>• Apply [Brand Name] Ant Gel as a spot or thin line (see figures in next section) to pest entry sites adjacent to homes or structures such as along windows, doors, between construction elements, sewer areas, adjacent trees which harbor ants, along walls, garbage holding areas or suitable placement sites acting as an ant harborage.</li> <li>• High temperatures may affect the consistency of the gel after placement. Inspect regularly to determine if additional gel is needed.</li> </ul>
<b>HOW MUCH TO USE/APPLY [APPLICATION RATE]</b>	<ul style="list-style-type: none"> <li>• Apply [Brand Name] Ant Gel as spots or small lines of gel near active foraging trails, nest sites or to areas known to be active without disrupting the ants to ensure the ants take the bait back to the nest.</li> <li>• Apply a minimum of 1 gram of [Brand Name] Ant Gel. Bait may be applied as:             <ul style="list-style-type: none"> <li>○ Individual spots [see figure for approximate sizes and weights]</li> <li>○ Lines of [Brand Name] Ant Gel of approximately 1/8" wide and 4" long [1 gram of bait]; up to 12" long [3 grams] for highly active foraging trails.</li> </ul> </li> <li>• Inspect [Brand Name] Ant Gel placements periodically and apply fresh ant gel as needed.</li> </ul> <p>To increase feeding area use spots rather than lines. Examples of [Brand Name] Ant Gel placement amounts:</p> <p>Figure 1: Line of gel approx. 1/8" x 2" </p> <p>Figure 2: Spot of gel approx. 0.1g </p> <p>Figure 3: Spot of gel approx. 1g </p>

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

### STORAGE:

Store in a cool, dry place. Always store pesticides in the original container. Store away from food and pet food.

### PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Non-refillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### [Storage and Disposal for non-refillable bulk containers for repacking into end use containers]

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent) and offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures

### MARKETING CLAIMS

1. Kills ants (excluding fire ants and carpenter ants)
2. Kills ants (excluding fire ants and carpenter ants). Includes: acrobat, Argentine, big-headed, , cornfield, tawny crazy, field, ghost, harvester, honey, little black, odorous house, pavement, Pharaoh, pyramid, rover, thief and white-footed.
3. Kills ants where they breed(excluding fire, Argentine, harvester, carpenter & pharaoh ants)
4. Mode of action: the bait is taken by the worker ants into the colony where it is fed to other worker ants, larvae and the queen ant so that the entire ant nest population is killed within 1 to 2 weeks.(excluding fire, Argentine, harvester, carpenter & pharaoh ants)
5. For use [indoors] [and] [outdoors](excluding fire, Argentine, harvester, carpenter & pharaoh ants)
6. Kills entire colony(excluding fire, Argentine, harvester, carpenter & pharaoh ants)
7. Kills the queen(excluding fire, harvester, carpenter & pharaoh ants)
8. Kills the colony and queen(excluding fire, Argentine, harvester, carpenter & pharaoh ants)
9. Ants carry bait back to the colony(excluding fire, Argentine, harvester, carpenter & pharaoh ants)
10. Place where ants are present
11. Place out of direct sunlight
12. For best results, place out of direct sunlight
13. Starts killing within 24 hours(excluding fire, harvester, carpenter & pharaoh ants)
14. Kills within 24 hours(excluding fire, harvester, carpenter & pharaoh ants)
15. Place near ant infestations
16. Use where ants are entering home
17. Place where ants are entering
18. Place around house near where ants are entering
19. Easy to use
20. Attractive bait matrix(excluding fire, Argentine, harvester, carpenter & pharaoh ants)
21. Bait remains palatable for up to 90 days(excluding fire, harvester, carpenter & pharaoh ants)
22. Effective for up to 90 days(excluding fire, harvester, carpenter & pharaoh ants)
23. Kills Argentine ants for up to 90 days