



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg.
Number:

1021-2824

Date of Issuance:

4/4/18

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

MGK Formula 31161

Name and Address of Registrant (include ZIP Code):

Steve Ditto
U.S. Regulatory Affairs Manager, MGK
8810 Tenth Avenue North
Minneapolis, MN 55427

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Venus Eagle, Product Manager 01
Invertebrate-Vertebrate Branch 3, Registration Division (7505P)

Date:

4/4/18

2. You are required to comply with the data requirements described in the DCI identified below:
 - a. Clothianidin GDCI-044309-1185
 - b. Pyriproxyfen GDCI-129032-1299

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 1021-2824.”
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 12/1/2017

If you have any questions, please contact Marianne Lewis by phone at (703) 308-8043, or via email at lewis.marianne@epa.gov.

Enclosure

MGK[®] Formula 31161

NOTE: Bold, Italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. (Text in parenthesis is alternative). Text separated by "/" denotes and/or options.

ACTIVE INGREDIENTS:	
Clothianidin	0.50%
Pyriproxyfen.....	0.50%
OTHER INGREDIENTS	99.00%
	<u>100.00%</u>

MGK[®], NyGuard[®], Nylar[®] are registered trademarks of McLaughlin Gormley King Company. All other marks are property of their respective holders.

KEEP OUT OF REACH OF CHILDREN

FIRST AID	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">▪ Take off contaminated clothing.▪ Rinse skin immediately with plenty of water for 15-20 minutes.▪ Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Manufactured by

8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No.: 1021-Unassigned


EPA Est. No. 1021-MN-2

Net Contents: _____

Batch Code [Lot Number]: _____

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, socks, shoes, and waterproof gloves. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
ENVIRONMENTAL HAZARDS
This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters.
PHYSICAL OR CHEMICAL HAZARDS
Do not apply this product in or around electrical equipment due to the possibility of shock hazard.

MGK[®] Formula 31161 [Product Name] cockroach gel bait effectively kills cockroaches.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product
In a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USE

Use Restrictions	<p>For Indoor Use Only Use only in areas not easily accessible to children, pets, and other non-target animals. Only for spot and crack and crevice applications. Do not apply to humans, animals, clothing, or bedding. Do not apply gel bait to areas where food utensils or food preparation surfaces may become contaminated. Do not deposit gel bait onto exposed surfaces. If gel bait contacts an exposed surface, remove gel bait and wash exposed surfaces. Do not contaminate feed or food products, or food preparation surfaces, dishes, kitchen utensils or food containers. Do not use residual insecticide sprays on or near gel bait [MGK Formula 31161] cockroach gel bait [Brand name]. Do not apply gel bait in areas where repellent insecticides have been or will be used in the future without thoroughly washing the surface. Do not place gel bait in locations that are routinely washed, as gel bait will be removed by washing. Do not treat food preparation surfaces. Do not use this product in or on electrical equipment where a possibility of shock hazard exists.</p>				
Insects Killed	American cockroaches/Brownbanded cockroaches/[Cock]Roaches/German cockroaches/Palmetto Bugs, Waterbugs				
How It Works	<p>Roaches searching for food and water are attracted to the gel bait. Roaches eat the gel bait and return to their nest and die. The gel bait will adhere to non-greasy or non-dusty surfaces and will remain pliable and palatable to roaches as long as it is visibly present.</p>				
Where to Use/Apply	<p>For Indoor Household Use – In closets, basements, attics, recreation rooms, living areas, kitchens, bathrooms, dining rooms, pantries, food storage shelving, inside of waste receptacles, etc.</p> <p>Make gel bait applications only in areas inaccessible to children and pets, at or near areas of roach traffic and suspected nesting areas such as cracks and crevices behind baseboards, along entry points (top of door jams & windows) in warm areas under refrigerators or other appliances and in moist areas under sinks.</p> <p>Avoid contact with textiles and clothing, as gel bait may stain. Avoid placing gel bait on fabrics or carpets since it may stain some absorbent materials. To prevent staining, exposed gel bait should be cleaned up immediately with a damp cloth or sponge.</p>				
Before You Use/Apply (Roach Control) Tip	<p>Remove exposed food. Store food in sealed containers. Clean up food and beverage spills. Remove crumbs from furniture.</p> <p>Caulk wall voids, cracks and crevices that could be entry points where roaches enter into your space.</p> <p>Repair any plumbing leaks immediately.</p> <p>Do not leave dirty dishes and utensils in the sink. Make sure your trash can is closed and clean, and emptied regularly.</p> <p>Sweep or vacuum the kitchen floor regularly to reduce food particles and crumbs.</p> <p>Clean surfaces to remove any food residue.</p>				
Use Instructions How to Use/Apply	<p>This product is for use as a spot or crack and crevice treatment for the indoor control of cockroaches in residential areas (only in areas inaccessible to children and pets). Do not apply gel bait onto exposed surfaces. If gel bait contacts exposed surface, remove gel bait and wash exposed surface.</p> <ol style="list-style-type: none"> 1. Remove the cap from the nozzle, touch the top to the surface to be treated, and push down on the plunger. Apply gel bait as spots/beads/lines /strips in cracks and crevices. Recap the dispenser after treatment is completed. 2. Place many spots or dabs of gel bait in cracks, crevices, corners and spots where roach traffic is observed and nesting areas are suspected. 3. Inspect gel bait placements every 2 to 4 weeks after the initial treatment. Reapply if gel bait is no longer visible, according to the level of infestation. 				
How to Use/Apply	<table border="1"> <tr> <td data-bbox="391 1371 521 1444">Spot Treatment</td> <td data-bbox="521 1371 1523 1444">Apply as a spot or bead treatment to areas where cockroaches crawl and hide, especially in hidden areas under sinks and storage areas, behind baseboards, behind and underneath stoves and refrigerators, around doors and windows, and similar areas inaccessible to children and pets.</td> </tr> <tr> <td data-bbox="391 1444 521 1524">Crack and Crevice</td> <td data-bbox="521 1444 1523 1524">Apply as a line or strip in cracks and crevices where these pests crawl and hide, especially in hidden areas under sinks and storage areas, behind baseboards, behind and underneath stoves and refrigerators, around doors and windows, and similar areas inaccessible to children and pets.</td> </tr> </table>	Spot Treatment	Apply as a spot or bead treatment to areas where cockroaches crawl and hide, especially in hidden areas under sinks and storage areas, behind baseboards, behind and underneath stoves and refrigerators, around doors and windows, and similar areas inaccessible to children and pets.	Crack and Crevice	Apply as a line or strip in cracks and crevices where these pests crawl and hide, especially in hidden areas under sinks and storage areas, behind baseboards, behind and underneath stoves and refrigerators, around doors and windows, and similar areas inaccessible to children and pets.
Spot Treatment	Apply as a spot or bead treatment to areas where cockroaches crawl and hide, especially in hidden areas under sinks and storage areas, behind baseboards, behind and underneath stoves and refrigerators, around doors and windows, and similar areas inaccessible to children and pets.				
Crack and Crevice	Apply as a line or strip in cracks and crevices where these pests crawl and hide, especially in hidden areas under sinks and storage areas, behind baseboards, behind and underneath stoves and refrigerators, around doors and windows, and similar areas inaccessible to children and pets.				
When to Reapply	<p>Inspect gel bait placements every 2 to 4 weeks after the initial treatment. Reapply if gel bait is no longer visible, according to the level of infestation. Replace gel bait before it is [Do not allow gel bait to be] completely consumed to keep roaches from returning.</p>				
How Much to Use/Apply Application Rate	<p>Application rates will vary depending on the severity of the infestation and the target species of cockroach. For light infestations apply 1 to 3 grams of gel bait per 100 sq. ft. of treatment area. For heavy infestations apply 6 to 12 grams of gel bait per 100 sq. ft. of treatment areas.</p> <p>Each gel bait bead should equal about 0.025 to 0.032 grams of product. A [bb-sized] spot [approximately 3 mm in diameter] equals 0.025 grams of product, while a [pea-sized] spot [approximately 4 mm in diameter] equals 0.032 grams of product. Bead sizes and shapes can vary but must remain within the recommended grams per 100 sq. ft.. [For best results, numerous smaller placements will provide faster control than fewer larger spots, especially for German cockroach control.]</p>				

SPECIFIED BEAD SIZES



3mm 4mm
[BB] [Pea]

GEL BAIT WEIGHT

Approximate weight per bead diameter
4 mm bead = 0.032 grams
3 mm bead = 0.025 grams

APPLICATION RATES

Application type/[species]	Specified grams of gel bait per 100 sq. ft.	[Number of Beads]	[Total Length of Line(s)]
Light, [German or Brownbanded]	1 - 3 grams	[30 - 120]	1.2 - 3.6 cm
Heavy, [American]	6 - 12 grams	[190 - 480]	7.6 - 14.4 cm

[Storage and Disposal for consumer products with volumes of 5 Gallons or less.]**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

STORAGE:

Store in a cool, dry place. Always store pesticides in the original container. Store away from food and pet food.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Non-refillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Storage and Disposal for non-refillable bulk containers for repacking into end use containers]**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent) and offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

[Storage and Disposal for refillable bulk containers for repacking into end use containers]**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

OPTIONAL MARKETING CLAIMS:

Efficacy

Kills [Cockroaches] [German Cockroaches] [American Cockroaches] [Brown Banded Cockroaches] [Palmetto bugs] [Roaches] [Waterbugs]
Kills all Common Household [cock]roaches
Kills both large and small [cock]roaches
Kills [cock]roaches 24 hours a day until gel bait is gone/consumed
Kills [cock]roaches Where They (Breed) (Hide) (Live)
Protects and Defends against [cock]roaches
Kills the [cock]roaches You See, Kills the Ones You Don't See
Kills [cock]roaches at their source
Kills [cock]roaches where they hide
Kills by ingestion

Residual/Palatability

Highly palatable gel bait matrix

IGR Claims

Contains NyGuard® IGR
Contains Nylar® [an Insect Growth Regulator (IGR)]
Dual Modes-of-Action-IGR & Insecticide/Adulticide
Dual Action—IGR & Insecticide/Adulticide
Combines Two Modes-of-Action: IGR & Insecticide/Adulticide

General

New (for 6 months)
Clean/Odorless Gel Bait
Clean/Effective and Easy to Use/Apply
Easy to use/apply
Stationless Roach Defense System
For indoor use in residential areas
High quality matrix optimizes [clothianidin] performance
Easy to use syringe [applicator/application]
[A] Stationless [cock]roach option