



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg.
Number:

1021-2828

Date of Issuance:

12/3/20

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

MGK Formula 2938

Name and Address of Registrant (include ZIP Code):

Tom Lennan
McLaughlin Gormley King Company D/B/A/ MGK
7325 Aspen Lane N
Minneapolis, MN 55428

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. The data requirements for corrosion characteristics (Guideline 830.6320) is not satisfied. The study should be conducted while storing in commercial packaging containers. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.

Signature of Approving Official:

Catherine Aubee, Chief (Acting), Invertebrate-Vertebrate Branch 1
Associate Director, Registration Division (7505P)

Date:

12/3/20

1. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 1021-2828.”
2. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF 07/23/2018
- Alternate CSF 1 dated 07/23/2018

If you have any questions, please contact Jacquelyn Herrick by phone at 703-347-0559, or via email at herrick.jacquelyn@epa.gov.

Enclosure

MGK® Formula 2938

[] denotes alternate language


Kills listed nuisance insects.
Polymeric Surfactant System – a formulation that allows convenient and stable dilution with water
Stable in solution
Misting technology that is effective at a low rate
For use in Automatic Spraying Systems
For use in and around Horse Barns
Won't stain water-safe fabrics
Kills Stable Flies
Next generation of misting technology
Kills through contact
Specially designed for Misting Systems
Easy to use

ACTIVE INGREDIENTS:

SI-183	10.00%
* Piperonyl Butoxide	10.00%
OTHER INGREDIENTS	80.00%
	<hr/>
	100.00%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds
Contains 0.74 pounds of SI-183/gallon and 0.74 pounds Piperonyl Butoxide/gallon.

Engineered for use in Misting Equipment
Aids in reducing annoyance from listed flying insects
Water-based Formulation
Advanced misting technology
Easy to handle
Cost effective results
Kills annoying outdoor pests as listed
Easy to mix
Residual Activity for 3 days
3-Day Residual Activity
Kills Stable Flies for up to 3 days



KEEP OUT OF REACH OF CHILDREN

PRECAUCIÓN AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta haya sido explicado ampliamente. (USER CAUTION: If you do not read English, do not use this product until the directions for use have been fully explained.)

See Side/Back Panel for First Aid and other Precautionary Statements.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), call 1-888-740-8712.

Manufactured by

8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-PENDING

EPA Est. No. 1021-MN-2

Net Contents _____

PRECAUTIONARY STATEMENTS

PERSONAL PROTECTIVE EQUIPMENT

Mixers, loaders, applicators, and other handlers must wear the following:

- Long-sleeved shirt,
- Long pants,
- Shoes and socks.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product may contaminate water through runoff, and has the potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. Do not contaminate bodies of water when disposing of equipment rinsate or washwaters.

This product is toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply to blooming crops or weeds when bees are foraging in the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BUFFER ZONE FOR GROUND APPLICATIONS:

Do not apply within 25 feet of aquatic habitats (such as, but not limited to, lakes, reservoirs, rivers, streams, marshes, ponds, estuaries and commercial fish ponds).

SHAKE OR AGITATE THOROUGHLY BEFORE DILUTING. MGK® Formula 2938 cannot be mixed with oil. Use only clean water.

MGK® Formula 2938 is designed for use on and around landscape plants. Since environmental conditions vary greatly, it is recommended that the final water dilution be tested on a small area of landscape plants to ensure there is no plant damage from repeated applications. Manufacturer assumes no responsibility for the health of plants treated with this product.

Insects Killed:

Use to kill or temporarily reduce annoyance from accessible stages of: Stable Flies, Firebrats, Ants (excluding fire, pharaoh and harvester ants), Small Flying Moths, Earwigs, Crickets, Silverfish, Spiders (excluding black widow and brown recluse) and other nuisance insects.

USE AREAS: For use with backpack blowers, backpack sprayers and handheld sprayers, in outdoor residential, commercial, recreational areas and in and around horse barns.

USE RESTRICTIONS FOR OUTDOOR SURFACE APPLICATIONS:

- Do not apply this product in a way that will contact adults, children or pets either directly or through drift. Only protected workers may be in the area during application.
- Do not make applications during rain.
- Do not water the treated area to the point of runoff.
- Do not enter or allow others to enter until vapors, mists and aerosols have dispersed and the treated area has been thoroughly ventilated.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosol, vapors, and/or mists have dispersed. Do not apply this pesticide when people, pets, and food are present.
- Do not contaminate food, feed or drinking water.
- Do not apply directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Do not apply by air or with handheld or truck mounted aerosol ULV sprayers, thermal fogging devices, and by chemigation or airblast applications.

TEMPORARY REDUCTION OF ANNOYANCE from Stable Flies, and Small Flying Moths. The outdoor surface application will give temporary relief of annoyance from these pests in listed outdoor areas. Direct application into tall grass and shrubbery, around lawns and other areas or surfaces where pests may harbor or rest.

To kill accessible stages of listed flying insects in listed outdoor areas: If possible, make spray applications when the insects are most active. With a backpack mist blower, spray at a dosage rate 0.5 to 1 fl. oz. of concentrate per gallon of spray solution.

When applying with a broadcast power sprayer, apply with sufficient water to adequately cover the area being treated, but do not apply to the point of runoff. Alternate power spray mixing directions are to use 16 fl. oz. of concentrate per 50 gallons of water.

INDOOR USE:

USE RESTRICTIONS FOR INDOOR APPLICATIONS IN HORSE BARNs:

- Do not apply this product in barns or stables where animals intended for slaughter or human consumption will be maintained.
- Do not apply directly to food, feed, and/or drinking water.

For use in horse barns, apply using a backpack sprayer or handheld sprayer. Dilute 0.5 to 1 fl. oz. of concentrate per gallon of spray. Do not exceed maximum application rate of 0.25 lb. a.i. / 1,000 sq. ft. or 38 fl. oz. of MGK® Formula 2938 product per 1,000 sq. ft. Do not apply more than 1 time per day.

DIRECTIONS FOR USE IN OUTDOOR RESIDENTIAL MISTING SYSTEMS:

NOTE: NOT REGISTERED for use in Automatic ULV Spraying Systems in the state of New York.

USE RESTRICTIONS FOR OUTDOOR RESIDENTIAL MISTING SYSTEMS:

- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Do not apply this pesticide when people, pets, and food are present.
- Do not use in an evaporative cooling system.
- Do not make applications during rain.
- Automatic misting systems must not be programmed to release pesticide where food or water is directly exposed.

Automatic spraying system dilution table

Mix 16 to 32 [35] fl. oz. of concentrate in 55 gallons of water to yield a solution of 0.023% to 0.051% Sumithrin and 0.023% to 0.051% Piperonyl Butoxide. When filling tank, partially fill the system reservoir tank with water, add concentrate to tank then add water to obtain desired dilution.

% of Solution	Fl. Oz. of concentrate per gallon of water	Fl. Oz. per 55 gallons of water
0.023% SI-183 + 0.023% PBO	.3	16
0.046% SI-183+ 0.046% PBO	.58	32
[0.051% SI-183 + 0.051% PBO]	[.63]	[35]

When using this product, residential misting system installers and service technicians must comply with the license, certification, or registration requirements of the state(s), tribe(s), or local authority(ies) where they are installed.

If the system works on an automatic timer, set the timing for application when people, pets and food are unlikely to be present.

If the system works when a person operates a remote activation device, then application of this pesticide when people, pets, and food are present is prohibited.

System nozzles should deliver fine particle size droplets (aerosol or mist). Direct nozzles to spray towards the target area and away from swimming pools, water bodies, or eating and cooking areas. Set system timer to operate in accordance with equipment directions.

Do not set nozzles to direct mist near outside air conditioning systems or other home air intakes.

If used in a system with a reservoir tank for the end use dilution, the system reservoir tank must be locked. Securely attach the end use pesticide label and a dilution statement to the system reservoir tank in a weather protected area or plastic sleeve. The dilution statement must be phrased as follows: this container holds ___ parts MGK® Formula 2938 to ___ parts water.

If used in a direct injection system or tankless system, the pesticide container must be locked. Securely attach the end use label to the pesticide container in a weather protected area or plastic sleeve.

Contact the system manufacturer for guidance or assistance to ensure compliance with the following requirement:

This product must only be used in a system that has been calibrated to apply no more than the following maximum application rates:

Recommended Max Daily Total Application Time per nozzle delivering a flow rate of 1.35 fl. oz./min. (40 mls/min.) and treating 100 sq. ft.*
No more than 185 seconds of total daily application for 0.023% solution
No more than 93 seconds of total daily application for 0.046% solution
[No more than 85 seconds of total daily application for 0.051% solution]
*Assumes a typical system not exceeding 50 total nozzles.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE:

Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL:

To avoid waste, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

CONTAINER HANDLING AND DISPOSAL:

Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Offer for recycling if available, or puncture and dispose of in a sanitary landfill.

Triple rinse as follows [for containers of 5 gallons (18.9 L) or less]: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Triple rinse as follows [for containers greater than 5 gallons (18.9 L)]: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

[Or for refillable containers]

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into rinsate collection system. Repeat this rinsing procedure two more times. Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[For totes/55 gal containers]

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.