



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

March 31, 2025

Kresti Lyddon
kresti.lyddon@mgk.com
MCLAUGHLIN GORMLEY KING COMPANY, D/B/A MGK

Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling Amendment - Update MGK
company information, references
Product Name: TC 292
Admin Number: 1021-2842
EPA Receipt Date: 10/02/2020
Action Case Number: 00475864

Dear Kresti Lyddon:

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release this product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR § 152.3.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.


Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have questions, please contact Rebecca Lasko via email at lasko.rebecca@epa.gov.

Sincerely,

A handwritten signature in black ink, reading "Elizabeth Fertich". The script is elegant and cursive, with the first letters of each word being capitalized and larger than the others.

Elizabeth Fertich, Product Manager 4, OPP/RD/IVB1
IVB1, RD
Office of Pesticide Programs



TC 292

[ABN: Greenhouse & Garden Solutions™ brand Pyreth-It® RTU Multi-Insect Killer]

FOR USE IN RESIDENTIAL AREAS ONLY

[] Indicates optional wording.

- [For hobby greenhouse and residential outdoor use
- Home Lawn and Garden Insect Killer
- For use on growing crops, vegetables, herbs, fruits, tree nuts, ornamental trees, shrubs and flowers
- May be used alone as a pre-harvest spray
- Ready to Use
- Kills Flying and Crawling Insect Pests
- Provides Quick Knockdown of Insects
- Kills insects on contact
- Kills over 100 insects on contact
- Use up to day of harvest
- Vegetable Insect Killer
- Contains pyrethrins, a botanical insecticide derived from chrysanthemums]

ACTIVE INGREDIENTS:

Pyrethrins, a botanical insecticide..... 1.0%
Piperonyl Butoxide, technical* 10.0%

OTHER INGREDIENTS: 89.0%
TOTAL: 100.0%

*Equivalent to 8.0% (butylcarbityl) (6-propylpiperonyl) ether and 2.0% related compounds

This product contains .084 lbs. Pyethrins and .840 lbs. of Piperonyl Butoxide per Gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

See inside booklet for [First Aid,] [Precautionary Statements,] Directions for Use and Storage and Disposal

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not give any liquid to the person.• Do not induce vomiting unless told to by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF IN EYES	<ul style="list-style-type: none">• Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-888-740-8712.	

Manufactured for:



7325 Aspen Lane N
Minneapolis, MN 55428

EPA Reg. No. 1021-2842

EPA Est. No. 1021-MN-2

Net Contents: _____

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This water has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Do not apply to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. See Directions for Use for additional precautions and restrictions.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

PHYTOTOXICITY NOTICE

Plant safety is an important consideration when using insecticides in a garden and around a home; however, it is not possible to evaluate the phytotoxicity of TC 292 toward numerous plant varieties that may react differently to insecticides in different growth stages or under varying environmental conditions. Before making widespread applications of TC 292, treat a limited number of plants and observe for phytotoxicity (plant burn) over a 10-day period.

KILLS: Aphids, Fungus Gnats, Thrips, Whiteflies, Beetles, Caterpillars, Mites and many other listed insects

DIRECTIONS FOR USE

It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.

GENERAL PRECAUTIONS & USE RESTRICTIONS

- Apply this product only as specified on this label
- Do not contaminate food or feedstuffs
- Do not enter or allow others to enter until sprays have dried
- Do not apply this product in a way that will contact adults, children or pets, either directly or through drift
- Do not apply directly to or near water, storm drains or drainage ditches. To prevent product runoff, do not over-water the treated area(s) or apply prior to heavy rainfall.
- Do not wet plants to the point of runoff or drip
- For food crops grown outdoors, home garden or home greenhouse applications: Do not apply more than 10 times per year. Do not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure, do not reapply within 24 hours. Do not harvest until spray has dried.
- For post-harvest application to vegetables: Do not reapply within 7 days. Do not apply more than 10 times to sweet potatoes.
- For outdoor ornamentals and lawns: Do not apply more than 1 time per day.
- Remove pets, birds and cover fish aquariums before application.

INSECTS: Ants, Aphids, Apple Maggots, Armyworms, Artichoke Plume Moths, Asparagus Beetles, Beet Armyworms, Bagworms, Bean Beetles, Blister Beetles, Blow Flies, Biting Flies, Boll Weevils, Cabbage Loopers, Cankerworms, Carrot Weevils, Caterpillars, Clover Mites, Clover Weevils, Cockroaches, 12-spotted Cucumber Beetles, Codling Moths, Colorado Potato Beetles, Corn Earworms, Crane Flies, Crickets, Cross-striped Cabbageworms, Cucumber Beetles, Deer Flies, Deer Ticks, Earwigs, Diamondback Larvae, Eastern Tent Caterpillars, Elm Leaf Beetles, European Corn Borers, European Pine Tip Moths, Face Flies, Fall Webworms, Fire Ants, Firebrats, Fireworms, Flea Beetles, Flies, Forest Tent Caterpillars, Fungus Gnats, Fruit Flies, Fruittree Leafrollers, Grape Leafhoppers, Grape Leaf Skeletonizers, Grasshoppers, Green Fruitworms, Green Peach Aphids, Greenhouse Thrips, Gypsy Moths (adults & larvae), Harlequin Bugs, Heliothis sp., Hornets, Horn Flies, Hornworms, Horse Flies, House Flies, Imported Cabbageworms, Indianmeal Moths, Japanese Beetles, Katydid, Lace Bugs, Leafhoppers, Leafrollers, Leaf-tiers, Lice, Loopers, Lygus, Mealybugs, Mediterranean Flour Moths, Mexican Bean Beetles, Midges, Millipedes, Mosquitoes, Mushroom Flies, Navel Orangeworms, Onion Maggots, Pear Psylla, Potato Leafhoppers, Psyllids, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Skippers, Sowbugs, Spiders, Stable Flies, Stink Bugs, Tabanidae, Tarnished Plant Bugs, Thrips, Tomato Hornworms, Vinegar Flies, Wasps, Webworms, Whiteflies and Yellowjackets.

APPLICATION DIRECTIONS

Shake well. Apply to all plant surfaces where insects are feeding or resting. Do not wet plants to point of runoff or drip. Apply every 7 - 14 days when insects are present or as needed to prevent damage. This product can be used up to the day of harvest.

Home Garden or Home Greenhouse Applications

Maximum application rate (greenhouse surface spray): 0.0012 lbs. pyrethrins/1,000 sq. ft. or 1.82 fl. oz. TC 292 per 1,000 sq. ft.

Maximum application rate Home Gardens: 0.002 lbs./ 1,000 sq. ft. or 3.0 fl oz. TC 292 / 1,000 sq. ft.

Outdoor Ornamental

Maximum application rates:

Spot treatment (including applications for fire ant applications or turf aid) - 0.002 lbs. pyrethrins/1,000 sq. ft. or 3.0 fl. Oz. TC 292 / 1,000 sq. ft.

FOR USE ON

ORNAMENTALS, VEGETABLES, FRUIT, NUT TREES, HERBS, SPICES - OUTDOOR HOME GARDEN AND HOME GREENHOUSES:

ROOT AND TUBER VEGETABLES: Arracacha, Arrowroot, Purple Arrowroot, Japanese Artichoke, Jerusalem Artichoke, Garden Beets, Sugar Beets, Edible Burdock, Edible Canna, Carrots, Cassava (bitter or sweet), Celeriac (celery root), Chayote, Chervil (turnip-rooted), Chicory, Chufa, Dasheen, Ginger, Ginseng, Horseradish, Leren, Parsley (turnip-rooted), Parsnip, Potato, Radish, Japanese Radish (Daikon), Rutabaga, Salsify, Black Salsify, Spanish Salsify, Skirret, Sweet Potato, Tanier, Turmeric, Turnip, Yam (true), Yam Bean.

LEAVES OF ROOT AND TUBER VEGETABLES: Garden Beet, Sugar Beet, Edible Burdock, Carrot, Cassava (bitter or sweet), Celeriac (celery root), Chervil (turnip-rooted), Chicory, Dasheen (taro), Parsnip, Radish, Japanese Radish (Daikon), Rutabaga, Black Salsify, Sweet Potato, Tanier, Turnip, Yam (true).

BULB VEGETABLES: (Allium spp.): Garlic, Great-headed Garlic, Leek, Onion (dry bulb and green), Welch, Shallot.

LEAFY VEGETABLES: Amaranth (leafy Amaranth, Chinese Spinach, Tampala), Arugula, Cardoon, Celery, Chinese Celery, Celtuce, Chervil, Cilantro, Corn Salad, Chrysanthemum (edible leaved), Chrysanthemum (garland), Cress (garden, water), Upland Cress (yellow rocket, winter cress), Dandelion, Dock (sorrel), Endive (escarole), Fennel (Florence), lettuce (head and leafy), Orach, Parsley, Purslane (garden & winter), Radicchio, Rhubarb, Spinach, Vine Spinach (Malabar, Indian), Spinach (New Zealand), Swiss Chard.

BRASS/CA (COLE) LEAFY VEGETABLES: Broccoli, Chinese Broccoli (Gai Lan), Broccoli Raab (Rapini), Brussels Sprouts, Cabbage, Chinese Cabbage (Bok Choy), Chinese Cabbage (Napa), Chinese Mustard Cabbage (Gai Choy), Cauliflower, Cavolo broccolo, Collards, Kale, Kohlrabi, Mizuna, Mustard Greens, Mustard Spinach, Rape Greens.

LEGUME VEGETABLES (SUCCULENT OR DRIED): Adzuki Beans, Field Beans, Kidney Beans, Lima Beans, Moth Beans, Mung Beans, Navy Beans, Pinto Beans, Rice Beans, Runner Beans, Snap Beans, Tepary Beans, Urd Beans, Wax Beans, Asparagus Beans, Black-eyed Peas, Catjang, Chinese Longbeans, Cowpeas, Crowder Peas, Southern Peas, Yardlong Beans, Broad Beans (Fava Beans), Chick Peas (Garbanzo Beans), Guar, Jackbean (Sword Bean), Lablab Bean (Hyacinth Bean), Lentils, Peas (Edible Pod Pea, Garden Peas, Field Peas, Sugar Snap Peas, English Pea, Snow Pea), Pigeon Peas, Soybeans, Sweet Lupin Beans, White Lupin Beans, White Sweet Lupin, Sword Bean.

FOLIAGE OF LEGUME VEGETABLES: Plant parts of any legume vegetable included in the legume vegetable group that will be used as animal feed including any variety of Beans, Field Peas or Soybeans.

FRUITING VEGETABLES: Eggplant, Ground Cherry, Okra, Pepino, Pepper (Bell Pepper, Chili Peppers, Cooking Peppers, Pimentos, Sweet Peppers), Tomatillo, Tomato.

CUCURBIT VEGETABLES: Balsam Apple, Balsam Pear (Bitter Melon), Chayote, Chinese Waxgourd (Chinese preserving melon), Chinese Cucumber, Citron Melon, Cucumber, Gherkin, Edible Gourds, Muskmelons (including hybrids, Cantaloupe, Casaba, Crenshaw, Golden Pershaw Melon, Honeydew Melons, Honey Balls, Mango Melon, Persian Melon, Pineapple Melon, Santa Claus Melon, Snake Melon), Pumpkin, Squash (summer & winter), Watermelon (including hybrids).

CITRUS FRUITS: Calamondin, Citrus Citron, Citrus Hybrids, Grapefruit, Kumquats, Lemons, Limes, Mandarin (Tangerine), Orange (sweet & sour), Pummelo, Satsuma Mandarin (Citrus spp. includes Chironja, Tangelos, Tangors).

POME FRUITS: Apple, Crab Apple, Loquat, Mayhaw, Pear, Oriental Pear, Quince.

STONE FRUITS: Apricot, Cherry (sweet & sour), Nectarine, Peach, Plum, Prune, Chickasaw Plum, Damson Plum, Japanese Plum, Plumcot.

SMALL FRUITS AND BERRIES: Blackberry, Blueberry, Cranberry, Currant, Dewberry, Elderberry, Gooseberry, Grape, Huckleberry, Loganberry, Olallieberry, Raspberry (black & red), Strawberry, Youngberry.

TREE NUTS: Almond, Beech Nut, Brazil Nut, Butternut, Cashew, Chestnut, Chinquapin, Filbert (hazelnut), Hickory Nut, Macadamia Nut (Bush Nut), Pecan, Pistachio, Walnut, Black and English (Persian).

ORIENTAL VEGETABLES: Acerola, Atemoya, Balsam Pear (bitter melon), Carambola, Japanese Artichoke, Chinese Broccoli (Gai Lan), Chinese Cabbage (Bok Choy, Napa), Chinese Mustard Cabbage (Gai Choy), Dasheen, Ginger, Ginseng, Chinese Longbeans, Mung Beans, Citron Melon, Balsam Pear (Bitter Melon), Japanese Radish (Daikon), Chinese Spinach, Chinese Waxgourd, Cilantro, Citron Melon, Rambutan, Water Chestnuts.

SUBTROPICAL FRUITS: Avocado, Banana, Carob, Barbados Cherry, Cherimoya, Dates, Durian (Jackfruit), Feijoa, Figs, Guava, Kiwifruit, Lychee Mango, Papaya, Passion Fruit, Paw Paw, Persimmon, Pineapple and Pomegranate.

ADDITIONAL CROPS: Artichoke, Asparagus, Avocado, Coffee, Cotton, Hops, Jojoba, Mushroom, Okra, Peanuts, Pineapple, Safflowers, Sesame, Sugarcane, Sunflowers and Tea.

HERBS AND SPICES: Allspice, Angelica, Anise (Anise seed), Annatto, Balm, Basil, Borage, Burnet, Chamomile, Caper Buds, Caraway, Black Caraway, Cardamom, Cassia bark, Cassia buds, Catnip, Celery Seed, Chervil dried, Chives, Chinese Chive, Clary, Clove Buds, Coriander (cilantro or Chinese parsley leaf, Coriander (cilantro seed)), Costmary, Cilantro, Cumin, Curry Leaf, Dill (dill weed), Dill (seed), Fennel (Italian and Sweet), Fenugreek, Grains of Paradise, Horehound, Hyssop, Juniper berry, Lavender, Lemongrass, Lovage (leaf & seed), Mace, Marigold, Sweet Marjoram, Wild Marjoram, Mustard (seed), Nasturtium, Nutmeg, Parsley, Oregano, Mint, Paprika, Parsley, Pennyroyal, Pepper (black & white), Poppy Seed, Rosemary, Rue, Saffron, Sage, Savory, Summer and Winter Savory, Sweet Bay (Bay Leary, Tansy, Tarragon, Thyme, Vanilla, Wintergreen, Woodruff, Wormwood.

ORNAMENTALS, TREES, SHRUBS: African Violet, Ageratum, Andromeda, Arborvitae, Ash, Aster, Azalea, Beech, Begonia, Birch, Boxwood, Cacti, Calceolaria, Calendula, Calla, Camellia, Carnation, Ceanothus, Cineraria, Chrysanthemum, Coleus, Cotoneaster, Crab Apple, Cyclamen, Cypress, Daffodil, Dahlia, Delphinium, Dogwood, Elm, Euonymus, Fern, Ficus, Fir, Firethorn, Foliage Plants, Forsythia, Fuchsia, Gardenia, Geranium, Gladiolus, Gloxinia, Gypsophila, Hawthorn, Hemlock, Hickory, Holly, Honey Locust, Horse Chestnut, Hyacinth, Hydrangea, Iris, Lilies, Maidenhair Fern, Juniper, Larch, Laurel, Lilac, Linden, Marigold, Mimosa (Silk Tree), Myrtle, Narcissus, Oak, Palm, Pansy, Pelargonium, Peony, Petunia, Philodendron, Phlox, Pine, Privet, Pyracantha, Rhododendron, Roses, Rubber Plant, Snapdragon, Stock, Sweet Pea, Tulip, Tulip Tree, Viburnum, Wandering Jew, Willow, Yew, Zinnia.

OUTDOOR USE AROUND RESIDENCES AND COMMERCIAL BUILDINGS

Apply to home turf areas and around yard borders at a maximum application rate of 0.002 lbs. pyrethrins/1,000 sq. ft. or 3.0 fl. oz TC 292 per 1,000 sq. ft. in order to kill ticks that may carry Lyme disease.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in secured, dry storage area. Do not store above 100°F for extended periods of time. Storage below 32°F may cause freezing. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site, in accordance with the label directions, or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container! Empty container by using the product according to the label directions. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows:

[(**≤5 gal**) Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure 2 more times.]

[(**>5 gal**) Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure 2 more times.]

Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill.

CONDITIONS OF SALE AND WARRANTY

The Directions For Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as environmental conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of MCLAUGHLIN GORMLEY KING COMPANY ("MGK") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer. MGK warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) MGK MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND MGK'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) MGK AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. MGK and the Seller offer this product, and the Buyer and User accept it, subject to these Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of MGK.