



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505T)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:

1021-2865

Date of Issuance:

9/24/26

NOTICE OF PESTICIDE:

☒ Registration  
☐ Reregistration  
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

MGK FORMULA 31751 CTZ/NYLAR  
RTU (NON-FOAMING)

Name and Address of Registrant (include ZIP Code):

SUMITOMO BIORATIONAL COMPANY, LLC, D/B/A MGK  
7325 Aspen Lane North  
Minneapolis, MN 55428

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

*Continues page 2*

Signature of Approving Official:

Tamica Cain, Product Manager 10  
Invertebrate and Vertebrate Branch 2  
Registration Division (7505T)

Date:

9/24/26

2. If, after formal consultation with the appropriate Service(s), additional modifications are identified in the Service's Biological Opinion(s) for clothianidin, EPA will notify SUMITOMO BIORATIONAL COMPANY, LLC in writing consistent with the terms in the Biological Opinion of any necessary required changes. SUMITOMO BIORATIONAL COMPANY, LLC must submit an application for amendment incorporating any required changes, including amended labels, consistent with the timeline specified in EPA's notification. If SUMITOMO BIORATIONAL COMPANY, LLC fails to comply with this term, SUMITOMO BIORATIONAL COMPANY, LLC has agreed in prior written acceptance on October 5, 2024 of these terms that EPA may cancel the registration under an expedited process under FIFRA 6(e).
3. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

The record for this product currently contains the following CSF(s):

- Basic CSF dated 05/18/2021
- Alternate CSF A dated 05/18/2021

If you have any questions, please contact David Gardner at (202) 566-2677 or at [gardner.david@epa.gov](mailto:gardner.david@epa.gov).

Enclosure

# MGK<sup>®</sup> FORMULA 31751 CTZ/NYLAR RTU (NON-FOAMING)

{Note to reviewer: text in braces {} is for informational purposes and will not appear on the label. Text in brackets [] is optional, and may or may not appear on the end use label. Text in parentheses () will appear on the end use label.}

## ACTIVE INGREDIENT:

|                          |         |
|--------------------------|---------|
| Clothianidin .....       | 0.05%   |
| Pyriproxyfen .....       | 0.06%   |
| OTHER INGREDIENTS: ..... | 99.89%  |
| TOTAL .....              | 100.00% |

Contains 0.0042 lbs. Clothianidin per Gallon  
Contains 0.0050 lbs. Pyriproxyfen per Gallon

**ACCEPTED**

09/24/2026

Under the Federal Insecticide, Fungicide  
and Rodenticide Act as amended, for the  
pesticide registered under  
EPA Reg. No. 1021-2865

## KEEP OUT OF REACH OF CHILDREN

See inside booklet for [Precautionary Statements,] Directions for Use and Storage and Disposal

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Manufactured by:



8810 Tenth Avenue North  
Minneapolis, MN 55427

EPA Reg. No. 1021-2865

EPA Est. No. 1021-MN-2

Net Contents: x fl. Ounces

## PRECAUTIONARY STATEMENTS HAZARDS to HUMANS AND DOMESTIC ANIMALS

### PERSONAL PROTECTIVE EQUIPMENT

Wear long sleeved shirt and long pants, shoes plus socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

### ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutter or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. **DO NOT** apply where runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. **DO NOT** apply this product or allow it to drift to blooming crops or weeds while bees are actively foraging in the treatment area.

**DO NOT** apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. **DO NOT** contaminate water when disposing of equipment washwaters or rinsate.

## PROTECTION OF POLLINATORS



**APPLICATION RESTRICTIONS** EXIST FOR THIS PRODUCT BECAUSE OF RISK TO BEES AND OTHER INSECT POLLINATORS. FOLLOW APPLICATION RESTRICTIONS FOUND IN THE DIRECTIONS FOR USE TO PROTECT POLLINATORS.



Look for the bee hazard icon in the Directions for Use for each application site for specific use restrictions and instructions to protect bees and other insect pollinators.

### **This product can kill bees and other insect pollinators**

Bees and other insect pollinators will forage on plants when they flower, shed pollen, or produce nectar.

Bees and other insect pollinators can be exposed to this pesticide from:

- Direct contact during foliar applications, or contact with residues on plant surfaces after foliar applications
- Ingestion of residues in nectar and pollen when the pesticide is applied as a seed treatment, soil, tree injection, as well as foliar applications.

When using this product, take steps to:

- Minimize exposure of this product to bees and other insect pollinators when they are foraging on pollinator attractive plants around the application site.
- Minimize drift of this product on to beehives or to off-site pollinator attractive habitat. Drift of this product onto beehives or off-site to pollinator attractive habitat can result in bee kills.

Information on protecting bees and other insect pollinators may be found at the Pesticide Environmental Stewardship website at: <http://pesticidestewardship.org>.

Pesticide incidents (for example, bee kills) should immediately be reported to the state/tribal lead agency. For contact information for your state, go to: [www.aapco.org](http://www.aapco.org). Pesticide incidents should also be reported to the National Pesticide Information Center at: [www.npic.orst.edu](http://www.npic.orst.edu) or directly to EPA at: [beekill@epa.gov](mailto:beekill@epa.gov)

### PHYSICAL OR CHEMICAL HAZARDS

**DO NOT** apply this product in or on electrical equipment due to the possibility of shock hazard.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **SHAKE WELL BEFORE EACH USE**

#### **FOR INDOOR/OUTDOOR USE [ONLY]**

#### **USE RESTRICTIONS**

- **NOT REGISTERED FOR SALE, DISTRIBUTION OR USE BY THE STATE OF NEW YORK.**
- OUTDOOR USES must be limited to non-foliar premise perimeter treatments to buildings or structures.
- **DO NOT** apply to humans, animals, clothing or human bedding.
- **DO NOT** apply within aircraft cabins.
- **DO NOT** use in outdoor residential misting systems.
- **DO NOT** apply to household pets. Cover fish tanks prior to application near tanks.
- **DO NOT** apply in food/feed areas of food handling establishments.
- When applying in residential or commercial structures, **DO NOT** allow spray to contact food or food-containing surfaces, feed or water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated with this product.
- **DO NOT** allow application to drip or runoff from surfaces. **DO NOT** water the treated area to the point of runoff.
- Not for use on plants being grown for sale or other commercial use. Not for use in nurseries, sod farms and golf courses.
- **DO NOT** apply as a space spray
- **DO NOT** allow people and pets in treatment area (indoors and outdoors) while treatment is administered and restrict access to these areas until all surfaces are dry.
- **DO NOT** use treated articles until spray has dried

- When applying in residential or commercial structures, **DO NOT** allow spray to contact food or food-containing surfaces, feed or water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated with this product.
- In the home all food-processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Food contact surfaces should be thoroughly washed with an effective cleaning compound and rinsed with potable water after use of the product.
- For outdoor applications: Do not apply more than 0.4 lbs. Clothianidin per acre per year or 95 gallons of MGK Formula 3144 per acre per year or more than 2.2 Gallons of MGK Formula 3144 [Product name] per 1,000 sq. ft. per year. { Note: to reviewer this product contains 0.0042 lbs. Clothianidin per gallon. The 95 Gallons/Acre and 2.2 Gallons / 1,000 sq ft. are equivalent to 0.4 lbs. Clothianidin per Acre. }

| <p align="center"><b>READ ENTIRE LABEL BEFORE USE</b></p> <p align="center"><b>USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. [Recommended for use by Professional Applicators].</b></p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Kills                                                                                                                                                                                                                                                                | <p>Ants (including Acrobat, Allegheny Mound, Argentine, Armored Odorous, Army, Asian Needle, Banded Sugar, Big-Headed, Black Carpenter, Black Crazy, Black Garden, Black Harvester, Black Turf, California Harvester, Citronella, Cornfield, Eastern Carpenter, Florida Carpenter, Florida Harvester, Fungus-Growing, Ghost, Herculanus Carpenter, Honey, Honeypot, Lasius, Leaf-Cutter, Legionary, Little Black, Native Fire, Needle, Odorous House, Pavement, Pharaoh, Pyramid, Raspberry Crazy, Red Carpenter, Red Harvester, Red Imported Fire, Rover, Tawny Crazy, Thatch, Thief, Trap-Jaw, Turtle, Velvet, Velvety Tree, Western Harvester, White-Footed, Yellow Crazy) Armyworms, Asian Lady Beetles, Aphids, Bagworms, Booklice, Boxelder Bugs, Bristletails, Brown Marmorated Stink Bugs, Brown Millipedes, Carpet Beetles (Black, Furniture and Varied), Cat Fleas, Centipedes, Chafers, Chinch Bugs, Chocolate Moths, Cigarette Beetles, Click Beetles, Crane Flies, Cucumber Beetles, German Cockroaches, Crickets, Dermestids, Drain flies, Drugstore Beetles, Earwigs, Elm leaf Beetles, Fleas, Flea Beetles, Firebrats, Florida Millipedes, Flour Beetles (Red and Confused), Fruit Flies, Grain Beetles (Rusty, Merchant and Sawtoothed), Grasshoppers, Ground Beetles, House Flies, Ivory Millipedes, Japanese Beetles, Jerusalem Crickets, June Beetles, Lacebugs, Larder Beetles, Leaf-Footed Bugs, Leafhoppers, Leafrollers, Lesser Grain Borers, Lubber Grasshoppers, Kudzu Bugs, Mealy bug</p> <p>Millipedes, Minute Pirate Bugs, Mirids, Mole Crickets, Mosquitoes, Moth flies, Mydas Flies, Net-Winged Midges, Non-biting Midges, Oriental Beetles, Phantom Crane flies, Pillbugs, Plant Bugs, Rice Weevils, Rose Chafers, Sawflies, Scale, Scarab Beetles, Shield-Backed Bugs, Short-Horned Grasshoppers, Silverfish, Small Flying Moths, Spider Beetles, Sowbugs, Spotted Lantern Flies, Springtails, Squash Bugs, Stag Beetles, Stink Bugs, Striped Beetles, Tarnished Plant Bugs, Tent Caterpillars, Tobacco Moths, Treehoppers, Tussock Moth Caterpillars, Two-Spot Ladybug, Waterbugs, Webbing Clothes Moths, Weevils, Western Crane flies, Whiteflies</p> |
| Controls                                                                                                                                                                                                                                                             | <p>Ants (including Acrobat, Allegheny Mound, Argentine, Armored Odorous, Army, Asian Needle, Banded Sugar, Big-Headed, Black Carpenter, Black Crazy, Black Garden, Black Harvester, Black Turf, California Harvester, Citronella, Cornfield, Eastern Carpenter, Florida Carpenter, Florida Harvester, Fungus-Growing, Ghost, Herculanus Carpenter, Honey, Honeypot, Lasius, Leaf-Cutter, Legionary, Little Black, Native Fire, Needle, Odorous House, Pavement, Pyramid, Raspberry Crazy, Red Carpenter, Red Harvester, Rover, Tawny Crazy, Thatch, Thief, Trap-Jaw, Turtle, Velvet, Velvety Tree, Western Harvester, White-Footed, Yellow Crazy) Armyworms, Asian Lady Beetles, Aphids, Bagworms, Booklice, Boxelder Bugs, Bristletails, Brown Marmorated Stink Bugs, Brown Millipedes, Carpet Beetles (Black, Furniture and Varied), Chafers, Chinch Bugs, Chocolate Moths, Cigarette Beetles, Click Beetles, Cluster Flies, Crane Flies, Cucumber Beetles, Crickets, Dermestids, Drain flies, Drugstore Beetles, Earwigs, Elm leaf Beetles, Flea Beetles, Firebrats, Florida Millipedes, Flour Beetles (Red and Confused), Fruit Flies, Grain Beetles (Rusty, Merchant and Sawtoothed), Grasshoppers, Ground Beetles, Ivory Millipedes, Japanese Beetles, Jerusalem Crickets, June Beetles, Lacebugs, Larder Beetles, Leaf-Footed Bugs, Leafhoppers, Leafrollers, Lesser Grain Borers, Lubber Grasshoppers, Kudzu Bugs, Mealybugs, Millipedes, Minute Pirate Bugs, Mirids, Mole Crickets, Moth flies, Mydas Flies, Net-Winged Midges, Non-biting Midges, Oriental Beetles, Phantom Crane flies, Pillbugs, Plant Bugs, Rice Weevils, Rose Chafers, Sawflies, Scale, Scarab Beetles, Shield-Backed Bugs, Short-Horned Grasshoppers, Silverfish, Small Flying Moths, Spider Beetles, Sowbugs, Spotted Lantern Flies, Springtails, Squash Bugs, Stag Beetles, Stink Bugs, Striped Beetles, Tarnished Plant Bugs, Tent Caterpillars, Tobacco Moths, Treehoppers, Tussock Moth Caterpillars, Two-Spot Ladybug, Waterbugs, Webbing Clothes Moths, Weevils, Western Crane flies, Whiteflies</p>                                                                                               |
| Where to Use/Apply                                                                                                                                                                                                                                                   | <p>For use, indoors, in non-food areas; , farms, kennels, livestock and poultry housing, horse stables, feed lots and zoos. Also for use in and around homes, basements, crawl spaces, garages, sheds, schools, warehouses, office buildings, apartment buildings, theaters, hospitals, nursing homes, morgues, museums, hotels, resorts, industrial buildings, motels, camp sites/campgrounds, concert venues, aircraft cargo areas, food processing plants, food service establishments, restaurants, outdoor dining areas, supermarkets, grocery stores, transportation equipment, truck trailers, railroad cars, food manufacturing and warehousing establishments.</p> <p>Outdoor uses must be limited to non foliar premise perimeter treatments on and around buildings or structures.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Before You Use/Apply: Read Instructions Before Using                                                                                                                                                                                                                 | <ul style="list-style-type: none"> <li>Keep all people and pets out of areas (indoors and outdoors) being treated and restrict access to these areas until all surfaces are dry. THIS PRODUCT IS NOT FOR USE ON HUMANS OR ANIMALS</li> <li>When applying in residential or commercial structures, <b>DO NOT</b> allow spray to contact food or food-containing surfaces, feed or water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated with this product.</li> <li>This product should not stain water-safe fabrics and surfaces; however, care should be taken to test an inconspicuous area for staining prior to use</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Spray Drift Advisory                                                                                                                                                                                                                                                 | Take precautions to minimize spray drift                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                                                  |                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------------------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| When/How Much to Use/Apply [Application Rate(s)] | Contact Spray                     | Spray where insects congregate and individual pests when seen. Spray 1-3 pumps [1-3 second spray] contacting insects directly. (Note to reviewer direct spray application testing against public health pests delivered 0.27 mls, the equivalent of amount in a 3 second spray from a trigger sprayer)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                                                  | Crack and Crevice, and Perimeter. | For crack and Crevice Use when you see insects in home and when seasonal invading insects are likely to enter home. Use at rate of 1 gallon per 1,000 square feet [64 fl. oz. per 500 square feet] [32 fl. oz. per 250 square feet] [16 fl. oz. per 125 square feet] for German cockroaches, Asian Lady [Bird] Beetles (Lady bugs), Non-Biting Midges, Boxelder Bugs, Carpet Beetles (Black, Furniture and Varied), Chiggers, Chocolate Moths, Cigarette Beetles, Cluster Flies, Crickets, Dermestids, Drugstore Beetles, Elm leaf Beetles, Firebrats, Flour Beetles (Red and Confused), Grain Beetles (Rusty, Merchant and Sawtoothed), Ground Beetles, Lesser Grain Borers, Pillbugs, Rice Weevils, Silverfish, Small Flying Moths, Spider Beetles, Sowbugs, Stink Bugs, Tobacco Moths, Waterbugs and Webbing Clothes Moths. |
|                                                  | Spot Treatments                   | Spot treatment is application to limited areas on which insects are likely to occur, but which will not be in contact with food or utensils and will not ordinarily be contacted by workers. These areas may occur on floors, walls, and bases or undersides of equipment. Spot treatments must not exceed two square feet in size (2ft. by 1 ft.), not to exceed 10 % of the entire treatment area                                                                                                                                                                                                                                                                                                                                                                                                                            |

|                              |                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| How to Use/<br>Apply Indoors | To Kill Listed Crawling Insects/Pests:                                                                                                                                                                                                                                | Make spot and/or crack and crevice applications into harborage areas, cracks and crevices, entry points, under refrigerators, vending machines, voids, around pipes and along baseboards. When applying to German cockroaches and centipedes, directly spray the pests.                                                                                                                                                                                                                      |
|                              | To Kill Ants                                                                                                                                                                                                                                                          | Make spot, crack and crevice and/or void applications where ants may be foraging and/or nesting, including around doors, window frames, under sinks, around dishwashers, around pipes, attic venting and other areas where ants may find access or nest.                                                                                                                                                                                                                                     |
|                              | To Kill Fleas                                                                                                                                                                                                                                                         | Apply to infested areas, including rugs, floors, carpets, upholstered furniture, pet beds and resting areas, directly contacting fleas while spraying.                                                                                                                                                                                                                                                                                                                                       |
|                              | To Kill/Prevent Listed Crawling Structural Invaders                                                                                                                                                                                                                   | Apply as a perimeter, spot and/or crack and crevice application around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.                                                                                                                                                                                                                                                             |
|                              | To Control Asian Lady [Bird] Beetles (Lady bugs), Boxelder Bugs, Stink Bugs                                                                                                                                                                                           | Apply as a perimeter, spot or crack and/or crevice application where bugs crawl or rest, around doors, windows and areas where insects can enter the home.                                                                                                                                                                                                                                                                                                                                   |
|                              | To Kill House Flies, Other Listed Flies and Small Flying Moths                                                                                                                                                                                                        | Apply directly to flies, house flies and small moths on localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, etc., and anywhere these insects may rest.                                                                                                                                                                                                                                     |
|                              | To Control Pantry Pests: Grain Beetles (Rusty, Merchant and Sawtoothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths | Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Treat exposed stages. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.                                                                                                       |
|                              | To Kill Carpet (Black, Furniture and Varied) and Dermestid Beetles                                                                                                                                                                                                    | Apply on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.                                                                                                                                                                                                                                                                                                                                                      |
|                              | To Kill Webbing Clothes Moths                                                                                                                                                                                                                                         | Apply as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. <b>DO NOT</b> apply to clothing.                                                                                                                                                                                                                                                                    |
|                              | House Plant Applications: To Control Aphids, Lace Bugs, Mealybugs and Whiteflies                                                                                                                                                                                      | Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas.<br><br>Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms if possible. Repeat applications as necessary but not more than once per week. |

|                              |                                                                                                            |                                                                                                                                                                                                                                                                                                     |
|------------------------------|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| How to Use/Apply<br>Outdoors | <b>OUTDOOR USES must be limited to non-foliar premise perimeter treatments to buildings or structures.</b> |                                                                                                                                                                                                                                                                                                     |
|                              | To Kill Listed Crawling Outdoor Pests                                                                      | Apply as a broadcast, spot, crack and/or crevice or perimeter treatment where listed pests are observed and around entry points such as doors and windows, pipes, vents and foundations..                                                                                                           |
|                              | To Kill Ants                                                                                               | Apply as a spot, crack and/or crevice or perimeter treatment where ants are observed foraging, nesting or trailing. Apply as a treatment around entry points such as doors and windows, pipes, vents and foundations.                                                                               |
|                              | To Kill Asian Lady Beetles, Boxelder Bugs, Stink Bugs and other occasional invaders                        | Spray areas around doors, on and around screens, windows, doorframes and areas where insects can enter the home. Remove screens prior to spraying them, allow to dry and then reinstall them.                                                                                                       |
|                              | To Kill Listed Flies, House Flies, and Small Flying Moths                                                  | Apply directly to flies, house flies and small moths on localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, an other non-foliar areas in the perimeter of the structure where pests are observed. |

## STORAGE AND DISPOSAL

**DO NOT** contaminate water, food, or feed by storage and disposal.

### PESTICIDE STORAGE:

Keep this product in its tightly closed original container. Store in a cool, dry (preferably locked) area that is away from water, other pesticides, fertilizers, veterinary supplies, food or feed in a place that is inaccessible to children and animals.

### PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Non-refillable container. **DO NOT** reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**MGK 31751 [PRODUCT NAME]** is an easy, ready- to-use water-based formula for application with handheld trigger-spray bottle or wand applicator.

### **OPTIONAL MARKETING CLAIMS:**

***{Note to PM: When qualified claims are used on the market label, the qualifying statement will appear in close proximity to the claim when it does not impact any mandatory language.}***

#### **Kill Claims**

- *[Kills Asian Lady [bird] Beetles]*
- *[Kills Asian Lady bugs by contact]*
- *[Kills German cockroaches and ants]*
- *[Kills Ants including carpenter and workers, harvester, red imported fire and pharaoh ants]*
- *[Kills common [structural] pest ants]*
- *[Kills ants where they forage and nest]*
- *[Kills Fleas]*
- *[Kills Aphids, Mealybugs, Lace Bugs, Leafminers]*
- *[Kills Japanese Beetles]*
- *[Plus Kills Ants, Crickets, Listed Flies & Other Listed Pests]*
- *[Kills a wide range of Listed Crawling, Flying pests.]*

#### **Residual Claims**

- *[Keeps on Killing ants for up to 90 days]*
- *[Protects Against ants for up to 90 days]*
- *[Residual kill of ants for up to 90 days]*
- *[Keeps killing ants indoors and outdoors for up to 90 days]*
- *[Kills ants on porous and nonporous surfaces]*
- *[Kills ants on multiple surface types]*
- *[Weather resistant on [porous and non-porous] surfaces for up to 90 days]*
- *[Long-lasting residual formulation for ants up to 90 days]*

#### **General Claims**

- *[Non-repellent [formulation]]*
- *[Non-repellent formulation prevents user from trapping ants indoors]*
- *[[Non-repellent formulation] remains undetectable to ants on surfaces]*
- *[Non-repellent formulation can be used in combination with baits for [complete/superior] ant contro]l]*
- *[C[ontains NyGuard IGR]*
- *[Contains pyriproxyfen IGR]*
- *[Contains an IGR]*
- *[Contains an insect growth regulator]*
- *[For use in Residential/Commercial Buildings]*
- *[Dual Action Spray]*
- *[Dual Purpose Spray]*
- *[[Use as] Residual Spray/[Direct] Contact Spray]*
- *[Non-staining]*
- *[No visible/oily residue]*
- *[Low odor]*
- *[[Unique] water-based [formula]]*
- *[Easy-to-Use [Trigger/Automated] Spray]*
- *[For Residential/Commercial Use [Only]]*
- *[For Indoor and Outdoor Use]*
- *[Ready-To-Use]*

- *[Water-Based]*
- *[This product is non-staining; leaves no oily residue]*
- *[This formulation doesn't require fluorinated packaging]*

**END OPTIONAL MARKETING CLAIMS**