



**COMPANY
NUMBER** 1022-

**PRODUCT
SERIAL NO.** 8

**LABEL
APPROVAL
DATE** 5-28-85



PERMATOX 10-S

U. S. PATENT NO. 2,186,134

Dose Unit Pack

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

1

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

2

INGREDIENTS

ACTIVE:	Borax	57.0%
	Sodium Pentachlorophenate	31.6%
	Sodium Salts of other Chlorophenols	4.4%
INERTS:		7.0%

*Equivalent to 40% technical Sodium Pentachlorophenate

READ THIS LABEL BEFORE USING PRODUCT

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

3

BEST AVAILABLE COPY

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Est 1022-TN-1

EPA Reg. No. 1022-8

Neither Chapman makes any rep...
piled, concern...
the label. Neith...
for any person...
of loss resultin...
use of this ma...
material on the

12/84

MANUFACTURED BY CHAPMAN CHEMICAL COMPANY - MEMPHIS, TENNESSEE

A Kema Nobel Company

equipment only. Lumber wet with solution should be handled with rubber hand protectors. Wear goggles or face shield, if splash hazard exists. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Avoid contamination of feed and foodstuffs. Keep away from animals.

(2)

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

(3)

IF IN EYES: Flush with plenty of water. Get medical attention.
IF SWALLOWED: Call physician immediately. Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol and consult a doctor.
IF ON SKIN: Wash immediately with soap and water. Wash contaminated clothing before reuse.
IF INHALED: Remove to fresh air.

thickness, dissolve 10 lbs. of Permatox 10-S in 100 U.S. gallons of water. Warm water will hasten solution of Permatox 10-S. For thicker lumber, or bundled lath or shook, dissolve 10 lbs. of Permatox 10-S in 50 to 75 U. S. gallons of water. A dip of 15 seconds or more is sufficient. The treating solution should be carefully prepared in a separate mixing tank and then run into the dipping vat. After adding the dry chemical to the water the mixture should be stirred until it is all dissolved. To avoid dust, bags should be immersed below water level and then opened. In order to insure best results, the dipping tank must be protected from rain. The treated lumber should not be allowed to remain unprotected in heavy rains, especially just after dipping. Lumber piles should be roofed, and adequate space should be left between boards, and stacks. Green lumber should not be used for stickers.

ACCEPTED
MAY 28 1985
Under the Federal Insecticide, Fungicide, and Rodenticide Act registered under EPA Reg. No. 1032-8

BEST AVAILABLE COPY

Date revised: 12/84

2/85