



NET CONTENTS \_\_\_\_\_ GALLONS

# ENDRIN 1.6-METHYL PARATHION 1.3 EG

Contains 1.6 pounds Endrin and 1.3 pounds Methyl Parathion per Gallon

For control of Bill Weevil, Bollworms, Thrips, Cutworms, Cotton Aphid, Cotton Fleahopper, Tarnished and Rapid Plant Bugs, some species of Spider Mites, Cotton Leaf Worm, Cabbage Looper, Fall Armyworm, and Grasshoppers on Cotton.

April 4, 1968

1022-238

### MIXING DIRECTIONS

Mix with water by agitation or by circulation the mixture through the spray pump and back into the tank. A proper mixture will have the appearance of a milky emulsion with no free oil on the surface. Agitate before use until a uniform emulsion is formed. For best control with ground equipment, apply recommended amount of insecticide in 3 to 5 gallons of water per acre.

### DIRECTIONS FOR USE

**EARLY SEASON:** Seedling Cotton: Apply 1 gallon in sufficient water to cover 24 acres. Squaring Cotton: Apply 1 gallon in sufficient water to cover 12 acres. Repeat at weekly intervals or as infestation warrants.

**MID AND LATE SEASON:** Apply 1 gallon in sufficient water to cover 4 acres of cotton. Repeat at 4 to 5 day intervals until infestation is brought under control. Do not apply within 15 days of hand picking. Persons working in fields within 5 days after treatment should wear clean tightly woven clothing.

### NOTICE

Neither the Manufacturer nor the seller makes any representation or warranty, expressed or implied concerning this product, except that it is of the Manufacturer's standard quality. Neither shall be held responsible in any manner for any personal injury, property damage or other type of loss resulting from the improper handling, storage and use of this product. The buyer accepts and uses this product on these conditions.

USDA Reg. No. 1022-238

### INGREDIENTS

<b>ACTIVE INGREDIENTS:</b>	
Endrin*	18.24%
0,0-dimethyl 0-p-nitrophenyl thiophosphate...	18.43%
Aromatic petroleum derivative	56.16%
<b>INERT INGREDIENTS:</b>	
Total	100.00%
*hexachlorocyclohexene, endo, endo-dimethanonaphthalene	
*Methyl Parathion*	

**DANGER**

**KEEP OUT OF REACH OF CHILDREN!**  
(See right panel for further warning statement.)

**POISON**

**CALL A PHYSICIAN IMMEDIATELY**

**ANTIDOTE**

**SYMPTOMS OF POISONING:** A sense of "tightness" in chest. Stomach pains. Vomiting and diarrhea.

**ANTIDOTE:** Internal: If swallowed, Give a table-spoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately.

**ANTIDOTE:** External: If on skin. In case of contact remove contaminated clothing and immediately wash skin with soap and water.

**NOTE TO PHYSICIANS:** Compound exerts muscarine-like effects - i.e., stimulation of the parasympathetic nervous system. Contains Methyl Parathion, which is a cholinesterase inhibitor and treatment of severe poisoning should include the use of atropine, a parasympathetic depressant, in large doses. Also contains Endrin, which responds well to almost any barbituric acid derivatives. The administration of oxygen is helpful.

### WARNING

**POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN.** Rapidly absorbed through skin. Do not get in eyes or on skin or on clothing. Repeated inhalation or skin contact may without symptoms progressively increase susceptibility to PARATHION Poisoning. Do not breathe dust of vapors. Do not take internally. Do not store near food or feed products. Keep out of reach of children. Wear natural rubber gloves, protective clothing, and goggles. In case of contact wash immediately with soap and water. If in eyes, flush with plenty soap and water and get medical attention. Wear a mask or respirator of a type passed by the U. S. Dept. of Agriculture for protection against endrin-methyl parathion mixtures. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

Do not apply nor allow to drift where dairy animals or animals being finished for slaughter may be grazing. Do not pasture dairy animals or animals being finished for slaughter in cotton fields or feed gin waste from cotton that received late applications of this insecticide. This product is poisonous to fish and wildlife. Keep out of lakes, ponds, and streams. Do not apply in any manner not specified on the label.

**CAUTION:** Do not use or store near open flame.

**WASTE AND CONTAINER DISPOSAL**  
Do not reuse drum. Return to drum reconitioner or destroy by perforating or crushing and burying in a safe place.

DO NOT USE THIS PRODUCT FOR ANY PURPOSE NOT MENTIONED ON THIS LABEL

MANUFACTURED BY **CHAPMAN CHEMICAL COMPANY** MEMPHIS, TENNESSEE