



## RESTRICTED USE PESTICIDE

For sale to and use only by certified applicators or by persons under their supervision and only for those uses covered by the certified applicators' certification.

Batch Number PM21 1022-256 1671

Net Contents \_\_\_\_\_

Date Packaged \_\_\_\_\_

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS **DANGER**

May be fatal if swallowed, inhaled, or absorbed through skin. Do not get in eyes, on skin, or on clothing. Causes delayed chemical burns. Do not take internally. Do not breathe vapors. Use with adequate ventilation.

The U.S. EPA has determined that pentachlorophenol can produce defects in the offspring of laboratory animals. Exposure to pentachlorophenol during pregnancy should be avoided.

Applicators must wear gloves impervious to the wood treatment formulations (e.g., polyvinyl acetate (PVA), polyvinyl chloride (PVC), or neoprene), in all situations where dermal contact is expected (e.g., during the actual application process and when handling freshly treated wood). Applicators must wear long sleeved shirts, long pants and an impermeable apron during the application and mixing processes and all situations where dermal contact is expected.

Work clothing must be changed when it shows signs of contamination. Launder work clothing separately from other household clothing. Dispose of worn-out work clothing and workshoes or boots in any general landfill, in the trash, or in any other manner approved for pesticide disposal.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation. Wash thoroughly after skin contact and before eating, drinking, use of tobacco products, or using restrooms.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### PHYSICAL AND CHEMICAL HAZARDS

Do not store near heat or open flame. Close container after each use.

### STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food or feed by storage or disposal. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

## TIMPREG

POL-NU TYPE

PRESERVATIVE GREASE

U.S. PATENT NO. 3,049,471

WITH CREOSOTE ADDED

GROUNDLINE TREATMENT

FOR CONTROL OF FUNGAL DECAY AND  
ATTACK BY SUBTERRANEAN TERMITES  
FOR STANDING UTILITY POLES AND POSTS

### INGREDIENTS

#### ACTIVE INGREDIENTS:

Pentachlorophenol .....	9.89%
Creosote .....	15.00%
Sodium Fluoride .....	15.00%
INERT INGREDIENTS .....	60.11%
TOTAL .....	100.00%

### CONTAINS PETROLEUM DISTILLATES

Chapman Chemical Company has complied with all terms and conditions of the registration governing the composition of this product as approved by the United States Environmental Protection Agency under Section 3 of the Federal Insecticide, Fungicide, and Rodenticide Act.

## KEEP OUT OF REACH OF CHILDREN **DANGER**

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF IN EYES:** Flush with plenty of water. Call a physician.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

**IF INHALED:** Remove victim to fresh air. Get medical attention.

**NOTE TO PHYSICIAN:** This product is a metabolic stimulant. Treatment is supportive. Forced diuresis may be effective to reduce total body burden. Treat hyperthermia with physical measures. Do not administer aspirin, phenothiazines, or atropine since they may enhance toxicity.

SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use of this product for any purpose other than those stated on the label, including the use of this product in the manufacture and formulation of other pesticide products or in repackaging of this product, is prohibited.

### APPLICATION TO POLES

TIMPREG can best be applied to poles by using the CHAPMAN BANDAGE MAKER and polyethylene coated kraft paper. TIMPREG may also be applied by brush, paddle, trowel, or any mechanically driven pump. For application to deep checks in poles or timbers, fill a caulking gun with TIMPREG and apply. Any grease equipment that will handle No. 2 cup grease will work with TIMPREG.

Excavate the soil away from the poles to a depth of about 18 inches in areas of medium or heavy rainfall and 24 inches or deeper in areas of low rainfall. Wire brush the pole surface to remove adhering soil. Scrape off decay on the surface. It is also desirable to take an increment boring directed toward the center of the pole or to bore with a brace and bit. If decay is present in the center of the pole, consideration should be given to its early replacement or stubbing.

TIMPREG will penetrate wet wood. It is not necessary to leave excavated poles exposed to the weather to dry out.

Apply TIMPREG 1/16 to 1/4 inch layer for average groundline treatment. More may be required for special conditions. (CHAPMAN BANDAGE MAKER is adjustable up to 3/8 of an inch.) Bandages may be prepared to cover groundline areas of poles in bands of 18 or 22 inches in height. TIMPREG should be applied to cover the pole surface 4 inches below the last evidence of decay and 3 inches above the groundline.

More than one bandage may be used in special cases where the pole area to be covered spans a height greater than 22 inches, such as hillsides, etc. (THE CHAPMAN BANDAGE MAKER produces a 22 inch band of TIMPREG. A template furnished separately may be inserted to obtain an 18 inch band.)

### WARRANTY STATEMENT AND DISCLAIMER

Proper application is critical to the effectiveness of the product however, when applied and used according to this label, TIMPREG is capable of protecting wood under the conditions described above. The performance of the treatment will be affected by the condition of the wood when treated, the species of wood, the type of exposure, and previous and subsequent treatments.

**DANGER:** READ THE LABEL THOROUGHLY BEFORE USE. COMPLY WITH ALL DIRECTIONS AND WARNINGS GIVEN, AND USE COMMON SENSE IN HANDLING.

CHAPMAN MAKES NO WARRANTIES, EITHER EXPRESS OR IMPLIED, OTHER THAN AS SET FORTH ON THIS LABEL, AND CHAPMAN DISCLAIMS ANY IMPLIED WARRANTY OR MERCHANTABILITY NOT SPECIFICALLY SET FORTH ON THIS LABEL. CHAPMAN SHALL NOT BE RESPONSIBLE FOR ANY PERSONAL INJURY OR PROPERTY DAMAGE OR OTHER TYPE OF LOSS RESULTING FROM FAILURE TO FOLLOW THE DIRECTIONS FOR USE, WARNINGS AND PRECAUTIONARY LANGUAGE GIVEN ON THIS LABEL. CHAPMAN SHALL NOT BE RESPONSIBLE FOR DAMAGE TO PROPERTY BEYOND THE PURCHASE PRICE OF THIS PRODUCT; HOWEVER, SOME STATES DO NOT ALLOW THE INCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS LIMITATION MAY NOT APPLY TO YOU.

ACCEPTED

OCT 9 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticides registered under EPA Reg. No. 1022-256

Printed in USA

MANUFACTURED BY  
CHAPMAN CHEMICAL COMPANY  
MEMPHIS, TENNESSEE 38109