

GIBBERELLIN 16%
PLANT GROWTH REGULANT

2-7-72
107-53

Active Ingredient: Gibberellic Acid 16%
Total Inert Ingredients: 84%

USDA Reg. No. 1007-53

NET WEIGHT 110 LBS. (50 KILOS)

CAUTION: KEEP OUT OF REACH OF CHILDREN

The effects of this material are known only as to a few plants and under certain conditions. Seller makes no warranty expressed or implied, concerning results obtained by its use. Buyer assumes all risks of use and handling.

MADE IN U.S.A.

Lot



P.O. G81188

CAUTION: FOR MANUFACTURING, PROCESSING OR REPACKING.

CHEMICAL DIVISION
CHAS. PFIZER & CO., INC.
Manufacturing Chemists since 1849
NEW YORK, NEW YORK



DABAN 1

NET CONTENTS 1 GALLON

(DSMA, Herban* & Surfactant)

For Selective Post-Emergence Weed Control

INGREDIENT STATEMENT

Active:	
Disodium methanearsonate.....	2.8
Norea (3-hexahydro-4,7-methanobenzofuran-5-yl).....	0.2
Related reaction products.....	0.1
Inerts:.....	7.0
Total.....	10.1

Total Arsenic, all in water soluble form, equals 2.8 pounds per gallon. Contains 2.8 pounds Disodium Methanearsonate, 0.2 pounds Norea, 0.1 pound Herban* and 1 pound Surfactant per gallon.


WARNING

KEEP OUT OF THE REACH OF CHILDREN!

Harmful if swallowed. Do not get in eyes. Avoid breathing spray mist. Wash hands after using. Avoid contact with skin. Avoid storage near food and food products. **KEEP AWAY FROM CHILDREN AND DOMESTIC ANIMALS.** Keep children and animals off treated areas until washed into soil.

CHAPMAN CHEMICAL COMPANY

MEMPHIS TENNESSEE U.S.A.



ANTIDOTE: If taken internally, induce vomiting and CALL A PHYSICIAN AT ONCE.

Do not contaminate water used by wildlife and aquatic life for domestic and irrigation purposes.

DO NOT FEED ANY PART OF TREATED COTTON PLANTS FORAGE OR OTHER TREATED VEGETATION TO LIVESTOCK. DO NOT GRAZE TREATED AREAS.

Applications which result in some of the spray solution getting onto the cotton may result in injury to or loss of the cotton and a subsequent loss of yield.

Do not plant other crops on treated soil within 50 feet after application. Do not re-use empty containers. Destroy by burying in a safe place.

Do not make more than 2 applications of any combination of products containing salts of Monosodium Methanearsonate per crop season nor apply them after the first bloom, to do so may result in unlawful residues or arsenic in cottonseed.

NON WARRANTY

Neither the manufacturer nor the seller makes representation or warranty, express or implied, concerning this product, except that it is of manufacturer's standard quality. Neither shall be held responsible in any manner for any personal injury, property damage or other type of loss resulting from the improper handling, storage or mis-use of this product. Buyer accepts and uses this product on these conditions.

*Herban is a registered trademark of Hercules Powder Company.

If desired on the middles, an extra nozzle should be mounted to the side to apply a separate spray on these areas as well. Spray nozzle should be positioned to give complete coverage of the weeds and grasses to be controlled without contacting the cotton foliage.

WEED AND GRASS CONTROL

DABAN 1 for post emergence control of certain annual and perennial grasses, weeds and such as watergrass, goosegrass, nutgrass, bur and Johnsongrass.

Apply 1 to 1 1/2 gallons of DABAN 1 to 40 gallons of water. The unwanted vegetation should be thoroughly covered with spray to the point of runoff. Retreatments may be necessary and should be applied where regrowth occurs. Any spray equipment which gives good spray coverage may be used. Power sprayers being particularly effective in such areas as rights-of-way, drainage ditch, fence lines, placement storage yards and non-crop areas where control of the grasses is desired. Do not use on sites tested.